

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: September 28, 2004, 16:39:23 ; Search time 127 Seconds
(without alignments)
1290.374 Million cell updates/sec

Title: US-10-069-541-6
Perfect score: 2972
Sequence: 1 MAFHVEGLIAIIVFYLLILL.....EAFLDVDSSPEGSGTEDNLQ 580

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_29Jan04:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	2972	100.0	580	4	AAB74665	Aab74665 Human hig
2	2972	100.0	580	4	AAB86837	Aab86837 Human CHO
3	2972	100.0	580	6	ABU08979	Abu08979 Human hig
4	2972	100.0	580	7	ADD50649	Add50649 High-affi
5	2972	100.0	580	7	ADD50639	Add50639 Human hig
6	2972	100.0	580	7	ADD50648	Add50648 High-affi
7	2972	100.0	580	7	ADD50647	Add50647 High-affi
8	2820	94.9	580	4	AAB74664	Aab74664 Rat high
9	2820	94.9	580	7	ADD50643	Add50643 Rat high-

10	2810	94.5	580	4	AAy72388	Aay72388	Mouse P4P
11	2801	94.2	580	4	AAB74666	Aab74666	Mouse hig
12	2795	94.0	580	7	ADD50641	Add50641	Mouse hig
13	2795	94.0	580	7	ADD50661	Add50661	Mouse hig
14	1453	48.9	576	4	AAB74663	Aab74663	C. elegan
15	1453	48.9	576	7	ADD50645	Add50645	C. elegan
16	723.5	24.3	278	4	ABB71601	Abb71601	Drosophil
17	344	11.6	492	4	AAB96805	Aab96805	Putative
18	317.5	10.7	675	5	ABP69833	Abp69833	Human pol
19	311.5	10.5	675	4	AAB85102	Aab85102	Novel hum
20	311.5	10.5	675	6	ABJ37936	Abj37936	NOVX prot
21	310.5	10.4	675	4	AAB60093	Aab60093	Human tra
22	310.5	10.4	675	5	ABB80599	Abb80599	Human sbg
23	308.5	10.4	662	2	AAR73595	Aar73595	Cotranspo
24	306	10.3	660	4	ABG30151	Abg30151	Novel hum
25	299.5	10.1	546	5	ABP65617	Abp65617	Bifidobac
26	298.5	10.0	675	5	AAU77134	Aau77134	Human sod
27	298	10.0	672	2	AAR73593	Aar73593	Cotranspo
28	297.5	10.0	471	6	ABU24801	Abu24801	Protein e
29	295	9.9	596	6	ABB99498	Abb99498	Amino aci
30	295	9.9	655	7	ADC97745	Adc97745	Na/glucos
31	294	9.9	670	5	ABP69135	Abp69135	Human pol
32	287	9.7	659	2	AAy31221	Aay31221	Human SAA
33	286	9.6	678	5	ABU05343	Abu05343	Pancreas-
34	283	9.5	484	4	AAB96255	Aab96255	Putative
35	279	9.4	454	6	ABU25621	Abu25621	Protein e
36	277.5	9.3	596	4	AAE06614	Aae06614	Human pro
37	277.5	9.3	596	4	AAE08088	Aae08088	Human tra
38	277.5	9.3	596	5	ABG31594	Abg31594	Human tra
39	277.5	9.3	596	5	ABB80588	Abb80588	Human sbg
40	277.5	9.3	596	5	AAO14199	Aao14199	Human tra
41	277.5	9.3	596	6	ABU10299	Abu10299	Novel hum
42	277.5	9.3	643	6	ABB99497	Abb99497	Amino aci
43	277	9.3	596	6	ABU10300	Abu10300	Rabbit so
44	273	9.2	648	5	ABP69832	Abp69832	Human pol
45	273	9.2	681	5	ABU05344	Abu05344	Pancreas-

ALIGNMENTS

RESULT 1

AAB74665

ID AAB74665 standard; protein; 580 AA.

XX

AC AAB74665;

XX

DT 01-JUN-2001 (first entry)

XX

DE Human high affinity choline transporter protein.

XX

KW High affinity choline transporter; cho-1; Alzheimer's disease; diagnosis.

XX

OS Homo sapiens.

XX

PN WO200116315-A1.

XX

PD 08-MAR-2001.
 XX
 PF 18-AUG-2000; 2000WO-JP005545.
 XX
 PR 27-AUG-1999; 99JP-00240642.
 PR 27-DEC-1999; 99JP-00368991.
 XX
 PA (NISC-) JAPAN SCI & TECHNOLOGY CORP.
 XX
 PI Haga T, Okuda T;
 XX
 DR WPI; 2001-226688/23.
 DR N-PSDB; AAF81712.
 XX
 PT New rat and human spinal cord high affinity choline transporters, useful
 PT in diagnosis of Alzheimer's disease and screening promoters as drugs for
 PT treating Alzheimer's disease.
 XX
 PS Claim 8; Page 76-78; 90pp; Japanese.
 XX
 CC The present sequence represents a human (Homo sapiens) high affinity
 CC choline transporter protein designated cho-1. The cho-1 protein has
 CC nootropic and neuroprotective activities. The cho-1 polynucleotide and
 CC protein can be used for the diagnosis of diseases related to the
 CC expression of cho-1 by comparing the cho-1 polynucleotide sequence in a
 CC sample to that of a control. Drug compositions containing the cho-1
 CC protein or expression promoters or inhibitors of cho-1 are useful for
 CC treating disorders characterised by abnormal levels of cho-1, such as
 CC Alzheimer's disease
 XX
 SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 4; Length 580;
 Best Local Similarity 100.0%; Pred. No. 3.6e-290;
 Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Db	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Qy	301	NQTAYGLPDKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360

```

      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      301 NQTAYGLPDPKTTTEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360
Qy      361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
Qy      421 LLCVLFVKGTNTYGA VAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPPK 480
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      421 LLCVLFVKGTNTYGA VAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPPK 480
Qy      481 TLAMVTSFLTNICISYLA KYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      481 TLAMVTSFLTNICISYLA KYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
Qy      541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580

```

RESULT 2

AAB86837

ID AAB86837 standard; protein; 580 AA.

XX

AC AAB86837;

XX

DT 26-NOV-2001 (first entry)

XX

DE Human CHOT protein.

XX

KW CHOT; human; choline transporter; chromosome 2q11-13; nootropic;
 KW neuroprotective; gene therapy; antisense therapy; degenerative disease;
 KW cognitive disorder; Alzheimer's disease.

XX

OS Homo sapiens.

XX

PN DE10009055-A1.

XX

PD 30-AUG-2001.

XX

PF 28-FEB-2000; 2000DE-01009055.

XX

PR 28-FEB-2000; 2000DE-01009055.

XX

PA (BRUE/) BRUESS M.

PA (BOEN/) BOENISCH H.

XX

PI Bruess M, Boenisch H;

XX

DR WPI; 2001-590709/67.

DR N-PSDB; AAH49207.

XX

PT A new gene encoding human choline transporter, designated hCHOT is
 PT located on chromosome 2q11-13 and is useful to treat degenerative
 PT disorders such as Alzheimer's disease.

XX

PS Disclosure; Page 11; 12pp; German.

XX
CC This invention describes a novel gene encoding human choline transporter,
CC designated hCHOT which is located on chromosome 2q11-13. The products of
CC the invention have nootropic and neuroprotective activity and can be used
CC for gene or antisense therapy. (I) is used to treat degenerative disease,
CC particularly cognitive disorders such as Alzheimer's disease. Sense and
CC antisense oligonucleotides derived from the gene may be used in
CC diagnostics and other techniques. This sequence represents the human CHOT
CC protein described in the invention

XX

SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 4; Length 580;
Best Local Similarity 100.0%; Pred. No. 3.6e-290;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      |||
Db      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      |||
Db     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      |||
Db    121 IYGKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      |||
Db    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      |||
Db    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      |||
Db    301 NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
      |||
Db    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420

Qy    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      |||
Db    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540
      |||
Db    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540

Qy    541 ELALVKPRQSM T L S S T F T N K E A F L D V D S S P E G S G T E D N L Q 580
      |||
Db    541 ELALVKPRQSM T L S S T F T N K E A F L D V D S S P E G S G T E D N L Q 580
```

RESULT 3

ABU08979

ID ABU08979 standard; protein; 580 AA.

XX

AC ABU08979;

XX

DT 13-JUN-2003 (first entry)

XX

DE Human high affinity choline transporter, HACT.

XX

KW Human; HACT; high affinity choline transporter; pain;

KW neurotransmitter biosynthesis; learning and memory; aging; epilepsy;

KW neurological disorder; spasticity; myoclonus; muscle spasm;

KW muscle hyperactivity; stroke; head trauma; neuronal cell death;

KW multiple sclerosis; spinal chord injury; dystonia; Alzheimer's disease;

KW Myasthenia Gravis; multi-infarct dementia; AIDS dementia;

KW Parkinson's disease; Huntington's disease; amyotrophic lateral sclerosis;

KW ALS; attention deficit disorder; organic brain syndrome; schizophrenia;

KW nicotine addiction; memory disorder; cognitive disorder.

XX

OS Homo sapiens.

XX

PN US6500643-B1.

XX

PD 31-DEC-2002.

XX

PF 07-SEP-2000; 2000US-00657252.

XX

PR 07-SEP-2000; 2000US-00657252.

XX

PA (UYFL) UNIV FLORIDA.

XX

PI Wu D, Gu Y, Millard WJ, He Y;

XX

DR WPI; 2003-361535/34.

DR N-PSDB; ABX94338.

XX

PT Novel isolated polynucleotide (I) that encodes high affinity choline

PT transporter protein, useful for preventing, treating or ameliorating

PT neurological and cognitive disorders such as Alzheimer's or Parkinson's

PT disease.

XX

PS Claim 1; Col 21-24; 20pp; English.

XX

CC The invention relates to an isolated polynucleotide which encodes a high

CC affinity choline transporter (HACT) protein appearing as ABU08979. Also

CC included are a polynucleotide encoding a fragment consisting of at least

CC about 50 amino acids of the HACT protein, a vector comprising the

CC polynucleotide, a composition comprising a vector comprising a

CC polynucleotide which comprises at least about 12 contiguous nucleic acids

CC of a polynucleotide appearing as ABX94339 (encoding choline

CC acetyltransferase), a recombinant host cell which comprises the vector

CC (used to express the HACT protein or fragment). The polynucleotide is

CC useful as a probe or primer to detect the presence of HACT polynucleotide

CC in a sample, such as a biological sample, or for screening for test

CC agents which bind to the polynucleotide. A pharmaceutical composition

CC comprising the polynucleotide is useful for preventing, treating or

CC ameliorating neurological and cognitive disorders e.g. pain, spasticity,
 CC myoclonus, muscle spasm, muscle hyperactivity, epilepsy, stroke, head
 CC trauma, neuronal cell death, multiple sclerosis, spinal chord injury,
 CC dystonia, Alzheimer's disease, myasthenia gravis, multi- infarct
 CC dementia, AIDS dementia, Parkinson's disease, Huntington's disease,
 CC amyotrophic lateral sclerosis (ALS), attention deficit disorder, nicotine
 CC addiction, organic brain syndromes, schizophrenia or memory and cognitive
 CC disorders. HACT is thought to be the rate limiting step in cholinergic
 CC neurotransmitter biosynthesis and regeneration (cholinergic transmissions
 CC are crucial to brain functions such as learning and memory). The present
 CC sequence represents human HACT
 XX
 SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 6; Length 580;
 Best Local Similarity 100.0%; Pred. No. 3.6e-290;
 Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Db	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Db	361	RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Qy	421	LLCVLFVKGTNTYGAVAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK	480
Db	421	LLCVLFVKGTNTYGAVAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK	480
Qy	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
Db	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
Qy	541	ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580
Db	541	ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580

RESULT 4

ADD50649

ID ADD50649 standard; protein; 580 AA.

XX

AC ADD50649;

XX

DT 15-JAN-2004 (first entry)

XX

DE High-affinity choline transporter (CHT) associated protein sequence #3.

XX

KW High-affinity choline transporter; CHT; cholinergic function;

KW Parkinson's disease; Huntington's disease; Alzheimer's disease;

KW schizophrenia; dysautonomia; myasthenia gravis; brain;

KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;

KW neuroprotective; neuroleptic.

XX

OS Unidentified.

XX

PN US2003114399-A1.

XX

PD 19-JUN-2003.

XX

PF 23-JUL-2001; 2001US-00911077.

XX

PR 23-JUL-2001; 2001US-00911077.

XX

PA (BLAK/) BLAKELY R D.

PA (APPA/) APPARSUNDARAM S.

PA (FERG/) FERGUSON S.

XX

PI Blakely RD, Apparsundaram S, Ferguson S;

XX

DR WPI; 2003-810914/76.

XX

PT Novel isolated polynucleotide encoding human or mouse high affinity

PT choline transporter polypeptide, useful in gene therapy to increase

PT cholinergic function in a cell of a patient suffering from Alzheimer's

PT disease.

XX

PS Disclosure; SEQ ID NO 12; 74pp; English.

XX

CC The present invention relates to the isolation of polynucleotide

CC sequences encoding human and mouse high-affinity choline transporter

CC (hCHT and mCHT respectively), and the proteins they encode. The gene

CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence

CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT

CC polynucleotide sequence when delivered to a cell, increases cholinergic

CC function in the cell that is in a patient having Parkinson's disease,

CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or

CC myasthenia gravis. The hCHT antibody is useful for controlling

CC transporter CHT proteins to the brain, and for treating the above

CC mentioned diseases. The antibody is also useful for diagnosing the above

CC mentioned disorders and to detect the influence of cholinergic

CC signalling. The present protein sequence of unknown function is provided

CC in the electronic sequence data but is not mentioned in the printed

CC specification. Note: The sequence data for this patent was obtained in
CC electronic format directly from the USPTO web site at seqdata.uspto.gov.
XX
SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 7; Length 580;
Best Local Similarity 100.0%; Pred. No. 3.6e-290;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      |||
Db      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      |||
Db     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      |||
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      |||
Db    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      |||
Db    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      |||
Db    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSDDLVIYIVIFPQ 420
      |||
Db    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSDDLVIYIVIFPQ 420

Qy    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      |||
Db    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480

Qy    481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNNENIKLD 540
      |||
Db    481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNNENIKLD 540

Qy    541 ELALVKPRQSM T L S S T F T N K E A F L D V D S S P E G S G T E D N L Q 580
      |||
Db    541 ELALVKPRQSM T L S S T F T N K E A F L D V D S S P E G S G T E D N L Q 580
```

RESULT 5
ADD50639
ID ADD50639 standard; protein; 580 AA.
XX
AC ADD50639;
XX
DT 15-JAN-2004 (first entry)

XX
 DE Human high-affinity choline transporter (hCHT).
 XX
 KW Human; high-affinity choline transporter; hCHT; cholinergic function;
 KW Parkinson's disease; Huntington's disease; Alzheimer's disease;
 KW schizophrenia; dysautonomia; myasthenia gravis; brain;
 KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;
 KW neuroprotective; neuroleptic.
 XX
 OS Homo sapiens.
 XX
 PN US2003114399-A1.
 XX
 PD 19-JUN-2003.
 XX
 PF 23-JUL-2001; 2001US-00911077.
 XX
 PR 23-JUL-2001; 2001US-00911077.
 XX
 PA (BLAK/) BLAKELY R D.
 PA (APPA/) APPARSUNDARAM S.
 PA (FERG/) FERGUSON S.
 XX
 PI Blakely RD, Apparsundaram S, Ferguson S;
 XX
 DR WPI; 2003-810914/76.
 DR N-PSDB; ADD50638.
 XX
 PT Novel isolated polynucleotide encoding human or mouse high affinity
 PT choline transporter polypeptide, useful in gene therapy to increase
 PT cholinergic function in a cell of a patient suffering from Alzheimer's
 PT disease.
 XX
 PS Claim 1; SEQ ID NO 2; 74pp; English.
 XX
 CC The present invention relates to the isolation of polynucleotide
 CC sequences encoding human and mouse high-affinity choline transporter
 CC (hCHT and mCHT respectively), and the proteins they encode. The gene
 CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence
 CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT
 CC polynucleotide sequence when delivered to a cell, increases cholinergic
 CC function in the cell that is in a patient having Parkinson's disease,
 CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or
 CC myasthenia gravis. The hCHT antibody is useful for controlling
 CC transporter CHT proteins to the brain, and for treating the above
 CC mentioned diseases. The antibody is also useful for diagnosing the above
 CC mentioned disorders and to detect the influence of cholinergic
 CC signalling. The present sequence represents hCHT. Note: The sequence data
 CC for this patent was obtained in electronic format directly from the USPTO
 CC web site at seqdata.uspto.gov.
 XX
 SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 7; Length 580;
 Best Local Similarity 100.0%; Pred. No. 3.6e-290;
 Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Db	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Db	361	RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Qy	421	LLCVLFVKGTNTYGAVAGYVSGFLRLITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK	480
Db	421	LLCVLFVKGTNTYGAVAGYVSGFLRLITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK	480
Qy	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
Db	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
Qy	541	ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580
Db	541	ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580

RESULT 6

ADD50648

ID ADD50648 standard; protein; 580 AA.

XX

AC ADD50648;

XX

DT 15-JAN-2004 (first entry)

XX

DE High-affinity choline transporter (CHT) associated protein sequence #2.

XX

KW High-affinity choline transporter; CHT; cholinergic function;

KW Parkinson's disease; Huntington's disease; Alzheimer's disease;

KW schizophrenia; dysautonomia; myasthenia gravis; brain;

KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;

KW neuroprotective; neuroleptic.

XX

OS Unidentified.
 XX
 PN US2003114399-A1.
 XX
 PD 19-JUN-2003.
 XX
 PF 23-JUL-2001; 2001US-00911077.
 XX
 PR 23-JUL-2001; 2001US-00911077.
 XX
 PA (BLAK/) BLAKELY R D.
 PA (APPA/) APPARSUNDARAM S.
 PA (FERG/) FERGUSON S.
 XX
 PI Blakely RD, Apparsundaram S, Ferguson S;
 XX
 DR WPI; 2003-810914/76.
 XX
 PT Novel isolated polynucleotide encoding human or mouse high affinity
 PT choline transporter polypeptide, useful in gene therapy to increase
 PT cholinergic function in a cell of a patient suffering from Alzheimer's
 PT disease.
 XX
 PS Disclosure; SEQ ID NO 11; 74pp; English.
 XX
 CC The present invention relates to the isolation of polynucleotide
 CC sequences encoding human and mouse high-affinity choline transporter
 CC (hCHT and mCHT respectively), and the proteins they encode. The gene
 CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence
 CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT
 CC polynucleotide sequence when delivered to a cell, increases cholinergic
 CC function in the cell that is in a patient having Parkinson's disease,
 CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or
 CC myasthenia gravis. The hCHT antibody is useful for controlling
 CC transporter CHT proteins to the brain, and for treating the above
 CC mentioned diseases. The antibody is also useful for diagnosing the above
 CC mentioned disorders and to detect the influence of cholinergic
 CC signalling. The present protein sequence of unknown function is provided
 CC in the electronic sequence data but is not mentioned in the printed
 CC specification. Note: The sequence data for this patent was obtained in
 CC electronic format directly from the USPTO web site at seqdata.uspto.gov.
 XX
 SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 7; Length 580;
 Best Local Similarity 100.0%; Pred. No. 3.6e-290;
 Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
 QY 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
 QY 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Db	121	 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Db	181	 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Qy	241	LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
Db	241	 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	 NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Db	361	 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Qy	421	LLCVLFVKGTNTYGAAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK	480
Db	421	 LLCVLFVKGTNTYGAAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK	480
Qy	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD	540
Db	481	 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD	540
Qy	541	ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580
Db	541	 ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580

RESULT 7

ADD50647

ID ADD50647 standard; protein; 580 AA.

XX

AC ADD50647;

XX

DT 15-JAN-2004 (first entry)

XX

DE High-affinity choline transporter (CHT) associated protein sequence #1.

XX

KW High-affinity choline transporter; CHT; cholinergic function;

KW Parkinson's disease; Huntington's disease; Alzheimer's disease;

KW schizophrenia; dysautonomia; myasthenia gravis; brain;

KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;

KW neuroprotective; neuroleptic.

XX

OS Unidentified.

XX

PN US2003114399-A1.

XX

PD 19-JUN-2003.

XX

PF 23-JUL-2001; 2001US-00911077.

XX

PR 23-JUL-2001; 2001US-00911077.

XX
PA (BLAK/) BLAKELY R D.
PA (APPA/) APPARSUNDARAM S.
PA (FERG/) FERGUSON S.
XX
PI Blakely RD, Apparsundaram S, Ferguson S;
XX
DR WPI; 2003-810914/76.
XX
PT Novel isolated polynucleotide encoding human or mouse high affinity
PT choline transporter polypeptide, useful in gene therapy to increase
PT cholinergic function in a cell of a patient suffering from Alzheimer's
PT disease.
XX
PS Disclosure; SEQ ID NO 10; 74pp; English.
XX
CC The present invention relates to the isolation of polynucleotide
CC sequences encoding human and mouse high-affinity choline transporter
CC (hCHT and mCHT respectively), and the proteins they encode. The gene
CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence
CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT
CC polynucleotide sequence when delivered to a cell, increases cholinergic
CC function in the cell that is in a patient having Parkinson's disease,
CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or
CC myasthenia gravis. The hCHT antibody is useful for controlling
CC transporter CHT proteins to the brain, and for treating the above
CC mentioned diseases. The antibody is also useful for diagnosing the above
CC mentioned disorders and to detect the influence of cholinergic
CC signalling. The present protein sequence of unknown function is provided
CC in the electronic sequence data but is not mentioned in the printed
CC specification. Note: The sequence data for this patent was obtained in
CC electronic format directly from the USPTO web site at seqdata.uspto.gov.
XX
SQ Sequence 580 AA;

Query Match 100.0%; Score 2972; DB 7; Length 580;
Best Local Similarity 100.0%; Pred. No. 3.6e-290;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
|
Db 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
|
Db 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
|
Db 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy 181 LYSVAYTDVVQLFCIFVGLWISVPPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
|
Db 181 LYSVAYTDVVQLFCIFVGLWISVPPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy 241 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
|

Db 241 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW 300
 Qy 301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
 Qy 361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
 Qy 421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480
 Qy 481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVARHSEENMDKTILVKENIKLD 540
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVARHSEENMDKTILVKENIKLD 540
 Qy 541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
 ||||||||||||||||||||||||||||||||||||||||||||
 Db 541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580

RESULT 8

AAB74664

ID AAB74664 standard; protein; 580 AA.

XX

AC AAB74664;

XX

DT 01-JUN-2001 (first entry)

XX

DE Rat high affinity choline transporter protein.

XX

KW High affinity choline transporter; cho-1; Alzheimer's disease; diagnosis.

XX

OS Rattus norvegicus.

XX

PN WO200116315-A1.

XX

PD 08-MAR-2001.

XX

PF 18-AUG-2000; 2000WO-JP005545.

XX

PR 27-AUG-1999; 99JP-00240642.

PR 27-DEC-1999; 99JP-00368991.

XX

PA (NISC-) JAPAN SCI & TECHNOLOGY CORP.

XX

PI Haga T, Okuda T;

XX

DR WPI; 2001-226688/23.

DR N-PSDB; AAF81711.

XX

PT New rat and human spinal cord high affinity choline transporters, useful
 PT in diagnosis of Alzheimer's disease and screening promoters as drugs for
 PT treating Alzheimer's disease.

XX

PS Claim 5; Page 69-71; 90pp; Japanese.

XX

CC The present sequence represents a rat (*Rattus norvegicus*) high affinity
CC choline transporter protein designated cho-1. The cho-1 protein has
CC nootropic and neuroprotective activities. The cho-1 polynucleotide and
CC protein can be used for the diagnosis of diseases related to the
CC expression of cho-1 by comparing the cho-1 polynucleotide sequence in a
CC sample to that of a control. Drug compositions containing the cho-1
CC protein or expression promoters or inhibitors of cho-1 are useful for
CC treating disorders characterised by abnormal levels of cho-1, such as
CC Alzheimer's disease

XX

SQ Sequence 580 AA;

Query Match 94.9%; Score 2820; DB 4; Length 580;

Best Local Similarity 93.1%; Pred. No. 7.6e-275;

Matches 540; Conservative 24; Mismatches 16; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      1 MPFHVEGLVAIILFYLLIFLVGIWAAWKTKNSGNAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     61 TWVGGGYINGTAEAVYGPGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAIILYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

Qy    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    241 LDNFLLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGFPDPKTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWVRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIIVIFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    361 RNIYQLSFRQNASDKEIVWVRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ 420

Qy    421 LLCVLFVKGTNTYGAVAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      | | | | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    421 LLCVLFVKGTNTYGAVAGYIFGLFRITGGEPYLYLQPLIFYPGYYPDKNGIYNQRFPFK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVRHSEENMDKTILVKNENIKLD 540
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    481 TLMVTSFFTNICVSYLAKYLFESGTLPPKLDIFDAVSRHSEENMDKTILVRNENIKLN 540

Qy    541 ELALVKPRQSMSTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    541 ELAPVKPRQSLTSLSTFTNKEALLDVDSSPEGSGTEDNLQ 580
```


RESULT 9

ADD50643

ID ADD50643 standard; protein; 580 AA.

XX

AC ADD50643;

XX

DT 15-JAN-2004 (first entry)

XX

DE Rat high-affinity choline transporter (rCHT).

XX

KW Rat; high-affinity choline transporter; rCHT; cholinergic function;
KW Parkinson's disease; Huntington's disease; Alzheimer's disease;
KW schizophrenia; dysautonomia; myasthenia gravis; brain;
KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;
KW neuroprotective; neuroleptic.

XX

OS Rattus sp.

XX

PN US2003114399-A1.

XX

PD 19-JUN-2003.

XX

PF 23-JUL-2001; 2001US-00911077.

XX

PR 23-JUL-2001; 2001US-00911077.

XX

PA (BLAK/) BLAKELY R D.

PA (APPA/) APPARSUNDARAM S.

PA (FERG/) FERGUSON S.

XX

PI Blakely RD, Apparsundaram S, Ferguson S;

XX

DR WPI; 2003-810914/76.

DR N-PSDB; ADD50642.

XX

PT Novel isolated polynucleotide encoding human or mouse high affinity
PT choline transporter polypeptide, useful in gene therapy to increase
PT cholinergic function in a cell of a patient suffering from Alzheimer's
PT disease.

XX

PS Example 1; SEQ ID NO 6; 74pp; English.

XX

CC The present invention relates to the isolation of polynucleotide
CC sequences encoding human and mouse high-affinity choline transporter
CC (hCHT and mCHT respectively), and the proteins they encode. The gene
CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence
CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT
CC polynucleotide sequence when delivered to a cell, increases cholinergic
CC function in the cell that is in a patient having Parkinson's disease,
CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or
CC myasthenia gravis. The hCHT antibody is useful for controlling
CC transporter CHT proteins to the brain, and for treating the above
CC mentioned diseases. The antibody is also useful for diagnosing the above
CC mentioned disorders and to detect the influence of cholinergic
CC signalling. The present sequence represents rat CHT (rCHT). Note: The

CC sequence data for this patent was obtained in electronic format directly
CC from the USPTO web site at seqdata.uspto.gov.
XX
SQ Sequence 580 AA;

Query Match 94.9%; Score 2820; DB 7; Length 580;
Best Local Similarity 93.1%; Pred. No. 7.6e-275;
Matches 540; Conservative 24; Mismatches 16; Indels 0; Gaps 0;

```
QY      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | : | | : | | | | | | | | | | : | | | | : | | | | | | | | | | | |
Db      1 MPFHVEGLVAIILFYLLIFLVGIWAAWKTNSGNAEERSEAIIVGGRDIGLLVGGFTMTA 60

QY     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     61 TWVGGGYINGTAEAVYGPCCGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

QY    121 IYKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    121 IYKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDVNISVIVSALIAILYTLVGG 180

QY    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      | | | | | | | | | | : | | | | | | | | | | | | | | | | | | | | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

QY    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    241 LDNFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW 300

QY    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGFDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

QY    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIIVFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIIFPQ 420

QY    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      | | | | : | | | | | | | | : | | | | | | | | | | | | | | | | | | | |
Db    421 LLCVLFVKGTNTYGAVAGYIFGLFLRITGGEPYLYLQPLIFYPGYYPDKNGIYNQRFPFK 480

QY    481 TLMVTSFELTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540
      | | : | | | | | | : | | | | | | | | | | | | : | | | | | | | | | | :
Db    481 TLMVTSFELTNICVSYLAKYLFESGTLPPKLDIFDAVVS RHSEENMDKTILVRNENIKLN 540

QY    541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      | | | | | | | | : | | | | | | | | | | | | | | | | | | | | |
Db    541 ELAPVKPRQSL TSLTSTFTNKEALLDVDSSPEGSGTEDNLQ 580
```

RESULT 10
AA72388
ID AAY72388 standard; protein; 580 AA.
XX
AC AAY72388;
XX
DT 24-APR-2001 (first entry)

Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
		:	
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAILYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
		:	
Db	181	LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
		: :	
Db	241	LDNFLLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAGCLVMALPAICIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGYDPDKTKEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWMRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Db	361	RNIYQLSFRQNASDKEIVWMRITVLVFGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ	420
Qy	421	LLCVLFVKGTNTYGAVAGYVSGLEFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK	480
		: :	
Db	421	LLCVLFVKGTNTYGAVAGYIFGLEFLRITGGEPYLYLQPLIFYPGYSDKNGIYNQRFPPFK	480
Qy	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
		: : :	
Db	481	TLSMVTSTFTNICVSYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVRNENIKLN	540
Qy	541	ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580
		:	
Db	541	ELAPVKPRQSLTSLSTFTNKEALLDVDSSPEGSGTEDNLQ	580

RESULT 11

AAB74666

ID AAB74666 standard; protein; 580 AA.

XX

AC AAB74666;

XX

DT 01-JUN-2001 (first entry)

XX

DE Mouse high affinity choline transporter protein.

XX

KW High affinity choline transporter; cho-1; Alzheimer's disease; diagnosis.

XX

OS Mus musculus.

XX

PN WO200116315-A1.

XX

PD 08-MAR-2001.

XX

PF 18-AUG-2000; 2000WO-JP005545.

XX

PR 27-AUG-1999; 99JP-00240642.

PR 27-DEC-1999; 99JP-00368991.

XX

PA (NISC-) JAPAN SCI & TECHNOLOGY CORP.

XX
 PI Haga T, Okuda T;
 XX
 DR WPI; 2001-226688/23.
 DR N-PSDB; AAF81713.
 XX
 PT New rat and human spinal cord high affinity choline transporters, useful
 PT in diagnosis of Alzheimer's disease and screening promoters as drugs for
 PT treating Alzheimer's disease.
 XX
 PS Claim 11; Page 82-85; 90pp; Japanese.
 XX
 CC The present sequence represents a mouse (Mus musculus) high affinity
 CC choline transporter protein designated cho-1. The cho-1 protein has
 CC nootropic and neuroprotective activities. The cho-1 polynucleotide and
 CC protein can be used for the diagnosis of diseases related to the
 CC expression of cho-1 by comparing the cho-1 polynucleotide sequence in a
 CC sample to that of a control. Drug compositions containing the cho-1
 CC protein or expression promoters or inhibitors of cho-1 are useful for
 CC treating disorders characterised by abnormal levels of cho-1, such as
 CC Alzheimer's disease
 XX
 SQ Sequence 580 AA;

Query Match 94.2%; Score 2801; DB 4; Length 580;
 Best Local Similarity 92.8%; Pred. No. 6.3e-273;
 Matches 538; Conservative 23; Mismatches 19; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
		: : : : :	
Db	1	MSFHVEGLVAIILFYLLIFLVGIWAAWKTKNSGNPEEHSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYGPCCGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
		: :	
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAILYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
		: : : :	
Db	181	LYSVAYTDVVQLFCIFIGLWISVPPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
		: : :	
Db	241	LDNFLLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGYDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWMRITVVFVGASATAMALLTKTVYGLWYLSDDLVIYIIFPQ	420
		:	
Db	361	RNIYQLSFRQNASDKEIVWMRITVLVFGASATAMALLTKTVYGLWYLSDDLVIYIIFPQ	420
Qy	421	LLCVLFVKGTNTYGA VAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK	480

CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence
CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT
CC polynucleotide sequence when delivered to a cell, increases cholinergic
CC function in the cell that is in a patient having Parkinson's disease,
CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or
CC myasthenia gravis. The hCHT antibody is useful for controlling
CC transporter CHT proteins to the brain, and for treating the above
CC mentioned diseases. The antibody is also useful for diagnosing the above
CC mentioned disorders and to detect the influence of cholinergic
CC signalling. The present sequence represents mCHT. Note: The sequence data
CC for this patent was obtained in electronic format directly from the USPTO
CC web site at seqdata.uspto.gov.

SO Sequence 580 AA;

Query Match 94.0%; Score 2795; DB 7; Length 580;
Best Local Similarity 92.6%; Pred. No. 2.5e-272;
Matches 537; Conservative 23; Mismatches 20; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MPFHVEGLVAIILFYLLIFLVGIWAAWKTKNSGNPEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQ	120
Db	61	TWVGGGYINGTAEAVYVPGYGLAWAHAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDVNISVIVSALIAILYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW	240
Qy	241	LDSFLLMLLGGIPWQAYFQRLVSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
Db	241	LDNFLLMLLGGIPWQAYFQRLVSSSSATYAQVLSFLAAGCLVMALPAICIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAMSSADSSILSASSMFA	360
Db	301	NQTAYGYDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVVWMRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIIVFPQ	420
Db	361	RNIYQLSFRQNASDKEIVVWMRITVLVFGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ	420
Qy	421	LLCVLFVKGTNTYGA VAGYVSGFLFRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPPK	480
Db	421	LLCVLFVKGTNTYGA VAGYIFGLFLFRITGGEPYLYLQPLIFYPGYSDKNGIYNQRFPPK	480
Qy	481	TLAMVTSFLTNICISYLA KYLFESGTLPPKLDVFDVAVARHSEENMDKTILVKNENIKLD	540
Db	481	TLSMVTSFFTNICVSYLA KYLFESGTLPPKLDVFDVAVARHSEENMDKTILVRNENIKLN	540
Qy	541	ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580

RESULT 13

ADD50661

ID ADD50661 standard; protein; 580 AA.

XX

AC ADD50661;

XX

DT 15-JAN-2004 (first entry)

XX

DE Mouse high-affinity choline transporter (mCHT) #2.

XX

KW Mouse; high-affinity choline transporter; mCHT; cholinergic function;

KW Parkinson's disease; Huntington's disease; Alzheimer's disease;

KW schizophrenia; dysautonomia; myasthenia gravis; brain;

KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;

KW neuroprotective; neuroleptic.

XX

OS Mus sp.

XX

PN US2003114399-A1.

XX

PD 19-JUN-2003.

XX

PF 23-JUL-2001; 2001US-00911077.

XX

PR 23-JUL-2001; 2001US-00911077.

XX

PA (BLAK/) BLAKELY R D.

PA (APPA/) APPARSUNDARAM S.

PA (FERG/) FERGUSON S.

XX

PI Blakely RD, Apparsundaram S, Ferguson S;

XX

DR WPI; 2003-810914/76.

DR N-PSDB; ADD50660.

XX

PT Novel isolated polynucleotide encoding human or mouse high affinity

PT choline transporter polypeptide, useful in gene therapy to increase

PT cholinergic function in a cell of a patient suffering from Alzheimer's

PT disease.

XX

PS Disclosure; SEQ ID NO 24; 74pp; English.

XX

CC The present invention relates to the isolation of polynucleotide

CC sequences encoding human and mouse high-affinity choline transporter

CC (hCHT and mCHT respectively), and the proteins they encode. The gene

CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence

CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT

CC polynucleotide sequence when delivered to a cell, increases cholinergic

CC function in the cell that is in a patient having Parkinson's disease,

CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or

CC myasthenia gravis. The hCHT antibody is useful for controlling

CC transporter CHT proteins to the brain, and for treating the above

CC mentioned diseases. The antibody is also useful for diagnosing the above

CC mentioned disorders and to detect the influence of cholinergic

CC signalling. The present sequence represents mCHT. Note: The sequence data
CC for this patent was obtained in electronic format directly from the USPTO
CC web site at seqdata.uspto.gov.

XX

SQ Sequence 580 AA;

Query Match 94.0%; Score 2795; DB 7; Length 580;
Best Local Similarity 92.6%; Pred. No. 2.5e-272;
Matches 537; Conservative 23; Mismatches 20; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | : | | : | | | | | | | | : | | | : | | | | | | | | | | | |
Db      1 MPFHVEGLVAIILFYLLIFLVGIWAAWKTKNNGNPEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     61 TWVGGGYINGTAEAVYGPGLAWAHAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFKQ 120

Qy    121 IYKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    121 IYKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDVNISVIVSALIAILYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      | | | | | | | | | | : | | | | | | | | | | | | | | | | | | | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

Qy    241 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    241 LDNFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGYPDPKTKEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWMRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    361 RNIYQLSFRQNASDKEIVWMRITVLVFGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ 420

Qy    421 LLCVLFVKGTNTYGAVAGYVSGLEFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480
      | | | | : | | | | | | | | : | | | | | | | | | | | | | | | | | | |
Db    421 LLCVLFVKGTNTYGAVAGYIFGLEFLRITGGEPYLYLQPLIFYPGYSDKNGIYNQRFPFK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540
      | | : | | | | | | | : | | | | | | | | | | | | | | | | | | | | |
Db    481 TLSMVTSSFTNICVSYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVRNENIKLN 540

Qy    541 ELALVKPRQSM T LSSFTNKEAFLDVDSSPEGSGTEDNLQ 580
      | | | | | | | : | | | | | | | | | | | | | | | | | | | | | |
Db    541 ELAPVKPRQSL T LSSFTNKEALLDVDSSPEGSGTEDNLQ 580
```

RESULT 14

AAB74663

ID AAB74663 standard; protein; 576 AA.

XX

AC AAB74663;

XX

DT 01-JUN-2001 (first entry)
 XX
 DE C. elegans high affinity choline transporter protein.
 XX
 KW High affinity choline transporter; cho-1; Alzheimer's disease; diagnosis.
 XX
 OS Caenorhabditis elegans.
 XX
 PN WO200116315-A1.
 XX
 PD 08-MAR-2001.
 XX
 PF 18-AUG-2000; 2000WO-JP005545.
 XX
 PR 27-AUG-1999; 99JP-00240642.
 PR 27-DEC-1999; 99JP-00368991.
 XX
 PA (NISC-) JAPAN SCI & TECHNOLOGY CORP.
 XX
 PI Haga T, Okuda T;
 XX
 DR WPI; 2001-226688/23.
 DR N-PSDB; AAF81710.
 XX
 PT New rat and human spinal cord high affinity choline transporters, useful
 PT in diagnosis of Alzheimer's disease and screening promoters as drugs for
 PT treating Alzheimer's disease.
 XX
 PS Claim 2; Page 62-64; 90pp; Japanese.
 XX
 CC The present sequence represents a Caenorhabditis elegans high affinity
 CC choline transporter protein designated cho-1. The cho-1 protein has
 CC nootropic and neuroprotective activities. The cho-1 polynucleotide and
 CC protein can be used for the diagnosis of diseases related to the
 CC expression of cho-1 by comparing the cho-1 polynucleotide sequence in a
 CC sample to that of a control. Drug compositions containing the cho-1
 CC protein or expression promoters or inhibitors of cho-1 are useful for
 CC treating disorders characterised by abnormal levels of cho-1, such as
 CC Alzheimer's disease
 XX
 SQ Sequence 576 AA;

Query Match 48.9%; Score 1453; DB 4; Length 576;
 Best Local Similarity 50.5%; Pred. No. 4.7e-137;
 Matches 295; Conservative 95; Mismatches 150; Indels 44; Gaps 9;

Qy	7	GLIAIIVFYLLILLVGIWAAWRTKNSGSAEER---SEAIIVGGRDIGLLVGGFTMTATW	62
		:: : : : ::: : :: :	
Db	6	GIVAIVFFYVLILVVGIWAGRKSKSSKELESEAGAATEEVMLAGRNIGTLVGIFTMTATW	65
Qy	63	VGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIY	122
Db	66	VGGAYINGTAEALY--NGGLLGCQAPVGYAISLVMGGLLFAKKMREEGYITMLDPFQHKY	123
Qy	123	GKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGGLY	182
		: :	
Db	124	GQRIGGLMYVPALLGETFWTAAILSALGATLSVILGIDMNASVTLACIAVFYTFGTGGYY	183

QY 183 SVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSEVYSWL 241
 :|||||: || | : | | | :| : | :
 Db 184 AVAYTDVVQLFCIFVGLWVCVPAAMVHDGAKDISRNA-----GDWIGEIGGFKETSLWI 237

QY 242 DSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWN 301
 | |||: ||||| ||||| :| || |||: |||: ||| |||| :|||
 Db 238 DCMLLLVFGGIPWQVYFQRLSSKTAHGAQTLSEFVAGVGCILMAIPPALIGAIARNTDWR 297

QY 302 QTAYGLPDPKTTEEA-----DMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSA 355
 | | : | | : :| :| | || | : :| ||||| ||||| :|||
 Db 298 MTDYSPWNNGTKVESIPDPKRNMVVPLVFQYLTPRWVAFI GLGAVSAAVMSSADSSVLSA 357

QY 356 SSMFARNIYQLSFRQNASDKEIVVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYI 415
 :||| ||:| :| :| :| : ||| : | || ||| : :||| :||| :
 Db 358 ASMFAHNIWKLTI RPHASEKEVIIVMRIAICVGIMATIMALT IQSIYGLWYLCADLVYV 417

QY 416 VIFPQLLCVLFVKGTNTYGAVAGYVSGFLRLITGGEPYLYLQPLIFYPGYYPDDNGIYNQ 475
 :||| ||| : :| :| :| || ||| : | || | :| :|
 Db 418 ILFPQLLCVVMPRSNTYGS LAGYAVGLVRLIGGEPLVSLPAFFHYPMY---TDGV--Q 472

QY 476 KFPPKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAV---ARHSEENMDKTILV 532
 |||:| ||:| | :| : : ||:| | :| || | | :| :|
 Db 473 YFPFRTTAMLSSMATIYIVSIQSEKLFKSGRLSPEWDVMGCVVNIPIDHVP LPSDVSEFAV 532

QY 533 KNENIKL-----DELALVKPRQSM TLSSTFTN 559
 :| : : || | : | : || :|
 Db 533 SSETLNMKAPNGTPAPVHPNQPSDENTLLHPYSDQSYYSTNSN 576

RESULT 15

ADD50645

ID ADD50645 standard; protein; 576 AA.

XX

AC ADD50645;

XX

DT 15-JAN-2004 (first entry)

XX

DE C. elegans CHOI protein.

XX

KW High-affinity choline transporter; CHT; cholinergic function;

KW Parkinson's disease; Huntington's disease; Alzheimer's disease;

KW schizophrenia; dysautonomia; myasthenia gravis; brain;

KW cholinergic signalling; antiparkinsonian; anticonvulsant; nootropic;

KW neuroprotective; neuroleptic; CHOI.

XX

OS Caenorhabditis elegans.

XX

PN US2003114399-A1.

XX

PD 19-JUN-2003.

XX

PF 23-JUL-2001; 2001US-00911077.

XX

PR 23-JUL-2001; 2001US-00911077.

XX

PA (BLAK/) BLAKELY R D.

PA (APPA/) APPARSUNDARAM S.
PA (FERG/) FERGUSON S.
XX
PI Blakely RD, Apparsundaram S, Ferguson S;
XX
DR WPI; 2003-810914/76.
XX
PT Novel isolated polynucleotide encoding human or mouse high affinity
PT choline transporter polypeptide, useful in gene therapy to increase
PT cholinergic function in a cell of a patient suffering from Alzheimer's
PT disease.
XX
PS Disclosure; SEQ ID NO 8; 74pp; English.
XX
CC The present invention relates to the isolation of polynucleotide
CC sequences encoding human and mouse high-affinity choline transporter
CC (hCHT and mCHT respectively), and the proteins they encode. The gene
CC encoding hCHT is located on chromosome 2q12. The polynucleotide sequence
CC encoding hCHT, is useful for expressing hCHT recombinantly. The hCHT
CC polynucleotide sequence when delivered to a cell, increases cholinergic
CC function in the cell that is in a patient having Parkinson's disease,
CC Huntington's disease, Alzheimer's disease, schizophrenia, dysautonomia or
CC myasthenia gravis. The hCHT antibody is useful for controlling
CC transporter CHT proteins to the brain, and for treating the above
CC mentioned diseases. The antibody is also useful for diagnosing the above
CC mentioned disorders and to detect the influence of cholinergic
CC signalling. The present sequence represents *Caenorhabditis elegans* CHOI
CC protein. Note: The sequence data for this patent was obtained in
CC electronic format directly from the USPTO web site at seqdata.uspto.gov.
XX
SQ Sequence 576 AA;

Query Match 48.9%; Score 1453; DB 7; Length 576;
Best Local Similarity 50.5%; Pred. No. 4.7e-137;
Matches 295; Conservative 95; Mismatches 150; Indels 44; Gaps 9;

Qy 7 GLIAIIVFYLLILLVGIWAAWRTKNSGSAEER----SEAIIVGGRDIGLLVGGFTMTATW 62
|::||: ||:||||:|||| |::| | :| :: ||:| || | |||||
Db 6 GIVAIVFFYVLILVVGWIWAGRKSKSSKELESEAGAATEEVMLAGRNIGTLVGIFTMTATW 65
Qy 63 VGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIY 122
||| |||||::| || |||:|::|::| || || |::| ||||| |
Db 66 VGGAYINGTAEALY--NGGLLGCQAPVGYAISLVMGGLLFAKKMREEGYITMLDPFQHKY 123
Qy 123 GKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGGLY 182
|::|::|::|::|::| || ||| |||||:|::|::|::| || |::| || || || |
Db 124 GQRIGGLMYVPALLGETFWTAAILSALGATLSVILGIDMNASVTLSACIAVFYFTFTGGYY 183
Qy 183 SVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDS-SEVYSWL 241
:|||||: || |::| || | |::| |::| |::|
Db 184 AVAYTDVVQLFCIFVGLWVCVPAAMVHDGAKDISRNA-----GDWIGEIGGFKETSLWI 237
Qy 242 DSFLLMLGGIPWQAYFQRLVSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWN 301
| ||: ||||| |||||:| || ||:| ||:| ||| :||
Db 238 DCMLLLVFGGIPWQVYFQRLVSSKTAHGAQTLSEFVAGVGCILMAIPPALIGAIARNTDWR 297
Qy 302 QTAYGLPDPKTTEEA-----DMILPIVLQYLCVPYISFFGLGAVSAAMVSSADSSILSA 355

Db	298	MTDYSPWNNGTKVESIPDKRNMVVPLVFQYLTPRWVAFI GLGAVSAAVMSSADSSVLSA	357
Qy	356	SSMFARNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYI	415
Db	358	ASMFAHNIWKLTIRPHASEKEVIIVMRIAIIICVGIMATIMALTIQSIYGLWYLCADLVYV	417
Qy	416	VIFPQLLCVLFVKGTNTYGAVAGYVSGFLRLITGGEPYLYLQPLIFYPGYPPDDNGIYNQ	475
Db	418	ILFPQLLCVVMPRSNTYGS LAGYAVGLVLR LIGGEPLVSLPAFFHYPMY---TDGV--Q	472
Qy	476	KFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVV---ARHSEENMDKTILV	532
Db	473	YFPFRTTAMLSSMATIYIVSIQSEKLFKSGRLSPEWDVMGCVVNIPI DHVPLPSDVSFAV	532
Qy	533	KNENIKL-----DELALVKPRQSMTLSSTFTN	559
Db	533	SSETLNMKAPNGTPAPVHPNQPSDENTLLHPYSDQSYYSTNSN	576

Search completed: September 28, 2004, 17:05:47
Job time : 131 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: September 28, 2004, 17:03:49 ; Search time 34 Seconds
(without alignments)
880.678 Million cell updates/sec

Title: US-10-069-541-6
Perfect score: 2972
Sequence: 1 MAFHVEGLIAIIVFYLLILL.....EAFLDVDSSPEGSGTEDNLQ 580

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters: 389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	2972	100.0	580	4	US-09-657-252-2	Sequence 2, Appli
2	308.5	10.4	662	1	US-07-841-651-4	Sequence 4, Appli
3	301	10.1	494	4	US-09-252-991A-24099	Sequence 24099, A
4	298.5	10.0	675	4	US-10-162-012-27	Sequence 27, Appl
5	298	10.0	521	4	US-09-540-236-2193	Sequence 2193, Ap
6	298	10.0	672	1	US-07-841-651-2	Sequence 2, Appli
7	298	10.0	672	1	US-07-841-651-3	Sequence 3, Appli
8	292	9.8	672	4	US-10-162-012-30	Sequence 30, Appl
9	277.5	9.3	548	4	US-09-543-681A-4994	Sequence 4994, Ap
10	274.5	9.2	554	4	US-09-543-681A-6886	Sequence 6886, Ap
11	272.5	9.2	718	4	US-09-657-960-3	Sequence 3, Appli

12	262.5	8.8	518	4	US-09-134-001C-4744	Sequence 4744, Ap
13	259	8.7	501	4	US-09-328-352-6371	Sequence 6371, Ap
14	257.5	8.7	551	4	US-09-252-991A-27829	Sequence 27829, A
15	255	8.6	508	4	US-09-489-039A-7541	Sequence 7541, Ap
16	247	8.3	565	4	US-09-489-039A-8414	Sequence 8414, Ap
17	243.5	8.2	552	4	US-09-252-991A-29652	Sequence 29652, A
18	241	8.1	591	4	US-09-540-236-2490	Sequence 2490, Ap
19	236.5	8.0	486	4	US-09-543-681A-6238	Sequence 6238, Ap
20	235	7.9	447	4	US-10-162-012-29	Sequence 29, Appl
21	232.5	7.8	465	4	US-09-198-452A-524	Sequence 524, App
22	231	7.8	643	4	US-09-640-198D-2	Sequence 2, Appli
23	230	7.7	496	4	US-09-489-039A-8772	Sequence 8772, Ap
24	218	7.3	506	4	US-09-543-681A-8246	Sequence 8246, Ap
25	218	7.3	618	4	US-08-595-553A-2	Sequence 2, Appli
26	218	7.3	618	4	US-09-640-198D-4	Sequence 4, Appli
27	206.5	6.9	530	4	US-09-134-001C-4510	Sequence 4510, Ap
28	206.5	6.9	644	4	US-09-252-991A-21730	Sequence 21730, A
29	205.5	6.9	497	4	US-09-543-681A-6926	Sequence 6926, Ap
30	200	6.7	635	2	US-09-014-969-11	Sequence 11, Appl
31	198	6.7	493	4	US-09-489-039A-13709	Sequence 13709, A
32	185	6.2	585	4	US-09-328-352-6133	Sequence 6133, Ap
33	138.5	4.7	467	4	US-09-107-532A-6175	Sequence 6175, Ap
34	138	4.6	482	4	US-09-134-001C-4309	Sequence 4309, Ap
35	136	4.6	345	4	US-09-489-039A-9471	Sequence 9471, Ap
36	132	4.4	499	4	US-09-252-991A-23328	Sequence 23328, A
37	129	4.3	419	4	US-09-543-681A-4862	Sequence 4862, Ap
38	128	4.3	996	4	US-09-252-991A-27018	Sequence 27018, A
39	126.5	4.3	499	4	US-09-489-039A-8830	Sequence 8830, Ap
40	126.5	4.3	670	4	US-09-134-000C-4606	Sequence 4606, Ap
41	123.5	4.2	657	4	US-09-252-991A-27682	Sequence 27682, A
42	123	4.1	496	4	US-09-134-001C-3001	Sequence 3001, Ap
43	122.5	4.1	526	4	US-09-134-000C-4715	Sequence 4715, Ap
44	121.5	4.1	538	4	US-09-107-532A-5563	Sequence 5563, Ap
45	120	4.0	485	4	US-09-198-452A-1105	Sequence 1105, Ap

ALIGNMENTS

RESULT 1

US-09-657-252-2

; Sequence 2, Application US/09657252

; Patent No. 6500643

; GENERAL INFORMATION:

; APPLICANT: Wu, Dong-Hai

; APPLICANT: Gu, Yunrong

; APPLICANT: Millard, William

; APPLICANT: He, Yun-Je

; TITLE OF INVENTION: Human High Affinity Choline Transporter cDNA

; FILE REFERENCE: MBHB00-639

; CURRENT APPLICATION NUMBER: US/09/657,252

; CURRENT FILING DATE: 2000-09-07

; NUMBER OF SEQ ID NOS: 6

; SOFTWARE: PatentIn version 3.0

; SEQ ID NO 2

; LENGTH: 580

; TYPE: PRT

; ORGANISM: Homo sapiens
US-09-657-252-2

Query Match 100.0%; Score 2972; DB 4; Length 580;
Best Local Similarity 100.0%; Pred. No. 1.6e-281;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420

Qy    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKKENIKLD 540
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKKENIKLD 540

Qy    541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
        ||||||||||||||||||||||||||||||||||||||||||||
Db    541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
```

RESULT 2

US-07-841-651-4

; Sequence 4, Application US/07841651

; Patent No. 5410031

; GENERAL INFORMATION:

; APPLICANT: Pajor, Ana M

; APPLICANT: Wright, Ernest M

; TITLE OF INVENTION: Cloning and Functional Expression of a


```

; TITLE OF INVENTION: Mammalian Na+/Nucleoside Cotransporter: A Member of
the
; TITLE OF INVENTION: SGLT Family
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sheldon & Mak
; STREET: 225 South Lake Avenue, Ninth Floor
; CITY: Pasadena
; STATE: California
; COUNTRY: USA
; ZIP: 91101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/841,651
; FILING DATE: 19920224
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Mandel, SaraLynn
; REGISTRATION NUMBER: 31,853
; REFERENCE/DOCKET NUMBER: 8772
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (818) 796-4000
; TELEFAX: (818) 795-6321
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 662 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ORIGINAL SOURCE:
; ORGANISM: Oryctolagus cuniculus
US-07-841-651-4

```

```

Query Match          10.4%; Score 308.5; DB 1; Length 662;
Best Local Similarity 23.4%; Pred. No. 3.2e-21;
Matches 154; Conservative 110; Mismatches 238; Indels 155; Gaps 26;

```

```

Qy      11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING 70
|:::|::: ||:| : | | |:      : || :      | :: |: :| |: |
Db      32 IVIYFLVVMVAVGLWAMFST-NRGTV---GGFFLAGRSMVWWPIGASLFASNIGSGHFVG 86

Qy      71 TAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSKGYVTMLDPFQQIY-GK 124
|      | | | | | |:      : ::|| :|      :|: | ||| : |: : ||
Db      87 LA-----GTGAASGIATGGFEWNALIMVVVLGWVFPVIYIRA-GVVTMPEYLQKRFGGK 139

Qy     125 RMGGLLFIPALMGEMFW--AAAFSALGAT-ISVIIDVDMHISVIISALIATLYTLVGGL 181
|: | | |: :| :| ||| || | : : :|:::| | :| |||: |||
Db     140 RIQIYLSILSLLLYIFTKISADIFS--GAIFIQLTLGLDIYVAIIILLVITGLYTITGGL 197

Qy     182 YSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY-----Q 225
:| ||| :| : || | ||      |: | ||      |
Db     198 AAVIYDTLQTAIMMVGSVILTGFAFHEVG---GYEAFTEKYMRAIPSQISYGNTSIPQ 253

```

Qy 226 KPWLGTVDSSSEVYSWLDSFLLMLGGIPW-----QAYFQRVLSSSSA 267
| : | : : | : | || | | | : :
Db 254 KCYTPREDAFHI-----FRDAITGDIPWPGLVFGMSILTLWYWCTDQVIVQRCLSAKNL 307
Qy 268 TYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDP-----KTTEEADMILP 321
: : : | : : : : : | : : | : : : :
Db 308 SHVKAGCILCGYLKVMFLIVMMGMVSRILYTDKVACVVPSECERYCGTRVGCTNIAFP 367
Qy 322 IVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVM 381
: : | | : | : | : : | | | : : | : | : : : :
Db 368 TLVVELMPNGLRGLMLSVMMASLMSLTSTIFNSASTLFTMDIY-TKIRKKASEKELMIAG 426
Qy 382 RI-TVFVFGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNTYGA 436
| : : : | | : : : | : | : | : | : | : | :
Db 427 RLFLMLFLIGISIAWVPIVQSAQSGQLFDYIQSITSYLGPPIAAVFLLAIFWKRVNEPGAF 486
Qy 437 AGYVSGLFLRI-----TG-----GEPYLYLQPLIFYPGYPPDDNGIY 473
| | | : | | | | | | | : : :
Db 487 WGLVLGFLIGISRMITEFAYGTGSCMEPSNCPTIICGVHYLYFAIILF----- 534
Qy 474 NQKFPPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVA-RHSEENMDKTI 532
| | : : : | : | : : : : : : : : :
Db 535 -----VISIITVVVVSLETKPI-----PDVHLYRLCWSLRNSKE----- 568
Qy 533 KNENIKLD--ELALVKPRQSMSTLSSTFTNKEAF-----LDVDSSPEGSGTED 577
| | | | : : : | : | : | : : : : :
Db 569 --ERIDLDAGEEDIQEAPEEATDTEVPKKGFFRRAYDLFCGLDQDKGPKMTKEEE 623

RESULT 3

US-09-252-991A-24099

; Sequence 24099, Application US/09252991A

; Patent No. 6551795

; GENERAL INFORMATION:

; APPLICANT: Marc J. Rubenfield et al.

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS

; TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS

; FILE REFERENCE: 107196.136

; CURRENT APPLICATION NUMBER: US/09/252,991A

; CURRENT FILING DATE: 1999-02-18

; PRIOR APPLICATION NUMBER: US 60/074,788

; PRIOR FILING DATE: 1998-02-18

; PRIOR APPLICATION NUMBER: US 60/094,190

; PRIOR FILING DATE: 1998-07-27

; NUMBER OF SEQ ID NOS: 33142

; SEQ ID NO 24099

; LENGTH: 494

; TYPE: PRT

; ORGANISM: Pseudomonas aeruginosa

; FEATURE:

; NAME/KEY: UNSURE

; LOCATION: (232)

; OTHER INFORMATION: Identity of amino acid at the above locations are unknown.

US-09-252-991A-24099

Query Match 10.1%; Score 301; DB 4; Length 494;
 Best Local Similarity 24.9%; Pred. No. 1.1e-20;
 Matches 116; Conservative 82; Mismatches 207; Indels 60; Gaps 15;

```

Qy      9 IAIIVFYLLILLVGI----WAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGF---TMTAT 61
      :|: :| :||  |:  |  |  |:  | : :| ||:|  ||  || ||
Db     32 MALDIFVVLIIYAAGMIALGWYGMR-----RAKTRDD-YLVAGRNLG---PGFYLGTMMAAT 82

Qy     62 WVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQI 121
      :||  ||  || |  |  ||  | ::  || |||:  |:  ::
Db     83 VLGGASTIGTVRLGYVHGISGFWLCGAIG--LGIVGLSLFLAKPLLKLKIYTVTQVLERR 140

Qy    122 YGKRMGGLLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVGGGL 181
      |  :  |:  :  |  |:| :|:  :  :|::|  :  ||: :||:
Db    141 YNPAARHASALIMLVYALMIGATSTIAIGTVMQVLFGLPFWVSILIGGGVVVLYSTIGGM 200

Qy    182 YSVAYTDVVQLFCIFVGL-WISVPFALSHPAVAD-----IGFTAVHAKYQKPWL 230
      :|: ||:|  : ||| :: :| ::  |  |||:  |
Db    201 WSLTLTDIVQFLIMTVGLVFLMPLSINDAGXWDALVAKLPASYFDFTAI-----GW-- 252

Qy    231 TVDSSEVYSWLDSFLLIMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAIL 290
      |:  |  ||:  |  |  :||| :: || |:|  |  |: :  |
Db    253 --DTIVTY-----FLIYFFGIFIGQDIWQRVFTARSETVAKVAGSAAGIYCVLYGMAGAL 305

Qy    291 IGAIGASTDWNQTAYGLPDPKTTTEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADS 350
      ||  |||  | :  |::  |  |  :  | ||:|:| :
Db    306 IGMAAKVL-----LPD---LENVNNAFASVVEHSLPNGIRGLVIAAALAALMSTASA 354

Qy    351 SILSASSMFARNIY-QLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLS 409
      :|:|:  :: :| :  ||  |  || :  |  :|:  |  ::
Db    355 GLLAASTTVTQDLLPRLRRGRGQSDNGDVHENRIATLLLGLVVLGIALVVS DVISALTVA 414

Qy    410 SDLVYIVIFPQLLCVLFVKGTNTYGAVA----GYVSGFLRLITGG 450
      :|:  :  |:  :: |  ||:  |::  |  |
Db    415 YNLLVGGMLIPLIGAIYWKRATTAGAITSMTLGFLTTLVLFMIKDG 459

```

RESULT 4

US-10-162-012-27

; Sequence 27, Application US/10162012

; Patent No. 6682597

; GENERAL INFORMATION:

; APPLICANT: Curtis, Rory A.J.

; APPLICANT: Silos-Santiago, Inmaculada

; APPLICANT: Gu, Wei

; TITLE OF INVENTION: NOVEL HUMAN ION CHANNEL AND TRANSPORTER FAMILY MEMBERS

; FILE REFERENCE: 10448-190001

; CURRENT APPLICATION NUMBER: US/10/162,012

; CURRENT FILING DATE: 2002-06-04

; PRIOR APPLICATION NUMBER: US 60/209,845

; PRIOR FILING DATE: 2000-06-06

; PRIOR APPLICATION NUMBER: US 09/875,321

; PRIOR FILING DATE: 2001-06-06

; PRIOR APPLICATION NUMBER: PCT/US01/18340

; PRIOR FILING DATE: 2001-06-06

; PRIOR APPLICATION NUMBER: US 60/209,257

```

; PRIOR FILING DATE: 2000-06-05
; PRIOR APPLICATION NUMBER: US 09/875,423
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: PCT/US01/18398
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: US 60/209,238
; PRIOR FILING DATE: 2000-06-05
; PRIOR APPLICATION NUMBER: US 09/875,363
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: PCT/US01/18247
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: US 60/227,068
; PRIOR FILING DATE: 2000-08-22
; PRIOR APPLICATION NUMBER: US 09/928,530
; PRIOR FILING DATE: 2001-08-13
; PRIOR APPLICATION NUMBER: PCT/US01/25475
; PRIOR FILING DATE: 2001-08-15
; PRIOR APPLICATION NUMBER: US 60/226,770
; PRIOR FILING DATE: 2000-08-21
; PRIOR APPLICATION NUMBER: US 09/934,421
; PRIOR FILING DATE: 2001-08-21
; PRIOR APPLICATION NUMBER: PCT/US01/26096
; PRIOR FILING DATE: 2001-08-21
; PRIOR APPLICATION NUMBER: US 60/279,281
; PRIOR FILING DATE: 2001-03-28
; PRIOR APPLICATION NUMBER: US 10/109,029
; PRIOR FILING DATE: 2002-03-28
; PRIOR APPLICATION NUMBER: PCT/US02/09728
; PRIOR FILING DATE: 2002-03-28
; PRIOR APPLICATION NUMBER: US 60/290,288
; PRIOR FILING DATE: 2001-05-11
; PRIOR APPLICATION NUMBER: US (not assigned)
; PRIOR FILING DATE: 2002-05-13
; NUMBER OF SEQ ID NOS: 48
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 27
;   LENGTH: 675
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-162-012-27

```

```

Query Match          10.0%;   Score 298.5;   DB 4;   Length 675;
Best Local Similarity 22.7%;   Pred. No. 3.2e-20;
Matches 149;   Conservative 115;   Mismatches 238;   Indels 155;   Gaps 29;

```

```

Qy      2 AFHVEGL----IAIIVFY-LLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGF 56
      || :||   ||::| | | :| ||:|:  :||   :   :   | :   ||
Db      18 AFPQKGLEPGDIAVLVLYFLFVLAVGLWSTVKTGR----DTVKGYFLAEGNMVWVPVGA- 72

Qy      57 TMTATWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLS-----LILGGLFFAKPMRSKGY 111
      :: |: || |: | |   | | |   :   | |:   |:| :|   |: |
Db      73 SLFASNVGSGHFIGLA-----GSGAATGISVSAYELNGLFSVLM LAWIFL--PIYIAGQ 124

Qy      112 VTMLDPFQQIYGKRMGGLLFIPALMGEMFWAAAI FSA LGATI---SVIDD----VDMHIS 164
      || : : :   || ||: || :: : :   ||: :   : : |   :|:::
Db      125 VTTMPEYLR---KRFGGIR-IPILAVLYLFYIYIFTKISVDMYAGAI F IQSSHLDL YLA 180

```

Qy 165 VIISALIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY 224
 Db 181 IVGLLAITAVYTVAGGLAAVIYTDALQTLIMLIGALTMGY--SFAAVG--GMEGLKEY 236

Qy 225 -----QKPWLGTVDSSSEVYS-WLDSFLLMLGGI 252
 Db 237 FLALASNRSENSSCGLPREDAFHIFRDPLTSDLPGVLFMGMSIPSLWY----- 285

Qy 253 PW---QAYFQRLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWNQTAYGLPD 309
 Db 286 -WCTDQVIVQRTLAAKNLSHAKGGALMAAYLKVLPFIMVFGMVSRILFPDQVA--CAD 342

Qy 310 PKTTEE-----ADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFAR 361
 Db 343 PEICQKICSNPSGCSDIAYPKLVLELLPTGLRGLMMAVMVAALMSSLTSIFNSASTIFTM 402

Qy 362 NIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLW-----Y 407
 Db 403 DLWN-HLRPRASEKELMIVGRVFV-----LLLVLVSILWIPVVQASQGGQLFIY 450

Qy 408 LSSDLVYI-----VIFPQLLCVLFVKGNTYGAAGVYVSGFLRLITG-GEPLYLQPLIF 461
 Db 451 IQSISSYLQPPVAVVF---IMGCFWKRTNEKGAFWGLISGLLLGLVRLVLDIFIYVQPRC- 506

Qy 462 YPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAHYLFESGTLPPKLDV----- 513
 Db 507 ---DQDPERPVLVKSIIHYLYFSMILSTVTLITVSTVSWF-----TEPPSKEMVSHLTWFT 558

Qy 514 -FDAVVARHSEENMDKTIIVKKNENIKLD-----ELALVKPRQSMTLSSTFTNKEA 562
 Db 559 RHDPVVQKEQAPPAAPLSLTLSQNGMPEASSSSSVQFEMVQENTSKTHSCDMTPKQS 615

RESULT 5

US-09-540-236-2193

; Sequence 2193, Application US/09540236

; Patent No. 6673910

; GENERAL INFORMATION:

; APPLICANT: Gary L. Breton et al.

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO MORAXELLA CATARRHALIS

; TITLE OF INVENTION: FOR DIAGNOSTICS AND THERAPEUTICS

; FILE REFERENCE: 2709.2005-001

; CURRENT APPLICATION NUMBER: US/09/540,236

; CURRENT FILING DATE: 2000-04-04

; NUMBER OF SEQ ID NOS: 3840

; SEQ ID NO 2193

; LENGTH: 521

; TYPE: PRT

; ORGANISM: M.catarrhalis

US-09-540-236-2193

Query Match 10.0%; Score 298; DB 4; Length 521;

Best Local Similarity 23.4%; Pred. No. 2.4e-20;

Matches 131; Conservative 103; Mismatches 212; Indels 114; Gaps 20;

Qy 9 IAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFMTATWVGGGYI 68

Db	33	ISLAVYFILMIAIGIYAYFKQKND-----IEGYMLGGRNLSPAVTALSAGASDMSGWLL	86
Qy	69	NGTAEAVYVPGYGLAWAQAPIGYSLSLILGG----LFFAKPMR-----SKGYVTMLDPFQ	119
Db	87	LG-----LPGYMYASGVVSIWIALGLTIGACANYLIVAPRLRVYTELADNAVTLDPDYFS	140
Qy	120	QIYGKRMGGLLFIPALMGEMF---WAAAI FSALGATISVIIDVDMHISVIISALIATLYT	176
Db	141	NRFHDKSHLLRIMSAVVIILFFTVYTAASLVAGGKLFESSLNLSYSMGLWVTAGVVVAYT	200
Qy	177	LVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSE	236
Db	201	LFGGFLAVSLTDFVQGVIMLIAMLI-----VPVVAFGEIGGVSEAMAIATQTNTE	250
Qy	237	VYSWLDSEFLLLMLGGIPWQAY-----FQVLSSSSATYAQVLSFLAAGCLV	283
Db	251	VFNWMNG--VTVMGVISLMAWGFGYFGQPPIIIVRFMAIRSVKDVPTAMVI----GMGWMI	304
Qy	284	MA-IPAILIGAIGASTDWNQTAYGLPDKTTEEADMILPIVLQYLCPVYISFFGLGAVSA	342
Db	305	LSLIGALMVGLAGIAY-VARTGIELKDPET-----IFLVFSQVLFHPLISGFLLAAILA	357
Qy	343	AVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMA-----	396
Db	358	AIMSTISSQLLVSSSLTRDIYKFLDKQASEARQVLI GRISVVLVIAIIAIMLAGDSNSS	417
Qy	397	---LLTKTVYGLWYLSSDLVYIVIFPQLLCVLFVKGTNTYGAVAGYVSG---LFLRITGG	450
Db	418	VLNLVSHAWAGFG-----AAFGPLVILSLMWKRMNRNGALAGMIVGALTVIIWVYGG	469
Qy	451	EPYLYLQPLIFYPGYPPDDNGIYN--QKFPFKTLAMVTSFLTNICISYLA KYLFESGTL P	508
Db	470	-----FEIGGQPANDAIYSILPGFAF-----SLVTTIAVSLM-----TAP	504
Qy	509	PKLDVFDVAVVARHSEENMDK	528
Db	505	PPVYIVQKF-----EDMEK	518

RESULT 6

US-07-841-651-2

; Sequence 2, Application US/07841651

; Patent No. 5410031

; GENERAL INFORMATION:

; APPLICANT: Pajor, Ana M

; APPLICANT: Wright, Ernest M

; TITLE OF INVENTION: Cloning and Functional Expression of a

; TITLE OF INVENTION: Mammalian Na⁺/Nucleoside Cotransporter: A Member of the

; TITLE OF INVENTION: SGLT Family

; NUMBER OF SEQUENCES: 4

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Sheldon & Mak

; STREET: 225 South Lake Avenue, Ninth Floor

; CITY: Pasadena

; STATE: California

```

; COUNTRY: USA
; ZIP: 91101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/841,651
; FILING DATE: 19920224
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Mandel, SaraLynn
; REGISTRATION NUMBER: 31,853
; REFERENCE/DOCKET NUMBER: 8772
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (818) 796-4000
; TELEFAX: (818) 795-6321
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 672 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-841-651-2

```

```

Query Match          10.0%; Score 298; DB 1; Length 672;
Best Local Similarity 25.0%; Pred. No. 3.5e-20;
Matches 153; Conservative 89; Mismatches 232; Indels 138; Gaps 25;

```

```

Qy      9 IAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67
      ||:| :||:: ||:|: || | |: : || : |:: |: :| |:
Db     26 IAVIAAYFLLVIGVGLWSMCRN-VRGTV---GGYFLAGRSMVWVPVGASLFASNIGSGH 80

Qy     68 INGTAEEAVYVPGYGLAWAQAPIGYSL-LLILGGLFFAKPMRSKGYVTMLDPFQQIYG 123
      | | | | | | | | | | : : : : | | | | : | : | |
Db     81 FVGLA-----GTGAANGLAVAGFEWNALFVLLLLGWLFAPVYLTAGVITM----PQYLR 130

Qy    124 KRMGG-----LLFIPALMGEMFWAAAI-ALGATISVIIDVDMHISVIISA 169
      || || | | | | | | | | : | : : | | | | : | | |
Db    131 KRFGGHRIRLYLSVLSFLYIFTKISVDMFSGAVFIQQALGWN------YASVIAL 182

Qy    170 LIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY----- 224
      | :||: ||| : | || | | | | : | : | | : : | |
Db    183 GITMVTVTGGLAALMYTDTVQTFVIIAGAFILTGYAFHEVG---GYSGLFDKYMGMAT 238

Qy    225 -----QKPWLGTVDSSSEVYSWLD-MLGGIPW-----QAYF 258
      : | : | : | | | | : | | : | : | | |
Db    239 SLTVEEDPAVGNISSSCYRPRPDYHLLRDPVTGDLWPALLLGLTIVSGWYWCSDQVIV 298

Qy    259 QRVLSSSSATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYGLPDPKT----TE 314
      || | : | : | : | : | : | : | : | : | : | |
Db    299 QRCLAGRNLTTHIKAGCILCGYLKLTMPFLMVMPGMISRILYPDEVACVAPEVCKRVCSTE 358

Qy    315 E--ADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNA 372
      : : | : | | : | : | : | | | | | : | : | : | | |
Db    359 VGCSNIAYPRLVVKLMPNGLRGLMLAVMLAALMSSLASIFNSSSTLFTMDIYTL--RPRA 416

```

Qy 373 SDKEIVWVMRITVFVFGASATAMALLTKTVYG---LWYLSSDLVYIV--IFPQLLCVLFV 427
 : |:: | | : | : : | : | : : | |
 Db 417 GEGELLLVGRLWVVFIVAVSVAWLPVVQAAQGGQLFDYIQSVSSYLAPPVSAVFVVALFV 476
 Qy 428 KGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMV-- 485
 | | | : | | : : | : | | : |
 Db 477 PRVNEKGAFWGLIGGLLMGLARLIP-----EFSFGTGSCVRP 513
 Qy 486 ---TSFLTNICISYLAHYLFE-SG-----TLP-PKLDVFDVAVVA-RHSEENMDKTI 530
 : | | : | | | | | | | : : | : | | : |
 Db 514 SACPAFLCRVHYLYFAIVLFFCSGLLIIVSLCTAPIPRKHLHRLVFSLRHSKE----- 567
 Qy 531 LVKNENIKLDEL 542
 : |:: | |
 Db 568 --EREDLDADEL 577

RESULT 7

US-07-841-651-3

; Sequence 3, Application US/07841651

; Patent No. 5410031

; GENERAL INFORMATION:

; APPLICANT: Pajor, Ana M

; APPLICANT: Wright, Ernest M

; TITLE OF INVENTION: Cloning and Functional Expression of a

; TITLE OF INVENTION: Mammalian Na⁺/Nucleoside Cotransporter: A Member of
 the

; TITLE OF INVENTION: SGLT Family

; NUMBER OF SEQUENCES: 4

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Sheldon & Mak

; STREET: 225 South Lake Avenue, Ninth Floor

; CITY: Pasadena

; STATE: California

; COUNTRY: USA

; ZIP: 91101

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/07/841,651

; FILING DATE: 19920224

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Mandel, SaraLynn

; REGISTRATION NUMBER: 31,853

; REFERENCE/DOCKET NUMBER: 8772

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (818) 796-4000

; TELEFAX: (818) 795-6321

; INFORMATION FOR SEQ ID NO: 3:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 672 amino acids

; TYPE: AMINO ACID


```
;      TOPOLOGY: linear
;      MOLECULE TYPE: protein
;      HYPOTHETICAL: NO
;      ORIGINAL SOURCE:
;      ORGANISM: Oryctolagus cuniculus
US-07-841-651-3
```

```
Query Match          10.0%; Score 298; DB 1; Length 672;
Best Local Similarity 25.0%; Pred. No. 3.5e-20;
Matches 153; Conservative 89; Mismatches 232; Indels 138; Gaps 25;
```

```
Qy      9  I A I I - V F Y L L I L L V G I W A A W R T K N S G S A E E R S E A I I V G G R D I G L L V G G F T M T A T W V G G G Y 67
      ||:| :|||: ||:|: || | |:      : || : | :| :| |:
Db      26  I A V I A A Y F L L V I G V L W S M C R T - N R G T V - - - G G Y F L A G R S M V W P V G A S L F A S N I G S G H 80

Qy      68  I N G T A E A V Y V P G Y G L A W A Q A P I G Y S L S - - - L I L G G L F F A K P M R S K G Y V T M L D P F Q Q I Y G 123
      | |      | | | | | |: : :|| | || : | :|| |
Db      81  F V G L A - - - - - G T G A A N G L A V A G F E W N A L F V V L L L G W L F A P V Y L T A G V I T M - - - P Q Y L R 130

Qy      124 K R M G G - - - - - L L F I P A L M G E M F W A A A I F - - S A L G A T I S V I I D V D M H I S V I I S A 169
      || ||      |:| : :||:| || | | : ||| | : |||
Db      131 K R F G G H R I R L Y L S V L S L F L Y I F T K I S V D M F S G A V F I Q Q A L G W N I - - - - - Y A S V I A L L 182

Qy      170 L I A T L Y T L V G G L Y S V A Y T D V V Q L F C I F V G L W I S V P F A L S H P A V A D I G F T A V H A K Y - - - - 224
      | :||: ||| :| ||| || | | | :| :| :| : : ||
Db      183 G I T M V Y T V T G G L A A L M Y T D T V Q T F V I I A G A F I L T G Y A F H E V G - - - G Y S G L F D K Y M G A M T 238

Qy      225 - - - - - Q K P W L G T V D S S E V Y S W L D S F L L L - - - M L G G I P W - - - - - Q A Y F 258
      : | :| : || ||: || : | :||
Db      239 S L T V S E D P A V G N I S S S C Y R P R P D S Y H L L R D P V T G D L P W P A L L L G L T I V S G W Y W C S D Q V I V 298

Qy      259 Q R V L S S S S A T Y A Q V L S F L A A F G C L V M A I P A I L I G A I G A S T D W N Q T A Y G L P D P K T - - - - T E 314
      || |: : |: : | : | :||:| :|| :| :| ||
Db      299 Q R C I A G R N L T H I K A G C I L C G Y L K L T P M F L M V M P G M I S R I L Y P D E V A C V A P E V C K R V C G T E 358

Qy      315 E - - A D M I L P I V L Q Y L C P V Y I S F F G L G A V S A A V M S S A D S S I L S A S S M F A R N I Y Q L S F R Q N A 372
      ::: | : : | | : | : ||: || | | :| :| :|| | |
Db      359 V G C S N I A Y P R L V V K L M P N G L R G L M L A V M L A A L M S S L A S I F N S S T L F T M D I Y T L - - R P R A 416

Qy      373 S D K E I V W M R I T V F V F G A S A T A M A L L T K T V Y G - - - L W Y L S S D L V Y I V - - I F P Q L L C V L F V 427
      : |:| | |: | | : | : : | | : | | : : : |||
Db      417 G E G E L L L V G R L W V V F I V A V S V A W L P V V Q A A Q G G Q L F D Y I Q S V S S Y L A P P V S A V F V V A L F V 476

Qy      428 K G T N T Y G A V A G Y V S G L F L R I T G G E P Y L Y L Q P L I F Y P G Y P D D N G I Y N Q K F P F K T L A M V - - 485
      | || | : || : : | :| | | : |
Db      477 P R V N E K G A F W G L I G G L L M G L A R L I P - - - - - E F S F G T G S C V R P 513

Qy      486 - - - T S F L T N I C I S Y L A K Y L F E - S G - - - - - T L P - P K L D V F D A V V A - R H S E E N M D K T I 530
      :|| : | | || || | | | : : | : |||:|
Db      514 S A C P A F L C R V H Y L Y F A I V L F F C S G L L I I V S L C T A P I P R K H L H R L V F S L R H S K E - - - - - 567

Qy      531 L V K N E N I K L D E L 542
      : |: : |||
Db      568 - - E R E D L D A D E L 577
```

US-10-162-012-30
; Sequence 30, Application US/10162012
; Patent No. 6682597
; GENERAL INFORMATION:
; APPLICANT: Curtis, Rory A.J.
; APPLICANT: Silos-Santiago, Inmaculada
; APPLICANT: Gu, Wei
; TITLE OF INVENTION: NOVEL HUMAN ION CHANNEL AND TRANSPORTER FAMILY MEMBERS
; FILE REFERENCE: 10448-190001
; CURRENT APPLICATION NUMBER: US/10/162,012
; CURRENT FILING DATE: 2002-06-04
; PRIOR APPLICATION NUMBER: US 60/209,845
; PRIOR FILING DATE: 2000-06-06
; PRIOR APPLICATION NUMBER: US 09/875,321
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: PCT/US01/18340
; PRIOR FILING DATE: 2001-06-06
; PRIOR APPLICATION NUMBER: US 60/209,257
; PRIOR FILING DATE: 2000-06-05
; PRIOR APPLICATION NUMBER: US 09/875,423
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: PCT/US01/18398
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: US 60/209,238
; PRIOR FILING DATE: 2000-06-05
; PRIOR APPLICATION NUMBER: US 09/875,363
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: PCT/US01/18247
; PRIOR FILING DATE: 2001-06-05
; PRIOR APPLICATION NUMBER: US 60/227,068
; PRIOR FILING DATE: 2000-08-22
; PRIOR APPLICATION NUMBER: US 09/928,530
; PRIOR FILING DATE: 2001-08-13
; PRIOR APPLICATION NUMBER: PCT/US01/25475
; PRIOR FILING DATE: 2001-08-15
; PRIOR APPLICATION NUMBER: US 60/226,770
; PRIOR FILING DATE: 2000-08-21
; PRIOR APPLICATION NUMBER: US 09/934,421
; PRIOR FILING DATE: 2001-08-21
; PRIOR APPLICATION NUMBER: PCT/US01/26096
; PRIOR FILING DATE: 2001-08-21
; PRIOR APPLICATION NUMBER: US 60/279,281
; PRIOR FILING DATE: 2001-03-28
; PRIOR APPLICATION NUMBER: US 10/109,029
; PRIOR FILING DATE: 2002-03-28
; PRIOR APPLICATION NUMBER: PCT/US02/09728
; PRIOR FILING DATE: 2002-03-28
; PRIOR APPLICATION NUMBER: US 60/290,288
; PRIOR FILING DATE: 2001-05-11
; PRIOR APPLICATION NUMBER: US (not assigned)
; PRIOR FILING DATE: 2002-05-13
; NUMBER OF SEQ ID NOS: 48
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 30
; LENGTH: 672
; TYPE: PRT
; ORGANISM: Homo sapiens

US-10-162-012-30

Query Match 9.8%; Score 292; DB 4; Length 672;
Best Local Similarity 24.1%; Pred. No. 1.4e-19;
Matches 147; Conservative 91; Mismatches 237; Indels 136; Gaps 22;

```
Qy      8 LIAIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67
      :: | ::||:: ||:: | | | : : || : | :: | : | | :
Db     26 ILVIAAYFLLVIGVGLWSMCRN-NGRTV----GGYFLAGRSMVWVWPVGASLFASNIGSGH 80

Qy     68 INGTAEEAVYVPGYGLAWAQAPIGYSL-LLLGGLFFAKPMRSKGYVTMLDPFQQIYG 123
      | | | | | | | : : : | | | : | : | | |
Db     81 FVGLA-----GTGAASGLAVAGFEWNALFVVLGWLFPVYLTAGVITM----PQYLR 130

Qy    124 KRMGG-----LLFIPALMGEMFWAAAI--SALGATISVIIDVDMHISVIISA 169
      | | | | | | | : | : : | | | | | : | | |
Db    131 KREGGRRIRLYLSVLSFLYIFTKISVDMFSGAVFIQQALGWN-----YASVIAL 182

Qy    170 LIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY----- 224
      | : | | | | : | | | | | | | : : | : : | |
Db    183 GITMIYTVTGGLAALMYTDTVQTFVILGGACILMGYAFHEVG---GYSGLFDKYLGAAT 238

Qy    225 -----QKPWLGTVDSESVYSWLDSFLLL---MLGGIPW-----QAYF 258
      : | : | : | | : | | : | : | | |
Db    239 SLTVSEDPVGNISFCYRPRPDSYHLLRHPVTGDLWPALLLGLTIVSGWYWCSDQVIV 298

Qy    259 QRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDPKT----TE 314
      | | | : | | : : | : | : : | | : : | : | |
Db    299 QRCLAGKSLTHIKAGCILCGYLKLTMPFILMVMPGMISRILYPDEVACVVPEVCRRVCGTE 358

Qy    315 E--ADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNA 372
      : : : | : : | | : | : | : | | | | | : | | |
Db    359 VGCSNIAYPRLVVKLMPNGLRGLMLAVMLAALMSSLASIFNSSSTLFTMDIY-TRLRPRA 417

Qy    373 SDKEIVWMRI-TVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQLLCV----LFV 427
      | : | : | | : | | : : | : : | : : | : | | |
Db    418 GDRELLLVGRLWVVFIVVVSVAWLPPVQAQGGQLFDYIQAVSSYLAPPVSAVFVIALFV 477

Qy    428 KGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMV-- 485
      | | | | : | | : : | : : | : | : : |
Db    478 PRVNEQGAFWGLIGGLMGLARLIP-----EFSFGSGSCVQP 514

Qy    486 ---TSFLTNICISYLAKYLFE-SGTLPPKLDVFDVAV-----ARHSEENMDKTI 530
      : | | : | | | | | | : : | : | : | | : |
Db    515 SACPAFLCGVHYLYFAIVLFFCSGLLTLTVSLCTAPIPRKHLHRLVFSLRHSKE----- 568

Qy    531 LVKNENIKLDE 541
      : | : : | |
Db    569 --EREDLDADE 577
```

RESULT 9

US-09-543-681A-4994

; Sequence 4994, Application US/09543681A

; Patent No. 6605709

; GENERAL INFORMATION:

; APPLICANT: GARY BRETON

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PROTEUS
MIRABILIS FOR
; TITLE OF INVENTION: DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: 2709.1002-001
; CURRENT APPLICATION NUMBER: US/09/543,681A
; CURRENT FILING DATE: 2000-04-05
; PRIOR APPLICATION NUMBER: US 60/128,706
; PRIOR FILING DATE: 1999-04-09
; NUMBER OF SEQ ID NOS: 8344
; SEQ ID NO 4994
; LENGTH: 548
; TYPE: PRT
; ORGANISM: Proteus mirabilis
US-09-543-681A-4994

Query Match 9.3%; Score 277.5; DB 4; Length 548;
Best Local Similarity 24.3%; Pred. No. 2.6e-18;
Matches 144; Conservative 95; Mismatches 229; Indels 125; Gaps 23;

Qy 4 HVEGL-----IAIVFYLLILL-VGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGF 56
| ||: || |:|::: |:| :: |:| : |:| : |
Db 6 HTEGVGLSTIDYAI FALYV IIIISLGLWV---SRSKDGAKKGTKDYFLAGKTLPWWAIGS 62

Qy 57 TMTATWV-----GGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMR 107
:: | : | |: | | | | | | | |:|: :|
Db 63 SLIAANISAEQFIGMSGSGFSIGLAIASY-----EWMAA-----LTLIIVAKYFLPIFI 111

Qy 108 SKGYVTMLDPFQQIYGKRMGGLLFIPALMGEMFWAAA-IFSAL-----GATISVIIDV 159
|| |: : : : | | | | :|| | | | : |:|
Db 112 EKGITYTIPEFVENRFKSR--NLKTILA----VFWLALFIFVNLTSVLYLGSLALETILGV 165

Qy 160 DMHISVIISALIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSH----- 209
| :| | | |:| | | | |:|:| | | : : |:|
Db 166 PMMYAIIGLALFAVIYSLYGGLSAVAWTDVVQVFFLILGGLFTTVLAVSYIGDGIMEG 225

Qy 210 ----PAVADIGFTA VHA KYQKPWLGTVDSSSEVYSWLDSFLLMLGGIPW-----Q 255
| | | : || : : : : ||: | |
Db 226 LSKMTAAAPDHF KMILAKENPQFMNLPG-----IAVLIGGL-WVANLYYWGFNQ 273

Qy 256 AYFQRLVSSSSATYAQVLSFLAAGCLVMAIPAIL--IGAIGASTDWNQTAYGL-----P 308
|| |: | || | | | |:| : : | | :|| | |
Db 274 YIIQRALAAKSINEAQKGLVFAAFLKLIVPILVVVPGIAAFVITTDPTLMA-GLGTMAQE 332

Qy 309 DPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSF 368
| :|| | : |:| |: | :||:|:| | : | :|| :||
Db 333 HIPTLAQADKAYPWLTQFL-PIGAKGVVFAALAAAIVSSLASMLNSIATIFTMDIYKEYI 391

Qy 369 RQNASDKEIVWVRITVVFVGASATAMALLTKTVYGLWYLSSDLVYI-----VIFPQLLC 423
:|: :| | |: : | :| | | : || :|:|
Db 392 GPKSSETRLNVNVRISAVIALIIACFIAPL-----LGGIDQAFQYIQEYTGVLSPGILA 445

Qy 424 V-----LFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPF 479
| | | | | |:| | : : : | | | | |
Db 446 VFLLGLFWKKTNAKGAIGVVL SIPFAL-----FLKLMPL-----GMPF 484

Qy 480 KTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTIIV 532
| | | : | :: :| : : || | |: |:|

Db 485 LDQMMYTFIFTAVVIGLVSLTSTKSDDSVGAIVLTDATEFKTQSGFNIA SYIIM 537

RESULT 10

US-09-543-681A-6886

; Sequence 6886, Application US/09543681A

; Patent No. 6605709

; GENERAL INFORMATION:

; APPLICANT: GARY BRETON

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PROTEUS MIRABILIS FOR

; TITLE OF INVENTION: DIAGNOSTICS AND THERAPEUTICS

; FILE REFERENCE: 2709.1002-001

; CURRENT APPLICATION NUMBER: US/09/543,681A

; CURRENT FILING DATE: 2000-04-05

; PRIOR APPLICATION NUMBER: US 60/128,706

; PRIOR FILING DATE: 1999-04-09

; NUMBER OF SEQ ID NOS: 8344

; SEQ ID NO 6886

; LENGTH: 554

; TYPE: PRT

; ORGANISM: Proteus mirabilis

US-09-543-681A-6886

Query Match 9.2%; Score 274.5; DB 4; Length 554;

Best Local Similarity 23.0%; Pred. No. 5.1e-18;

Matches 125; Conservative 96; Mismatches 214; Indels 109; Gaps 24;

```
Qy      6 EGLIAIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGL-----LVGGFTMTA 60
      : :| :| | | : ||: ||: : ||: ||: | : | | |
Db     38 QAIIMFLIFVGLTLYITYWASKRTRS-----RSDYYTAGGKITGFQNGMAIAGDFMSAA 91

Qy     61 TWVGGGYINGTAEAVYVPGY-GLAWAQAPIGYSLSLILGG----LFFAKPMRSKGYVTML 115
      ::: | : || || || || ||: ||: ||: ||: ||: |
Db     92 SFL-----GISALVYTSGYDGLI-----YSIGFLIGWPIILFIIAERLRNLGRYTFA 138

Qy    116 DPFQ-QIYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATL 174
      | : : | : | | :| : : | | : : | :| :| : : |
Db    139 DVVSYRLSPKPIRTL SAIGSLVVVALYLIAQMVGAGKLI ELLFGLNYHIAVILVGI L MV L 198

Qy    175 YTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAK----YQKPWL- 229
      | | ||: : : : : : : | : : || | : : : || :
Db    199 YVLEGGMLATTWVQIIKAILLLAGATFMAVMVMK---AADFNENTLFKEAVNVHQGF SI 255

Qy    230 ----GTVDSSEVYSWLDSFLLMLG--GIPWQAYFQ RVLSSSSAT-----Y 269
      | | | : | | | | | | | :| | : | | |
Db    256 MSPGGLV--SDPISALS LGLALMFGTAGLP--HIIMRFFT VSDAKEARKSVFYATGFIGY 311

Qy    270 AQVLSFLAAFGLVMAIPAILI----GAIGASTDWNQTAYGLPDPKTTEEADMILPIVLQ 325
      :| :| : || : :| | | ||: | | | | |
Db    312 FYILTFTIIGFGAILLVSPNPLFKDAAGALIGGT--NMAAVHLAD----- 353

Qy    326 YLCPVYISFFGLGAVS----AAVMSSADSSILSASSMFARNIYQLSFRQ-NASDK EIVWV 380
      | :|| || :| | : : : | : :| : :| : | : : : |
Db    354 ---AVGGNFF-LGFISAVAFATILAVVAGLTLAGASAVSHDLYANVIKNGQADERQELKV 409

Qy    381 MRITVFVFGASATAMALL--TKTVYGLWLYSSDLVYIVIFPQLLCVLFVKGNTY GAVAG 438
```

```

      :||| : | | : :| : : : | : : || :| : : || | ||| |
Db      410 SKITVVILGIVAIGLGILFEKQNI AEMVGLAFSIAASCNFP IILLSMYWKGLTTRGAVIG 469

Qy      439 YVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICISYLA 498
      ||| : :| : | | | : | || : :| : : | : :| : :|
Db      470 GWSGLIVAVT----LMILGPTI-WVSILGHDTP IYPYEP-----ALFSMI IAFIV 515

Qy      499 KYLF 502
      :||
Db      516 SWLF 519

```

RESULT 11

US-09-657-960-3

```

; Sequence 3, Application US/09657960
; Patent No. 6649342
; GENERAL INFORMATION:
; APPLICANT: Mack, David
; APPLICANT: Gish, Kurt
; TITLE OF INVENTION: NOVEL METHODS OF DIAGNOSING BREAST CANCER, COMPOSITIONS,
AND METHODS OF
; TITLE OF INVENTION: SCREENING FOR BREAST CANCER MODULATORS
; FILE REFERENCE: A-69196/DJB/JJD
; CURRENT APPLICATION NUMBER: US/09/657,960
; CURRENT FILING DATE: 2000-09-08
; PRIOR APPLICATION NUMBER: US 09/525,361
; PRIOR FILING DATE: 2000-03-15
; PRIOR APPLICATION NUMBER: US 09/453,137
; PRIOR FILING DATE: 1999-12-02
; PRIOR APPLICATION NUMBER: US 09/450,810
; PRIOR FILING DATE: 1999-11-29
; PRIOR APPLICATION NUMBER: US 09/268,865
; PRIOR FILING DATE: 1999-03-15
; PRIOR APPLICATION NUMBER: PCT/US 00/06952
; PRIOR FILING DATE: 2000-03-15
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 3
; LENGTH: 718
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-657-960-3

```

```

Query Match          9.2%; Score 272.5; DB 4; Length 718;
Best Local Similarity 22.3%; Pred. No. 1.2e-17;
Matches 152; Conservative 113; Mismatches 241; Indels 177; Gaps 30;

```

```

Qy      9 I A I I - V F Y L L I L L V G I W A A W R T K N S G S A E E R S E A I I V G G R D I G L L V G G F T M T A T W V G G G - 66
      ||| : : : : | : : : | : | : : | : | : : | : | : : |
Db      10 I A I V A L Y F I L V M C I G F F A M W K S N R S T V S ----- G Y F L A G R S M T W V T I G A S L 55

Qy      67 Y I N G T A E A V Y V P G Y G L A W A Q A P I G Y S ----- L S L I L G G L F F A K P M R S K G Y V T M L D 116
      : : : : : : : | | | : | | : : : : | : : | : | | |
Db      56 F V S N I G S E H F I --- G L A G S G A A S G F A V G A W E F N A L L L Q L L G W V F I P I Y I R S - G V Y T M -- 109

Qy      117 P F Q Q I Y G K R M G G ----- L L F I P A L M G E M F W A A A I F S A L G A T I S V I I D V D M H I S 164
      : | | | : : : : | : : : : : : : : : : : : : : :

```

```

RESULT 12
US-09-134-001C-4744
; Sequence 4744, Application US/09134001C
; Patent No. 6380370
; GENERAL INFORMATION:
;  APPLICANT: Lynn Doucette-Stamm et al
;  TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO
STAPHYLOCOCCUS
;  TITLE OF INVENTION:  EPIDERMIDIS FOR DIAGNOSTICS AND THERAPEUTICS
;  FILE REFERENCE: GTC-007
;  CURRENT APPLICATION NUMBER: US/09/134,001C
;  CURRENT FILING DATE: 1998-08-13
;  PRIOR APPLICATION NUMBER: US 60/064,964
;  PRIOR FILING DATE: 1997-11-08
;  PRIOR APPLICATION NUMBER: US 60/055,779
;  PRIOR FILING DATE: 1997-08-14
;  NUMBER OF SEQ ID NOS: 5674
; SEQ ID NO 4744

```

; LENGTH: 518
; TYPE: PRT
; ORGANISM: Staphylococcus epidermidis
US-09-134-001C-4744

Query Match 8.8%; Score 262.5; DB 4; Length 518;
Best Local Similarity 22.2%; Pred. No. 6.9e-17;
Matches 126; Conservative 102; Mismatches 223; Indels 117; Gaps 25;

```
Qy      9 IAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYI 68
      : |||:::|:| : :| :| :||| || : : |: : | |
Db      27 VMIIVFYFIILLIIGFY-GYRQATGNLSE-----FMLGGRSIGPYITALSAGASDMGSMI 80

Qy      69 NGTAEAVYVPGYGLAWAQAPIGYSLSLILGGL--FFAKPMRSKGY-----VTMLDPFQ 119
      | :|| | | : :| || :| | : | :| :| | :
Db      81 MGLPGSVYSTGLSAIW-----ITIGLTLGAYINYFVVPRLRVYTEIAGDAITLPDFFK 134

Qy     120 QIYGKRMGGLLFIPALMGEMFWAAAIIFSAL---GATISVIIDVDMHISVIISALIATLYT 176
      : : | | : :| | | : | :| :| :| :| | |
Db     135 NRLDDKKNIIKIISGLIIVVFFTLTYTHSGFVSGGKLFESAFGLNYHAGLLIVAIIVIFYT 194

Qy     177 LVGGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADI-GFTAVHAKYQ-KPW----- 228
      || :|: || | : : : : || | : : |: | | ||
Db     195 FFGGYLAVSITDFFQGVIMLIAM-VMVPIV---ALLKLNGWDTFHDIAQMKTNLDLFR 249

Qy     229 ----LGTVDSSEVYSWLDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVLM 284
      || | :|| | : : : : || | : : | :| | |
Db     250 GTTVLGIV---SLFSW-----GLGYFGQPHIIVRFMSIKSHKLLPKARRLGISWM 296

Qy     285 AIPAILIGAIGASTDW---NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAV 340
      |: |:||| : : | ||:| : : :| | : | | |:
Db     297 AVG--LLGAIGVGLTGISFISERHIKLEDPET-----LFIVMSQILFHPLVGGFLLAAI 348

Qy     341 SAAVMSSADSSILSASSMFARNIYQL---SFRQNASDKEIVWVMRITVFVFGASATAMAL 397
      ||:||: | :| || : |:| | : : || | : |:| : | :|
Db     349 LAAIMSTISSQLLVTSSSLTEDFYKLRGSDKASSHQKEFVLIGRLSVLLVAIVAITIA- 407

Qy     398 LTKTVYGLWYLSSDLVYIV-----IFPQLLCVLFVKGTNTYGAAGVYVSGLFLRI 447
      |: : : : | | :| |: | ||:| |:| : |
Db     408 -----WHPNDTILNLVGNAWAGFGAAFSPVLVLSLYWKDLTRAGAISGMVAGAVVVI 459

Qy     448 TGGEPLYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAHYLFESGTL 507
      ::|| : : | :| : : |: : |:| : |
Db     460 VW---ISWIKPLATINAFF----GMYE-----IIPGFIVSVLITYIVSKL----TK 499

Qy     508 PPKLDVFDVAVVARHSEENMDKTILVKNE 535
      | | | : ||:| | |
Db     500 KPD----DYVI-----ENLNKVKHVVKE 518
```

RESULT 13

US-09-328-352-6371
; Sequence 6371, Application US/09328352
; Patent No. 6562958
; GENERAL INFORMATION:
; APPLICANT: Gary L. Breton et al.

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO
ACINETOBACTER
; TITLE OF INVENTION: BAUMANNII FOR DIAGNOSTICS AND THERAPEUTICS
; FILE REFERENCE: GTC99-03PA
; CURRENT APPLICATION NUMBER: US/09/328,352
; CURRENT FILING DATE: 1999-06-04
; NUMBER OF SEQ ID NOS: 8252
; SEQ ID NO 6371
; LENGTH: 501
; TYPE: PRT
; ORGANISM: Acinetobacter baumannii
US-09-328-352-6371

Query Match 8.7%; Score 259; DB 4; Length 501;
Best Local Similarity 23.1%; Pred. No. 1.4e-16;
Matches 126; Conservative 97; Mismatches 206; Indels 116; Gaps 22;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
		:: : : : : : : : :: : :	
Db	6	MSYFDPTLIMFMVYIVAMVLIGLFAYRATSDFSD-----YILGGRSLGSFVTALSAGA	58
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMR-----SKGYVTML	115
		: : : :: : : :	
Db	59	SDMSGWLLMGLPGAIIYLSGLSEAW--IAIGLIIGAWLNWLLVAGRLRVHTEIQNNALTLP	116
Qy	116	DPFQQIYGKRMGGLLFIPALMGEMFWAAAIIFSALGATISV-----IIDVDMHISVIISAL	170
		: : :: : : : : : : :	
Db	117	DYFTSRFDDQKKILRIFSAVIIIVFF--AIYCASGMVAGARLFENLFGMSYTTAIWLSAI	174
Qy	171	IATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFAL-----SHPAVADIGFTAVHAKY	224
		: ::: : : :	
Db	175	ATISYVCIGGFLAISWTDTFQ-----AGLMI---FALLLTPIVITYLAIGDTTQFVTLIET	226
Qy	225	QKPWLGTVDSSSEVYSWLDSEFLLMLGGIPW-QAYF--QRLVSSSSATYAQVLSFLAAGFC	281
		: : : : : : :	
Db	227	ARPHAFNIIS-----DLSVVAVLSSMAWGLGYFGQPHIL-----VRFMAADS-	268
Qy	282	LVMAIPA-----ILIGAIGASTDWNQTAYGLPDPK-----TTEEADMILPIVLQY	326
		: :: : : : : : : :	
Db	269	-VKSIPAARRIGMTWMILCLVGAVGAG--FFGIAYFQQHPELAGVVSKNPETVFMELTKI	325
Qy	327	LCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVMRITVF	386
		: : : : : : :	
Db	326	LFNPWIVGIILAAAILAAMSTLSCQLLVCSALTEDLYKGFIRKNASQKELVWVGRIMVL	385
Qy	387	VFGASATAMALLTKTVYGLWYLSSDLVYIVIF-----PQLLCVLFVKGTNTYGAV	436
		: : : : : : :	
Db	386	-----AIAVLAIVLAG--NPDSKVLGLVAYAWAGFGAAGPLIILSLFWKRMTLEGAL	436
Qy	437	AGYVSGFLFRITGGEPYLYLQPLIF--YPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICI	494
		: : : : : : : :	
Db	437	AGMIVGAVVVI--GWKNLFASTGVYEIIPGF-----ICAFISIIIVV	475
Qy	495	SYLAK	499
		:	
Db	476	SLISK	480

RESULT 14

US-09-252-991A-27829

; Sequence 27829, Application US/09252991A

; Patent No. 6551795

; GENERAL INFORMATION:

; APPLICANT: Marc J. Rubenfield et al.

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO PSEUDOMONAS

; TITLE OF INVENTION: AERUGINOSA FOR DIAGNOSTICS AND THERAPEUTICS

; FILE REFERENCE: 107196.136

; CURRENT APPLICATION NUMBER: US/09/252,991A

; CURRENT FILING DATE: 1999-02-18

; PRIOR APPLICATION NUMBER: US 60/074,788

; PRIOR FILING DATE: 1998-02-18

; PRIOR APPLICATION NUMBER: US 60/094,190

; PRIOR FILING DATE: 1998-07-27

; NUMBER OF SEQ ID NOS: 33142

; SEQ ID NO 27829

; LENGTH: 551

; TYPE: PRT

; ORGANISM: Pseudomonas aeruginosa

US-09-252-991A-27829

Query Match 8.7%; Score 257.5; DB 4; Length 551;

Best Local Similarity 22.3%; Pred. No. 2.3e-16;

Matches 102; Conservative 91; Mismatches 205; Indels 59; Gaps 16;

```

Qy      6 EGLIAIIVFYLLILLVGI-----WAAWRTKNSGSAEERSEAIIVGGR-DIGLLVGGFTM 58
      :| |::| |::| : | | | : :| :| | :| |
Db      28 KGARAMLLDYLIIMLVYALAMLGLGWYGM-----KAKSQSDFLVAGRRRLGPGLYLG--TM 80

Qy      59 TATWVG GGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPF 118
      | :|| | | : | | | :| | :| :| :| :| :|
Db      81 AAVVLGGASTIGTVKLG YQFGLSGLWL VFM LG--LGIIVLSLVFSRQIARLRVFTVTQVL 138

Qy      119 QQIY---GKRMGGLLFIPALMGEMFWAAAIFSA LGATISVIIDVDMHISVIISALIATLY 175
      :| | : :||:: : : : | | :| :| :| :| :| :|
Db      139 EQRYQASSRLIGGVVMVAY---DLMVAVTATIAIGSVTEVVFGIPRI PAILCGGGIVIVY 195

Qy      176 TLVGGLYSVAYTDVVQLFCIFVGLW-ISVPFALSHPA-----VADIGFTAVHAKYQKP 227
      ::||::| : ||::| ||:: : :| :| :| :| :|
Db      196 SVIGGMWSLTLTDI IQFVIKTVGIFLVLLPLSIDGAGGLARMQEVLPAGFFD----- 247

Qy      228 WLGTVDSSSEVYSWLDSFLLMLGGIPWQAYFQ RVLSSSSATYAQVLSFLA AFGCLVMAIP 287
      || : : : : || | : | :|| :| :| :| :| :|
Db      248 -LGHIGLDTILTY---FLLYFFGALIGQDIWQRVFTARSETV VRYAGLGAGVYCMLYGAA 303

Qy      288 AILIGAIGASTDWNQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGL--GAVSAAVM 345
      |||| | | | | | :| | | | | :| :|
Db      304 CALIGAAARVL-----LPDLAVPEN A--YAEITREVLAP---GLRGLVVAAALSAIM 350

Qy      346 SSADSSILSASSMFARNIYQLSFRQNASDKEIVVMRITV FVFGASATAMALLTKTVYGL 405
      |:| :| :| :| :| :| :| :| :| :| :| :| :|
Db      351 STASGCLLAAATVLQEDIYARFLRPGTTSD--IRLSRCITLIMGVAMLVIA CLVNDVIAA 408

Qy      406 WYLSSDLVYIVIFPQLLCVLFVKGTNTYGAVAGYVSG 442

```

Db 409 LSIAYNLLVGGLLVPIVGALLWRRASPOGAIASIVAG 445

RESULT 15

US-09-489-039A-7541

; Sequence 7541, Application US/09489039A

; Patent No. 6610836

; GENERAL INFORMATION:

; APPLICANT: Gary Breton et. al

; TITLE OF INVENTION: NUCLEIC ACID AND AMINO ACID SEQUENCES RELATING TO KLEBSIELLA

; TITLE OF INVENTION: PNEUMONIAE FOR DIAGNOSTICS AND THERAPEUTICS

; FILE REFERENCE: 2709.2004001

; CURRENT APPLICATION NUMBER: US/09/489,039A

; CURRENT FILING DATE: 2000-01-27

; PRIOR APPLICATION NUMBER: US 60/117,747

; PRIOR FILING DATE: 1999-01-29

; NUMBER OF SEQ ID NOS: 14342

; SEQ ID NO 7541

; LENGTH: 508

; TYPE: PRT

; ORGANISM: Klebsiella pneumoniae

US-09-489-039A-7541

Query Match 8.6%; Score 255; DB 4; Length 508;

Best Local Similarity 24.8%; Pred. No. 3.6e-16;

Matches 126; Conservative 85; Mismatches 219; Indels 78; Gaps 21;

Qy 1 MAFHVEGLIAIIVFYLLILLVGIWAAWR-TKNSGSAEERSEAIIVGGRDIGLLVGGFTMT 59
|| |: ||: ::||: : ||| ||| : |: ||| :| | :
Db 7 MAISTPMLVTFIVYIFGMVLIG-FIAWRSTKN-----FDDYILGGRSLGPFVLTALSAG 58

Qy 60 ATWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMR-----SKGYVTM 114
|: : | : | |: : | : | |: : | : | : |: : |: :
Db 59 ASDMSGWLLMGLPGAIFLSGISESW--IAIGLTGAWINWKLAVAGRLRVHTEVNNNALTL 116

Qy 115 LDPFQQIYGKRMGGLLFIPALMGEMFWAAAFSALGATISV-----IIDVDMHISVIISA 169
| | : : | | ||: ::| : | | : : : :
Db 117 PDYFTGRFEDKSRVLRRIISALVILLFF--TIYCASGIVAGARLFESTFGMSYETALWAGA 174

Qy 170 LIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADI---GF-TAVHAKYQ 225
: || ||| :|: || || : | : : | : | || : : |
Db 175 AATIIYTFVGGFLAVSWTDTVQASLMIFALILT-----PVIVIISVGGFGDSLEVIKQ 227

Qy 226 KPWLGTVDSSSEVYSWLDSFLLMLGGIPW-----QAYFQRVLSSSSATYAQVLSF 275
| : : : : | : : : | | | | | | | | :|: :|
Db 228 K----SIENIDMLKGLNFVAIISLMG--WGLGYFGQPHILARFMAADSHHSIVHARRISM 281

Qy 276 LAAFGCLVMAIPAILIGAIGASTDWNQTAYGLPDPK---TTEEADMILPIVLQYLCVPY 331
|| |: :| | || :| :| : : :| | :
Db 282 TWMILCLG---GAVAVGFFG-----IAYFNNNPSLAGAVNQNAERVFIELAQILFNPW 331

Qy 332 ISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVMRITVVFVGAS 391
|: | |: |||||: :| || :::| |: || ||: ||| |: | |
Db 332 IAGILLSAILAAVMSTLSCQLLVCSAITEDLYKAFLRKAGQKELVWVGRMMVLVVALV 391

Qy 392 ATAMA-----LLTKTVYGLWYLSSDLVYIVIFPQLLCVLFVKGNTNTYGAVAGYVSGLFL 445
 | |:| :| | : |:| |: : | |:| | |
 Db 392 AIALAANPENRVLGLVSYAWAGFGAAGPVLVLF---SVMWSRMTRN-GALAGMVGALT 446
 Qy 446 RITGGE-PYLYLQPLIFYPGYYPDDNGI 472
 | : :| | :| ||: ||
 Db 447 VIVWKQFGWLGLYEII--PGFVFGSIGI 472

Search completed: September 28, 2004, 17:09:58
 Job time : 37 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: September 28, 2004, 16:59:21 ; Search time 43 Seconds
(without alignments)
1297.467 Million cell updates/sec

Title: US-10-069-541-6
Perfect score: 2972
Sequence: 1 MAFHVEGLIAIIVFYLLILL.....EAFLDVDSSPEGSGTEDNLQ 580

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters: 283366

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_78:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	2972	100.0	580	2	JC7502	choline transporte
2	1361.5	45.8	631	2	T20037	hypothetical prote
3	344	11.6	492	2	D75188	proline symporter
4	308.5	10.4	662	2	A37226	glucose transport
5	306	10.3	664	2	A33545	Na+/glucose cotran
6	306	10.3	665	2	A53582	Na+/glucose cotran
7	303.5	10.2	660	2	A44432	amino acid transpo
8	301	10.1	463	2	E83468	probable sodium/so
9	299.5	10.1	507	2	B83988	proline transporte
10	298	10.0	672	2	A42251	nucleoside transpo
11	294	9.9	664	2	S59637	glucose transport
12	292	9.8	672	2	A56765	sodium-glucose cot
13	288	9.7	664	2	S59638	glucose transport

14	286	9.6	491	2	H71097	hypothetical prote
15	285	9.6	492	2	H69670	sodium/proline sym
16	284	9.6	537	2	C71008	probable proline p
17	283	9.5	484	2	E75138	osmoregulated prol
18	282.5	9.5	501	2	T44298	sodium/proline sym
19	279.5	9.4	496	2	H82382	sodium/proline sym
20	278.5	9.4	718	2	A42163	Na+/myo-inositol c
21	271	9.1	537	2	A75123	proline permease (
22	270.5	9.1	718	2	A56851	Na+/myo-inositol c
23	267	9.0	522	2	B84247	proline permease [
24	263.5	8.9	494	2	JC2382	sodium/proline sym
25	261	8.8	512	2	E89978	high affinity prol
26	260.5	8.8	504	2	E64118	sodium/proline sym
27	260.5	8.8	605	2	A36361	glucose transport
28	259	8.7	526	2	C69115	sodium/proline sym
29	254	8.5	496	2	A71980	sodium/proline sym
30	254	8.5	502	2	E90786	major sodium/proli
31	254	8.5	502	2	C85646	major sodium/proli
32	253.5	8.5	497	2	T48676	proline uptake pro
33	253	8.5	502	1	JGECPP	sodium/proline sym
34	252	8.5	461	2	G83610	probable sodium/so
35	249	8.4	496	2	G64526	sodium/proline sym
36	249	8.4	502	2	AF0633	sodium/proline sym
37	246.5	8.3	512	2	S75887	hypothetical prote
38	246	8.3	502	2	S10220	sodium/proline sym
39	243.5	8.2	506	2	F83547	sodium/proline sym
40	243	8.2	497	2	AH2015	sodium/solute symp
41	242	8.1	449	2	B69759	sodium/proline sym
42	239.5	8.1	484	2	H64105	pantothenate trans
43	239	8.0	549	2	B65215	hypothetical 59.2
44	237.5	8.0	577	2	T28017	hypothetical prote
45	236	7.9	491	2	E69383	pantothenate perme

ALIGNMENTS

RESULT 1

JC7502

choline transporter - human

C;Species: Homo sapiens (man)

C;Date: 17-Nov-2000 #sequence_revision 17-Nov-2000 #text_change 01-Dec-2000

C;Accession: JC7502

R;Apparsundaram, S.; Ferguson, S.M.; George Jr., A.L.; Blakely, R.D.

Biochem. Biophys. Res. Commun. 276, 862-867, 2000

A;Title: Molecular cloning of a human, hemicholinium-3-sensitive choline transporter.

A;Reference number: JC7502

A;Contents: Spinal cord

A;Accession: JC7502

A;Molecule type: mRNA

A;Residues: 1-580 <APP>

A;Cross-references: GB:AF276871

C;Comment: This protein, a hemicholinium-3-sensitive phosphorylated transmembrane protein, regulates high-affinity choline uptake, and plays the roles in disease states.

C;Genetics:

A;Gene: cht
A;Map position: 2q12
C;Keywords: choline transport; spinal cord; transmembrane protein; transport protein

Query Match 100.0%; Score 2972; DB 2; Length 580;
Best Local Similarity 100.0%; Pred. No. 9.5e-211;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IYGKRMGGLLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVYSW 240
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVYSW 240

Qy    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420

Qy    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480

Qy    481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540

Qy    541 ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    541 ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580

```

RESULT 2

T20037

hypothetical protein C48D1.3 - Caenorhabditis elegans

C;Species: Caenorhabditis elegans

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C;Accession: T20037

R;Burton, J.

submitted to the EMBL Data Library, October 1996

A;Reference number: Z19214

A;Accession: T20037

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-631 <WIL>

A;Cross-references: EMBL:Z81049; PIDN:CAB02847.1; GSPDB:GN00022; CESP:C48D1.3

A;Experimental source: clone C48D1

C;Genetics:

A;Gene: CESP:C48D1.3

A;Map position: 4

A;Introns: 82/1; 120/3; 187/1; 236/3; 249/1; 358/1; 510/3; 570/2

Query Match 45.8%; Score 1361.5; DB 2; Length 631;

Best Local Similarity 46.8%; Pred. No. 2.5e-92;

Matches 290; Conservative 91; Mismatches 146; Indels 93; Gaps 10;

```
Qy      7 GLIAIIVFYLLILLVGIWAAWRTKNSGSAEER----SEAIIVGGRDIGLLVGGFTMTATW 62
      |::||: ||:||||:|||| |::| | :| :: ||:| || | |||||
Db      6 GIVAIVFFYVLILVVGIWAGRKSKSSKELESEAGAATEEVMLAGRNIGTLVGIFTMTATW 65

Qy     63 VGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDP----- 117
      || | |||||:| | |||:|::|::| || || |::| |||
Db     66 VGGAYINGTAEALY--NGLLGCQAPVGYAISLVMGGLLFAKKMREEGYITMLDPFQFWN 123

Qy    118 -----FQQIYGKRMGGLLFIPALMGEMFWAAAI 146
      || ||:|:|:|:|:|:| || |||
Db    124 FLELIFGRFTFDNFRKLGRFLKLQTIIEILDFFQHKYQGRIGGLMYVPALLGETFWTAAIL 183

Qy    147 SALGATISVIIDVDMHISVIISALIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFA 206
      |||||:|:|: |:: || :|| || || || |:||||||| ||| | :
Db    184 SALGATLSVILGIDMNASVTLSACIAVFYFTFTGGYYAVAYTDVVQLFCIFVGLLILGLYV 243

Qy    207 LSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSWLDSFLLLMLGGIPWQAYFQRVLSSSS 266
      : | | | | | | | | | | | | | | | | | | | | | | :
Db    244 QNRPN-----RFKETSLWIDCMLLLVFGGIPWQVYFQRVLSSKT 282

Qy    267 ATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYGLPDPKTTEEA-----DMIL 320
      | || |||:| ||:| || | || | :|| | | : | | : |::
Db    283 AHGAQTLFVAGVGCILMAIPPALIGAARNTDWRMTDYSPWNNGTKVESIPDPKRNMVV 342

Qy    321 PIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWV 380
      |:| || | | ::| ||||| |||||:|:| ||| ||::|: | :||:|:|: |
Db    343 PLVFQYLTPRWVAFI GLGAVSAAVMSSADSSVLSAASMFAHNIWKLTIRPHASEKEVIIV 402

Qy    381 MRITVFVFGASATAMALLETKTVYGLWYLSSDLVYIVIFPQLLCVLFVKGTNTYGAVAGYV 440
      ||| : | || || |::| |||| | |||:|:| |||||:|:| :|||:| ||
Db    403 MRIAIICVGIMATIMALTIQSIYGLWYLCADLVYVILFPQLLCVYMPRSNTYGSLAGYA 462

Qy    441 SGLFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAKY 500
      || ||: ||| : | || | :|: | |||:| ||:| | :| :
Db    463 VGLVLRLLIGGEPLVSLPAFFHYPMY---TDGV--QYFPFRTTAMLSSMATIYIVSIQSEK 517

Qy    501 LFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLDELALVKPRQSMTSLSTFTNK 560
      ||:| | | : || || | | :| : | | :|| |
Db    518 LFKSGRLSPEWDVMGCVV-----NIPIDHVPLPSD-VSFAVSSETLNM 559
```


Qy 561 EAFLDVDSSPEGSGTEDNLQ 580
 : | : || ||
 Db 560 KVECDGMQFPQ-LQTEHRLQ 578

RESULT 3

D75188

proline symporter (proline permease). PAB2354 - *Pyrococcus abyssi* (strain Orsay)

C;Species: *Pyrococcus abyssi*

C;Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000

C;Accession: D75188

R;anonymous, Genoscope

submitted to the EMBL Data Library, July 1999

A;Description: *Pyrococcus abyssi* genome sequence: insights into archaeal chromosome structure and evolution.

A;Reference number: A75001

A;Accession: D75188

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-492 <KAW>

A;Cross-references: GB:AJ248283; GB:AL096836; NID:g5457433; PIDN:CAB48955.1; PID:g5457464

A;Experimental source: strain Orsay

C;Genetics:

A;Gene: putP-3; PAB2354

C;Superfamily: proline carrier protein

Query Match 11.6%; Score 344; DB 2; Length 492;
 Best Local Similarity 24.2%; Pred. No. 1.1e-17;
 Matches 132; Conservative 99; Mismatches 196; Indels 118; Gaps 25;

Qy 8 LIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67
 |:| : |:| ||| :| ||| : | ||| : : : :
 Db 14 LVAFLEFTLILPILVGFYAMKRTKS-----EEDFFVGGGRAMDKITVALSAVSSGRSSWL 66

Qy 68 INGTAEEAVYVPGYGLAWAQAPIGYSLS----LILGGLFFAKPMRSKGYVTMLDPFQQIYG 123
 :| : | | | | :|| : : | : | :| :| :
 Db 67 VLGLSGMAYKMGVTAVW--AAVGYIVAEMFQFVYMGIRLRKFSERFNAITVPDYFEARFR 124

Qy 124 K-----RMGG----LLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATL 174
 |: : :| :| | | :| : : : :||| |: :
 Db 125 DTSKILRIAASIIIIIFLTSYVGAQFNAGA-----KTLSTALGISIFTALMISVLMIIV 178

Qy 175 YTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFT-----AVHAKYQK 226
 | :|| :||| ||: : :|| : | ||| :| | :| :
 Db 179 YMILGGFIAVAYNDVIRAVIMIIGLVV-----LPVIAVAKVGGTTEVLKVLHALDPKLIN 233

Qy 227 PW---LGTVDSSEVYSWLDSFLLMLG-GIPWQAY-FQVLSSSSATYAQVLSFLAAFGC 281
 || | | | :| | | : | :| :| : : :|
 Db 234 PWAFGAGVVIG-----FLGIGFGSPGQPHIIVRYMSIDDPNKL RVSTVVGTFWN 282

Qy 282 LVMAIPAILIGAIGASTDWNQTAYGLPDPKTT--EEADMILP-IVLQYLCPVYISFFGLG 338
 :| :| || :| | : :|| : :||| | : || :| :
 Db 283 VVLAWGAIFVGLAGRAI-----VPDVSQLPKGNAEMIYPYLSAQYFPPILYGIL-IG 333

Qy 339 AVSAAVMSSADSSILSASSMFARNIYQLSFRQNA--SDKEIVWVMRITVFVFGASATAMA 396
 : ||:|:| || :| :| :|| : :| : :| :| | | :|

```

Db      334 GIFAAILSTADSQLLVVASTVVKDLYQEVIKKGTKIDEKTALTISRVTVLVVGFLAAILA 393
Qy      397 LLTKTVYGLWYLSSDLVY-IVIF-----PQLLCVLFVKGTNTYGAVAGYVSGLFL 445
      |:: |::: |:: | |:: |:: || |:: |:: |
Db      394 -----YVAKDIIFWFLFAWGGLGASFGPTLILSLYWKGTTKWGVLAGMIVGTIT 443
      | |:: |::: |:: | |:: |:: || |:: |:: |
Qy      446 RITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESG 505
      | |:: |::: |:: | |:: |:: || |:: |:: |
Db      444 TIVW---KLYLKPI-----TGLY-ELVP----AFIFSLIATIIVSMITK----- 479
Qy      506 TLPPK 510
      ||:
Db      480 --PPE 482

```

RESULT 4

A37226

glucose transport protein - rabbit

N;Alternate names: sodium/D-glucose cotransporter

C;Species: *Oryctolagus cuniculus* (domestic rabbit)

C;Date: 30-Dec-1991 #sequence_revision 01-Mar-1996 #text_change 20-Aug-1999

C;Accession: S00515; S15974; A37226

R;Hediger, M.A.; Coady, M.J.; Ikeda, T.S.; Wright, E.M.

Nature 330, 379-381, 1987

A;Title: Expression cloning and cDNA sequencing of the Na/glucose co-transporter.

A;Reference number: S00515; MUID:88065856; PMID:2446136

A;Accession: S00515

A;Molecule type: mRNA

A;Residues: 1-662 <HED>

A;Cross-references: EMBL:X06419; NID:g1640; PIDN:CAA29727.1; PID:g1641

R;Morrison, A.I.; Panayotova-Heiermann, M.; Feigl, G.; Schoelermann, B.; Kinne, R.K.H.

Biochim. Biophys. Acta 1089, 121-123, 1991

A;Title: Sequence comparison of the sodium-D-glucose cotransport systems in rabbit renal and intestinal epithelia.

A;Reference number: S15974; MUID:91223090; PMID:2025641

A;Accession: S15974

A;Molecule type: mRNA

A;Residues: 1-662 <MOR>

A;Cross-references: EMBL:X55355; NID:g1716; PIDN:CAA39040.1; PID:g1717

R;Coady, M.J.; Pajor, A.M.; Wright, E.M.

Am. J. Physiol. 259, C605-C610, 1990

A;Title: Sequence homologies among intestinal and renal Na(+)/glucose cotransporters.

A;Reference number: A37226; MUID:91023017; PMID:2221040

A;Accession: A37226

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 178-662 <COA>

A;Cross-references: GB:X06419

A;Experimental source: renal cortex

C;Superfamily: proline carrier protein

```

Query Match          10.4%;  Score 308.5;  DB 2;  Length 662;
Best Local Similarity 23.4%;  Pred. No. 6.6e-15;
Matches 154;  Conservative 110;  Mismatches 238;  Indels 155;  Gaps 26;

```

Qy 11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING 70
|:::|::: ||:| | | | : : | | : | :: | : | | : |
Db 32 IVIYFLVMAVGLWAMFST-NRGTV----GGFFLAGRSMVWVPIGASLFASNIGSGHFVG 86

Qy 71 TAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSKGYVTMLDPFQQIY-GK 124
| | | | | | : : : | | : | : | | | : | : | |
Db 87 LA-----GTGAASGIATGGFEWNALIMVVVLGWVFPVIYIRA-GVVTMPEYLQKREGGK 139

Qy 125 RMGGLLFIPALMGEMFW--AAAFSALGAT-ISVIIDVDMHISVIISALIATLYTLVGGL 181
| : | | : : : | : | | | | | : : : | : : : | | | : | | |
Db 140 RIQIYLSILSLLLYIFTKISADIFS--GAIFIQLTLGLDIYVAIIILLVITGLYTITGGL 197

Qy 182 YSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY-----Q 225
: | | | : | : | | | | | : | | | | |
Db 198 AAVIYTDTLQTAIMVGSVILTGFAPHEVG---GYEAFTEKYMRAIPSQISYGNTSIPQ 253

Qy 226 KPWLGTVDSSSEVYSWLDSFLLMLGGIPW-----QAYFQVRVLSSSSA 267
| : | : : | : | | | | | | | | | : :
Db 254 KCYTPREDAFHI-----FRDAITGDIPWPGLVFGMSILTLWYWCTDQVIVQRCLSAKNL 307

Qy 268 TYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDP-----KTTEEADMILP 321
: : : | : : : : : | : : | : | : : |
Db 308 SHVKAGCILCGYLKVMFPMFLIVMMGMVSRILYTDKVCVVPSECERYCGTRVGCTNIAFP 367

Qy 322 IVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVM 381
: : | | : | : | : | | | | | | : | | : | : | : :
Db 368 TLVVELMPNGLRGLMLSVMMASLMSSITSIFNSASTLFTMDIY-TKIRKKASEKELMIAG 426

Qy 382 RI-TVFVFGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNTYGAV 436
| : : | | : : : | : | : | : | : | | | |
Db 427 RLFLMLFLIGISIAWVPIVQSAQSGQLFDYIQSITSYLGPPPIAAVFLLAIFWKRVNEPGAF 486

Qy 437 AGYVSGLFLRI-----TG-----GEPYLYLQPLIFYPGYPPDDNGIY 473
| | | : | | | | | | | | : |
Db 487 WGLVLGFLIGISRMITEFAYGTGSCMEPSNCPTIICGVHYLYFAIILF----- 534

Qy 474 NQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVA-RHSEENMDKTILV 532
| | : | : : | | : | : : : | : | : |
Db 535 -----VISIITVVVSLFTKPI-----PDVHLYRLCWSLRNSKE----- 568

Qy 533 KNENIKLD--ELALVKPRQSMTLSSFTFNKEAF-----LDVDSSPEGSGTED 577
| | | | : : : | : | : | | | : : | :
Db 569 --ERIDL DAGEEDIQEAPEEATDTEVPKKGKGFRRAYDLFCGLDQDKGPKMTKEEE 623

RESULT 5

A33545

Na+/glucose cotransporter SGLT1 - human

C;Species: Homo sapiens (man)

C;Date: 27-Feb-1990 #sequence_revision 27-Feb-1990 #text_change 20-Aug-1999

C;Accession: A33545; A53804

R;Hediger, M.A.; Turk, E.; Wright, E.M.

Proc. Natl. Acad. Sci. U.S.A. 86, 5748-5752, 1989

A;Title: Homology of the human intestinal Na(+)/glucose and Escherichia coli Na(+)/proline cotransporters.

A;Reference number: A33545; MUID:89345544; PMID:2490366

A;Accession: A33545
A;Molecule type: mRNA
A;Residues: 1-664 <HED>
A;Cross-references: GB:M24847; NID:g338054; PIDN:AAA60320.1; PID:g338055
R;Turk, E.; Martin, M.G.; Wright, E.M.
J. Biol. Chem. 269, 15204-15209, 1994
A;Title: Structure of the human Na⁺/glucose cotransporter gene SGLT1.
A;Reference number: A53804; MUID:94253082; PMID:8195156
A;Accession: A53804
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-45 <TUR>
A;Note: sequence extracted from NCBI backbone (NCBIN:147993, NCBIP:147994)
C;Genetics:
A;Gene: GDB:SLC5A1; SGLT1
A;Cross-references: GDB:120375; OMIM:182380
A;Map position: 22q13.1-22q13.1
C;Superfamily: proline carrier protein
C;Keywords: transmembrane protein; transport protein

```

      | : | | | | | : | | : |      | |      | | |
Db      469 AVFLLAIFWKRNVNEPGAFWGLILGLLIGISRMITEFAYGTGSCMEPSNCPTIICGVHYLY 528

Qy      456 LQPLIFYPGYPPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFD 515
      : : |      | | : | | | :      | : : :
Db      529 FAILF-----AISFITIVVISLLTKPI-----PDVHLYR 558

Qy      516 AV---VARHSEENMDKTILVKENIKLDELALVKPRQSM T L S S T F T N K E 561
      :      | | : | : : | | | :      | : : : : : : | :
Db      559 LCWSLRNSKEERID--LDAAEENIQ-----EGPKETIEIETQVPEKK 598

```

RESULT 6

A53582

Na+/glucose cotransporter SGLT1 - rat

C;Species: Rattus norvegicus (Norway rat)

C;Date: 12-Apr-1995 #sequence_revision 12-Apr-1995 #text_change 20-Aug-1999

C;Accession: A53582

R;Lee, W.S.; Kanai, Y.; Wells, R.G.; Hediger, M.A.

J. Biol. Chem. 269, 12032-12039, 1994

A;Title: The high affinity Na(+)/glucose cotransporter. Re-evaluation of function and distribution of expression.

A;Reference number: A53582; MUID:94216314; PMID:8163506

A;Accession: A53582

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-665 <LEE>

A;Cross-references: GB:U03120; NID:g414571; PIDN:AAA19015.1; PID:g414572

C;Superfamily: proline carrier protein

Query Match 10.3%; Score 306; DB 2; Length 665;

Best Local Similarity 23.5%; Pred. No. 1e-14;

Matches 155; Conservative 105; Mismatches 242; Indels 158; Gaps 29;

```

Qy      11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING 70
      | : : : : : | | : | | | :      : | | :      | : | : | | : |
Db      32 IVIYFVVMMAVGLWAMFST-NRGTV----GGFFLAGRSMVWVPIGASLFASNIGSGHFVG 86

Qy      71 TAEAVYVPGYGLAWAQAPIGYSLS-----LILGGLFFAKPMRSK-GYVTMLDPFQQIYGK 124
      |      | | | | | : :      : : | | | : | | | | | : |
Db      87 LA-----GTGAAAGIAMGGFEWNALVFVVVLGWLFV--PIYIKAGVVTM----PEYLRK 134

Qy      125 RMGG-----LLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIA 172
      | |      | | : | :      : : | | | : : : : : | | |
Db      135 RFGGKRIQIYLSVLSLLLYIFTKISADIFSGAIF-----INLALGLDIYLAIFILLAIT 188

Qy      173 TLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQK--PWL- 229
      | | : | | : | | | : | : | | : | |      | : | | | | | |
Db      189 ALYTITGGLAAVIYTDTLQTAIMLVGSFILTGFAPREVG----GYEAFMDKYMKAIP TLV 244

Qy      230 --GTVD--SSEVYS-WLDSFLLL---MLGGIPW-----QAYFQRVLSS 264
      | :      | | : | | | :      : : | : | |      | | | | :
Db      245 SDGNITVKEECYTPRADSFHIFRDPITGDMWPWGLIFGLSILALWYWCTDQVIVQRCLSA 304

Qy      265 SSATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYGLPDP-----KTTEEADM 318
      : : : : | : | :      : : | |      : : | |      : :
Db      305 KNMSHVKAGCTLCGYLKL LPMFLMVMMPGMISRILYTDK IACVLPSECKKYCGTPVGCTNI 364

```

Qy 319 ILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIV 378
| : : | | : | : | : | | | | : | | : | : | : | :
Db 365 AYPTLVVELMPNGLRGLMLSVMMASLMSSLTISFNSASTLFTMDIY-TKIRKGASEKELM 423
Qy 379 WVMRITVFV-FGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNTY 433
| : : | | : : : | : | : | : | : | : | : | :
Db 424 IAGRLFILVLIGISIAWVPIVQSAQSGQLFDYIQSITSYLGPPIAAVFLLAIFCKRVNEP 483
Qy 434 GAVAGYVSGFLFLRI-----TG-----GEPYLYLQPLIFYPGYYPDDN 470
| | : | : | | | | | | | : | : | : | :
Db 484 GAFWGLILGFLIGISRMITEFAYGTGSCMEPSNCPKIICGVHYLYFAIILF----- 534
Qy 471 GIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAV--VARHSEENMDK 528
| : | : | | | : | : : : | : : | : | : | :
Db 535 -----AISVVTVLVISLLTKPI-----PDVHLYRLCWSLRNSTEERID- 572
Qy 529 TILVKNENIKLDELALVKPRQSMTLSSFTNKE-----AFLDVDSSPEGSGTED 577
| | : : | : : : : | | | | : : | :
Db 573 --LDAGEEEPVEE----DPKDTIEIDAEAPQKEKGCFRKAYDLFCGLDQDKGPKMTKEEE 626

RESULT 7

A44432

amino acid transport protein - pig

N;Alternate names: Na+/amino acid cotransporter, SAAT1

C;Species: *Sus scrofa domestica* (domestic pig)

C;Date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 20-Aug-1999

C;Accession: A44432

R;Kong, C.T.; Yet, S.F.; Lever, J.E.

J. Biol. Chem. 268, 1509-1512, 1993

A;Title: Cloning and expression of a mammalian Na+/amino acid cotransporter with sequence similarity to Na+/glucose cotransporters.

A;Reference number: A44432; MUID:93131881; PMID:8420925

A;Accession: A44432

A;Molecule type: nucleic acid

A;Residues: 1-660 <KON>

A;Cross-references: GB:L02900; NID:g164666; PIDN:AAC37325.1; PID:g164667

A;Experimental source: kidney epithelial cell line LLC-PK1

A;Note: sequence extracted from NCBI backbone (NCBIP:122778)

C;Superfamily: proline carrier protein

C;Keywords: amino acid transport; membrane protein

Query Match 10.2%; Score 303.5; DB 2; Length 660;
Best Local Similarity 23.2%; Pred. No. 1.5e-14;
Matches 141; Conservative 103; Mismatches 230; Indels 135; Gaps 26;

Qy 11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING 70
| : : : : : | : | | | : : | : | : | : | : | :
Db 32 IVIYFVVVMAVGLWAMLRT-NRGTV----GGFFLAGRDVTWWPMGASLFASNIGSGHFVG 86
Qy 71 TAEAVYVPGYGLA---WAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIY-GKRM 126
| | : | | | : : | | | : | : : : | : :
Db 87 LAGTGAASGIAIAAFEW-----NALLLLLVLGWFFVPIYIKAGVMTMPEYLRKRFGGKRL 141
Qy 127 GGLLFIPAL-----MGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVG 179
| | : | : : : | : : : : : : : | : | : |

A;Cross-references: GB:AE004571; GB:AE004091; NID:g9947360; PIDN:AAG04807.1;
 GSPDB:GN00131; PASP:PA1418
 A;Experimental source: strain PAO1
 C;Genetics:
 A;Gene: PA1418

Query Match 10.1%; Score 301; DB 2; Length 463;
 Best Local Similarity 25.1%; Pred. No. 1.5e-14;
 Matches 115; Conservative 86; Mismatches 211; Indels 46; Gaps 15;

```

Qy      9 IAIIVFYLLILLVGI----WAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGF---TMTAT 61
      :|: :| :||  |:  |  |  |: | : :| ||:|  ||  || ||
Db      1 MALDIFVVLIIYAAGMIALGWYGMR-----RAKTRDD-YLVAGRNLG---PGFYLGTMMAAT 51

Qy     62 WVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQI 121
      :||  ||  || |  |  || | : :  || |||:  |:  ::
Db     52 VLGGASTIGTVRLGYVHGISGFWLCAIG--LGIVGLSLFLAKPLCLKIYTVTVQVLERR 109

Qy    122 YGKRMGGLLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATLYTLVGGGL 181
      |  :  |:  :  |  |: | :|:  :  :|::|  :  ||: :||:
Db    110 YNPAARHASALIMLVYALMIGATSTIAIGTVMQVLFGLPFWVSILIGGGVVVLYSTIGGM 169

Qy    182 YSVAYTDVVQLFCIFVGL-WISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVYSW 240
      :|:  ||:|  :  ||| :: :| ::  |: | : ||  :  | : : |
Db    170 WSLTLTDIVQFLIMTVGLVFLMPLSINDAG----GWDALVAKLPASYF---DFTAI-GW 221

Qy    241 ---LDSFLLMLGGIPWQAYFORVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGAS 297
      :  ||:  |  |  :||| :: | | |:|  |  |: :  |||
Db    222 DTIVTYFLIYFFGIFIGQDIWQRFETARSETVAKVAGSAAGIYCVLYGMAGALIGMAAKV 281

Qy    298 TDWNQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASS 357
      |||  |  :  |::: | |  : | ||:|:| : :|:|:
Db    282 L-----LPD---LENVNNAFASVVEHSLPNGIRGLVIAAALAALMSTASAGLLAAST 330

Qy    358 MFARNIY-QLSFRQNASDKIIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIV 416
      :: :|  :  ||  |  ||  : |  :||:  |  : :|:
Db    331 TVTQDLLPRLRRGRGQSDNGDVHENRIATLLLGLVVLGIALVVS DVISALTVAYNLLVGG 390

Qy    417 IFPQLLCVLFVKGTNTYGAVA----GYVSGFLFRITGG 450
      :  |:  :: |  | ||:  |::: |  |  |
Db    391 MLIPLIGAIYWKRATTAGAITSMTLGFLTIVLFMIKDG 428

```

RESULT 9

B83988

proline transporter opuE [imported] - Bacillus halodurans (strain C-125)

C;Species: Bacillus halodurans

C;Date: 01-Dec-2000 #sequence_revision 01-Dec-2000 #text_change 15-Jun-2001

C;Accession: B83988

R;Takami, H.; Nakasone, K.; Takaki, Y.; Maeno, G.; Sasaki, R.; Masui, N.; Fuji, F.; Hiram, C.; Nakamura, Y.; Ogasawara, N.; Kuhara, S.; Horikoshi, K.

Nucleic Acids Res. 28, 4317-4331, 2000

A;Title: Complete genome sequence of the alkaliphilic bacterium Bacillus halodurans and genomic sequence comparison with Bacillus subtilis.

A;Reference number: A83650; MUID:20512582; PMID:11058132

A;Accession: B83988

A;Status: preliminary

A;Molecule type: DNA
A;Residues: 1-507 <STO>
A;Cross-references: GB:AP001516; GB:BA000004; NID:g10175192; PIDN:BAB06425.1;
GSPDB:GN00137
A;Experimental source: strain C-125
C;Genetics:
A;Gene: opuE
C;Superfamily: proline carrier protein

Query Match 10.1%; Score 299.5; DB 2; Length 507;
Best Local Similarity 26.2%; Pred. No. 2.2e-14;
Matches 141; Conservative 84; Mismatches 220; Indels 93; Gaps 27;

```

Qy      5 V EGL-IAIIVFYLL-ILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATW 62
      || | :||: ||: ||:| : : : : | : : ||: : :
Db      4 VEPLAVAILIAYLVALLLIGLLSS-KKSSVGMTD-----FFIAGRNLNKWTVALS AVSSG 57

Qy     63 VGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGY-----VTMLD 116
      : | : | : | : | : | : | : | : | : | : | : |
Db     58 RSAWLVLGVTGTAYATGLDAVWAVA--GYITVEVF--LFFYVARRFRAYSEQTGSITIPD 113

Qy    117 PFQQIYGKR----MGGLLFIPALMGEMFWAAAI FSAL---GATISVIIDVDMHISVIISA 169
      : : : : || || :| | | : | | | : : | : :|
Db    114 ILETRENDKTHILRGGS AFI--IM--FFMIAYVASQLVAGGGAFATSMGVSSSTGMWVTA 169

Qy    170 LIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIG-----FTAVHA 222
      :| ||: || :||: |||| :|| | | | || || :|
Db    170 VILLAYTMLGGFHAVSKTDVVQAGFMFVSLVIL-----PVVAIIGLGGFDPLLQVMHT 222

Qy    223 KYQKPWLGTVDSSSEVYSWLDSFLLMLG-GIPWQAY-FQRLSSSSSATYAQVLSFLA AFG 280
      : | | : : || :| | | : | : | : : : :
Db    223 EG-----GGFTSPFAFGFGAVIGLLGIGFGSPGNPHILVRYMSLKNVKEMRQAALISSVW 277

Qy    281 CLVMAIPAILIGAIGASTDWNQTAYGLPDPKTT EAD---MILPIVLQYLCPVYISFFGL 337
      :| ||: || | || || | : | : : | :| : |
Db    278 NVLMGWGAVMIGLAG-----RAY-FPDVSLLENGDQEQVFIMLGSEILHPLFFGF L-L 328

Qy    338 GAVSAAVMSSADSSILSASSMFARNIYQLSFRQN--ASDKEIVWVMRITVFVF GASATAM 395
      || ||: |||| :| || | :||| ||:| | :|| : | : | : :
Db    329 VAVLAAIMSSADSQLLVGSSAFVRDIYQKMFRRNRKLSQKKLVRLSRLTTVVFMGLSLIL 388

Qy    396 ALLTKTVYGLWYLSSDLVYIVIF-----PQLLCVLFVKGTNTY GAVAGYVSGLFL 445
      | | : | :|| | || : || | : | :||
Db    389 A-FTAQEFVFW-----MVLFAFGGLGACFGPALLLSFYWKGVTRQGV LWGM IAGLLT 439

Qy    446 RITGGEPLYLQPLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLT----NICISYLFK 499
      | : || | : || : | | | | : : || |
Db    440 VI-----LVKQQPQW TY-AFLPDVKELLNTYFFGITYEAVPGFIVATTITVVISLFTK 491

```

RESULT 10

A42251

nucleoside transport protein - rabbit

N;Alternate names: Na⁺/nucleoside cotransporter, SNST1

C;Species: Oryctolagus cuniculus (domestic rabbit)

C;Date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 20-Aug-1999

C;Accession: A42251

R;Pajor, A.M.; Wright, E.M.
 J. Biol. Chem. 267, 3557-3560, 1992
 A;Title: Cloning and functional expression of a mammalian Na⁺/nucleoside cotransporter. A member of the SGLT family.
 A;Reference number: A42251; MUID:92156077; PMID:1740408
 A;Accession: A42251
 A;Molecule type: mRNA
 A;Residues: 1-672 <PAJ>
 A;Cross-references: GB:M84020; NID:g165550; PIDN:AAA31421.1; PID:g165551
 A;Note: sequence extracted from NCBI backbone (NCBIN:82253, NCBIP:82256)
 C;Superfamily: proline carrier protein
 C;Keywords: membrane protein; nucleoside transport

Query Match 10.0%; Score 298; DB 2; Length 672;
 Best Local Similarity 25.0%; Pred. No. 4e-14;
 Matches 153; Conservative 89; Mismatches 232; Indels 138; Gaps 25;

```

Qy      9 I A I I - V F Y L L I L L V G I W A A W R T K N S G S A E E R S E A I I V G G R D I G L L V G G F T M T A T W V G G G Y 67
      ||:|  ::||:: ||:|  || | |:  : || :  | :: |: :| |:
Db     26 I A V I A A Y F L L V I G V G L W S M C R T - N R G T V - - - G G Y F L A G R S M V W W P V G A S L F A S N I G S G H 80

Qy     68 I N G T A E A V Y V P G Y G L A W A Q A P I G Y S L S - - - - L I L G G L F F A K P M R S K G Y V T M L D P F Q Q I Y G 123
      | |  | | |  | |:  :  ::| |  ||  : | : ||  |
Db     81 F V G L A - - - - - G T G A A N G L A V A G F E W N A L F V V L L L G W L F A P V Y L T A G V I T M - - - - P Q Y L R 130

Qy    124 K R M G G - - - - - L L F I P A L M G E M F W A A A I F - - S A L G A T I S V I I D V D M H I S V I I S A 169
      || ||  | :|  :  :: |:|  ||| |  : |||
Db    131 K R F G G H R I R L Y L S V L S L F L Y I F T K I S V D M F S G A V F I Q Q A L G W N I - - - - - Y A S V I A L L 182

Qy    170 L I A T L Y T L V G G L Y S V A Y T D V V Q L F C I F V G L W I S V P F A L S H P A V A D I G F T A V H A K Y - - - - 224
      | :||: ||| :: ||| || | | | :|  :|  |:: : ||
Db    183 G I T M V Y T V T G G L A A L M Y T D T V Q T F V I I A G A F I L T G Y A F H E V G - - - - G Y S G L F D K Y M G A M T 238

Qy    225 - - - - - Q K P W L G T V D S S E V Y S W L D S F L L L - - - M L G G I P W - - - - - Q A Y F 258
      : | :| : ||  ||: ||  : | :||  |
Db    239 S L T V S E D P A V G N I S S S C Y R P R P D S Y H L L R D P V T G D L P W P A L L L G L T I V S G W Y W C S D Q V I V 298

Qy    259 Q R V L S S S S A T Y A Q V L S F L A A F G C L V M A I P A I L I G A I G A S T D W N Q T A Y G L P D P K T - - - - T E 314
      || |:  : |: :  | :  |  :: | |  :: |  |:  ||
Db    299 Q R C L A G R N L T H I K A G C I L C G Y L K L T P M F L M V M P G M I S R I L Y P D E V A C V A P E V C K R V C G T E 358

Qy    315 E - - A D M I L P I V L Q Y L C P V Y I S F F G L G A V S A A V M S S A D S S I L S A S S M F A R N I Y Q L S F R Q N A 372
      ::| | :: | | :  | : ||: ||| | | :|::|  :|| | | |
Db    359 V G C S N I A Y P R L V V K L M P N G L R G L M L A V M L A A L M S S L A S I F N S S S T L F T M D I Y T L - - R P R A 416

Qy    373 S D K E I V W M R I T V F V F G A S A T A M A L L T K T V Y G - - - L W Y L S S D L V Y I V - - I F P Q L L C V L F V 427
      : |:: | |: |  | : |  : : |  |: |  |:  :  : |||
Db    417 G E G E L L V G R L W V F I V A V S V A W L P V V Q A A Q G G Q L F D Y I Q S V S S Y L A P P V S A V F V V A L F V 476

Qy    428 K G T N T Y G A V A G Y V S G L F L R I T G G E P Y L Y L Q P L I F Y P G Y P D D N G I Y N Q K F P F K T L A M V - - 485
      | ||  | : || : :  |  :| | | : |
Db    477 P R V N E K G A F W G L I G G L M G L A R L I P - - - - - E F S F G T G S C V R P 513

Qy    486 - - - T S F L T N I C I S Y L A K Y L F E - S G - - - - - T L P - P K L D V F D A V V A - R H S E E N M D K T I 530
      :|| :  | | || ||  | | |:  :  | : |||:|
Db    514 S A C P A F L C R V H Y L Y F A I V L F F C S G L L I I V S L C T A P I P R K H L H R L V F S L R H S K E - - - - - 567

```

Qy 531 LVKNENIKLDEL 542
: |:: |||
Db 568 --EREDLDADEL 577

RESULT 11

S59637

glucose transport protein SGLT1, intestinal - sheep

N;Alternate names: Na+/glucose cotransporter SGLT1

C;Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)

C;Date: 10-Apr-1996 #sequence_revision 19-Apr-1996 #text_change 20-Aug-1999

C;Accession: S59637; S48858

R;Tarpey, P.S.; Wood, I.S.; Shirazi-Beechey, S.P.; Beechey, R.B.

Biochem. J. 312, 293-300, 1995

A;Title: Amino acid sequence and the cellular location of the Na(+)-dependent D-glucose symporters (SGLT1) in the ovine enterocyte and the parotid acinar cell.

A;Reference number: S59637; MUID:96077158; PMID:7492327

A;Accession: S59637

A;Status: nucleic acid sequence not shown

A;Molecule type: mRNA

A;Residues: 1-664 <TAR>

A;Cross-references: EMBL:X82411; NID:g861072; PIDN:CAA57809.1; PID:g861073

A;Experimental source: tissue type jejunal mucosa

R;Wood, I.

submitted to the EMBL Data Library, October 1994

A;Reference number: S48858

A;Accession: S48858

A;Molecule type: mRNA

A;Residues: 1-233,'R',235-432,'V',434-466,'MR',469-664 <WOO>

A;Cross-references: EMBL:X82411

C;Superfamily: proline carrier protein

Query Match 9.9%; Score 294; DB 2; Length 664;

Best Local Similarity 23.9%; Pred. No. 7.7e-14;

Matches 127; Conservative 93; Mismatches 202; Indels 110; Gaps 23;

```
Qy 11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY--- 67
   |:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|
Db 32 IVIYFVVVMAVGLWAMFST-NRGTV---GGFFLAGRSMVWVPIGASLEFASNIGSGHFVG 86

Qy 68 INGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSK-GYVTMLDPFQQIYGKRM 126
   : || | : | | | : |::|::| : | : | | || : ||
Db 87 LAGTGAAAGIATGGFEWN----ALILVLLGWVVF--PIYIKAGVVTM----PEYLRKRF 136

Qy 127 GG-----LLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATL 174
   || :|:| : : : : || |:: : :|:::| : | |
Db 137 GGQRIQVYLSVLSLVLYIFTKISADIFSGAIF-----INLALGLDLYLAIFILLAITAL 190

Qy 175 YTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDS 234
   ||: ||| :| ||| :| : :| :| || |::| || : || |
Db 191 YTITGGLAAVIYTDTLQTVIMLLGSFILTGFAPHEVG----GYSAFVTKYMNA-IPVTVS 245

Qy 235 -----SEVYS-WLDSFLLL---MLGGIPW-----QAYFQVRVLSSS 265
   | | : ||| : : | :| | | | | |
Db 246 YGNTTVKKECYTPRADSFHIFRDPLKGDLPWPGLIFGLTIISLWYWCTDQVIVQRCLSAK 305

Qy 266 SATYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDPKTTEE-----AD 317
```

```

      : :: :      : : | :      :: | |      : | : | | :      :
Db      306 NMSHVKAGCIMCGYMKLLPMLMMPGMISRILFTEKVACTV--PSECEKYCGTKVGCTN 363

Qy      318 MILPIVLQYLCPVYISFFGLGAVSAAMVSSADSSILSASSMFARNIYQLSFRQNASDKEI 377
      : | :: | | :      | : |::|| | | ||::| :|| | : ||::| :
Db      364 IAYPTLVVELMPNGLRGLMLSVMLASLMSSLTSTFNSASTLFTMDIY-TKIRKKASEKEL 422

Qy      378 VWVMRITVFV-FGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNT 432
      : | : : | | | : ::      | | : | | : | | : | | | |
Db      423 MIAGRLEMLVLIGVSIWVPIVQSAQSGQLFDYIQSITSYLGPPPIAAVFLLAIFCKRVNE 482

Qy      433 YGAVAGYVSGLEFLRI-----TG-----GEPYLYLQPLIF 461
      || | : | : :      ||      | ||| : :|
Db      483 PGAFWGLIIGFLIGVSRMITEFAYGTGSCMEPSNCPTIICGVHYLYFAILF 534

```

RESULT 12

A56765

sodium-glucose cotransporter homolog - human

C;Species: Homo sapiens (man)

C;Date: 08-Sep-1995 #sequence_revision 08-Sep-1995 #text_change 20-Aug-1999

C;Accession: A56765; I51890

R;Wells, R.G.; Pajor, A.M.; Kanai, Y.; Turk, E.; Wright, E.M.; Hediger, M.A.
Am. J. Physiol. 263, F459-F465, 1992

A;Title: Cloning of a human kidney cDNA with similarity to the sodium-glucose cotransporter.

A;Reference number: A56765; MUID:93035768; PMID:1415574

A;Accession: A56765

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-672 <WEL>

A;Cross-references: GB:M95549; NID:g338052; PIDN:AAA36608.1; PID:g338053

A;Experimental source: kidney cortex

C;Superfamily: proline carrier protein

C;Keywords: transmembrane protein

```

Query Match          9.8%;  Score 292;  DB 2;  Length 672;
Best Local Similarity 24.1%;  Pred. No. 1.1e-13;
Matches 147;  Conservative 91;  Mismatches 237;  Indels 136;  Gaps 22;

```

```

Qy      8  LIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67
      :: | : ::||: : ||:| : || | | :      : || :      | : : | : | :
Db      26  ILVIAAYFLLVIGVGLWSMCRN-NRGTV----GGYFLAGRSMVWVPGASLFASNIGSGH 80

Qy      68  INGTAEEAVYVPGYGLAWAQAPIGYSL-----LILGGLFFAKPMRSKGYVTMLDPFQQIYG 123
      | |      | | | | | : :      : :| | | |      : | :||      |
Db      81  FVGLA-----GTGAASGLAVAGFEWNALFVVLGGLFAPVYLTAGVITM----PQYLR 130

Qy      124 KRMGG-----LLFIPALMGEMFWAAAIF--SALGATISVIIDVDMHISVIISA 169
      || ||      | :| :      : : | :| | || |      : |||
Db      131 KREGGRRIRLYLSVLSLFLYIFTKISVDMFSGAVFIQQALGWNI-----YASVIAL 182

Qy      170 LIATLYTLVGGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY----- 224
      | :||: ||| : : ||| || | | | | : :|      | : : | |
Db      183 GITMIYTVTGGLAALMYTDTVQTFVILGGACILMGYAFHEVG----GYSGLFDKYLGAAT 238

Qy      225 ----QKPWLGTVDSSSEVYSWLDSFLLL---MLGGIPW-----QAYF 258

```

```

      : | : | : |      ||: ||      : | : ||
Db      239 SLTVSEDPAVGNISSFCYRPRPDSYHLLRHPVTGDLFPALLLGLTIVSGWYWCSDQVIV 298

Qy      259 QRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWNQTAYGLPDPKT----TE 314
      || |: | |: : | : |      :: | |      :: | |: ||
Db      299 QRCLAGKSLTHIKAGCILCGYLKLTMPFLMVMPGMISRILYPDEVACVVPEVCRRVCSTE 358

Qy      315 E--ADMILPIVLQYLCVPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNA 372
      ::: | :: | | : | : ||: || | | |:|::| :|| | |
Db      359 VGCSNIAYPRLVVKLMPNGLRGLMLAVMLAALMSSLASIFNSSSTLFTMDIY-TRLRPRA 417

Qy      373 SDKEIVWMRI-TVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQLLCV----LFV 427
      |:|:: | |: ||: | : :: | : | : | : | ||
Db      418 GDRELLLVGRLWVVFIVVSVAWLPVVQAAQGGQLFDYIQAVSSYLAPPVSAVFVLALFV 477

Qy      428 KGTNTYGAVAGYVSGFLRLITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFFPKTLAMV-- 485
      | || | : || : : | : | | : : |
Db      478 PRVNEQGAFWGLIGLLMGLARLIP-----EFSFGSGSCVQP 514

Qy      486 ---TSFLTNICISYLAKYLFE-SGTLPPKLDVFDAVV-----ARHSEENMDKTI 530
      :|| : | | || || | : : | : | ||:|
Db      515 SACPAFLCGVHYLYFAIVLFFCSGLLTTLTVSLCTAPIPRKHLHRLVFSRLRSKE----- 568

Qy      531 LVKNENIKLDE 541
      : |: : ||
Db      569 --EREDLDADE 577

```

RESULT 13

S59638

glucose transport protein SGLT1, parotid gland - sheep

N;Alternate names: Na⁺/glucose cotransporter SGLT1

C;Species: *Ovis orientalis aries*, *Ovis ammon aries* (domestic sheep)

C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 07-May-1999

C;Accession: S59638; S48857

R;Tarpey, P.S.; Wood, I.S.; Shirazi-Beechey, S.P.; Beechey, R.B.

Biochem. J. 312, 293-300, 1995

A;Title: Amino acid sequence and the cellular location of the Na⁽⁺⁾-dependent D-glucose symporters (SGLT1) in the ovine enterocyte and the parotid acinar cell.

A;Reference number: S59637; MUID:96077158; PMID:7492327

A;Accession: S59638

A;Status: nucleic acid sequence not shown; translation not shown

A;Molecule type: mRNA

A;Residues: 1-664 <TAR>

A;Cross-references: EMBL:X82410

A;Experimental source: clone SGLTB; tissue type parotid gland

A;Note: the nucleotide sequence was submitted to the EMBL Data Library, October 1994

C;Superfamily: proline carrier protein

C;Keywords: transmembrane protein

Query Match 9.7%; Score 288; DB 2; Length 664;

Best Local Similarity 23.7%; Pred. No. 2.1e-13;

Matches 126; Conservative 93; Mismatches 203; Indels 110; Gaps 23;

```

Qy      11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY--- 67
      |:|::: ||:| : | | | : | | : | : | : | : |

```

```

Db      32 IVIYFVVVMAVGLWHMFST-NRGTV----GGFFLAGRSMVWWPIGASLFASNIGSGHFVG 86
Qy      68 INGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSK-GYVTMLDPFQQIYGKRM 126
      : || | : | | | : || : | : | | : ||
Db      87 LAGTGAAAGIATGGFEWN----ALILVLLGWVFW--PIYIKAGVVTM----PEYLRKRF 136
Qy     127 GG-----LLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATL 174
      || : || : : || | : : : || : : : ||
Db     137 GGQRIQVYLSVLSLVLYIFTKISADIFSGAIF-----INLALGLDLYLAIFILLAITAL 190
Qy     175 YTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDS 234
      || : || | : || | : | : | : || | : || | : || |
Db     191 YTITGGLAAVIYTDTLQTVIMLLGSFILTGFAFHEVG----GYSAFVTKYMNA-IPTVTS 245
Qy     235 -----SEVYS-WLDSFLLL---MLGGIPW-----QAYFQRVLSSS 265
      | | : || | : : | : || | | | | :
Db     246 YGNTTVKKECYTPRADS FHIRDPLKGDLPWGLIFGLTIISLWYWCTDQVIVQRCLSAK 305
Qy     266 SATYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDPKTTEE-----AD 317
      : : : : : | : : : | | : | : | : :
Db     306 NMSHVKAGCIMCGYMKLLPMFLMVMPGMISRILFTEKVACTV--PSECEKYCGTKVGCTN 363
Qy     318 MILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEI 377
      : | : : | | : | : | : || | | || : | : | : | :
Db     364 IAYPTLVVELMPNGLRGLMLSVMLASLMSLTSIFNSASTLFTMDIY-TKIRKKASEKEL 422
Qy     378 VVVMRITVFV-FGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNT 432
      : | : : | | | : : : | | : | : | : | : |
Db     423 MIAGRLFMLVLIGVSIWVPIVQSAQSGQLFDYIQSITSYLGPPPIAAVFLLAIFCKRVNE 482
Qy     433 YGAVAGYVSGFLFLRI-----TG-----GEPYLYLQPLIF 461
      || | : | : : || | | | : |
Db     483 PGAFWGLIIGFLIGVSRMITEFAYGTGSCMEPSNCPTIICGVHYLYFAIILF 534

```

RESULT 14

H71097

hypothetical protein PH1044 - *Pyrococcus horikoshii*

C;Species: *Pyrococcus horikoshii*

C;Date: 14-Aug-1998 #sequence_revision 14-Aug-1998 #text_change 20-Jun-2000

C;Accession: H71097

R;Kawarabayasi, Y.; Sawada, M.; Horikawa, H.; Haikawa, Y.; Hino, Y.; Yamamoto, S.; Sekine, M.; Baba, S.; Kosugi, H.; Hosoyama, A.; Nagai, Y.; Sakai, M.; Ogura, K.; Otsuka, R.; Nakazawa, H.; Takamiya, M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.; Kushida, N.; Oguchi, A.; Aoki, K.; Yoshizawa, T.; Nakamura, Y.; Robb, F.T.; Horikoshi, K.; Masuchi, Y.; Shizuya, H.; Kikuchi, H. DNA Res. 5, 55-76, 1998

A;Title: Complete sequence and gene organization of the genome of a hyper-thermophilic archaeobacterium, *Pyrococcus horikoshii* OT3.

A;Reference number: A71000; MUID:98344137; PMID:9679194

A;Accession: H71097

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-491 <KAW>

A;Cross-references: GB:AP000004; NID:g3236131; PIDN:BAA30142.1; PID:g3257459

A;Experimental source: strain OT3

A;Note: this accession replaces an interim accession for a sequence replaced by GenBank

C;Genetics:

A;Gene: PH1044

C;Superfamily: proline carrier protein

Query Match 9.6%; Score 286; DB 2; Length 491;
Best Local Similarity 22.9%; Pred. No. 2.1e-13;
Matches 125; Conservative 83; Mismatches 197; Indels 142; Gaps 20;

```
Qy      8 LIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67
      || :: : | |::| : | : | : | | : || : ||: |
Db     17 LIIVLGWVFLSLIVGVMAGIKRKFT-----LEGYLVSGRTLGLIFLYVLMAGEIYSAYA 70

Qy     68 INGTAEEAVYVPGYGLAWAQAPIGYSLSLILGGLFFA----KPMRSKGYVTMLDPFQQIYG 123
      || | | : : | | | | | | | | : : | | | | | |
Db     71 FLGTGGWAYSYGMPIMYA---IGYGALAYSFGYFYARYVWKAGKAFGCVTQADYFQVRYN 127

Qy    124 KRMGGLLFIPALMGEMF---WAAAIIFSALGATISV--IIDVDMHISVIISALIATLYTLV 178
      : | : ||:| : | : | | : | : : : | : | : |
Db    128 SK--ALAVLVALIGIIFNIPYLQLQLQGLGYIVHVGSLGSITPKAGIVIGMIIMMIYVYT 185

Qy    179 GGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVY 238
      || ::||::| :|: | : | | : | | | | |
Db    186 SGLRGISWTNLLQATLMFIVAWV-VLFTIPFKQFGGIGELFKTLAQTKP----- 233

Qy    239 SWLDSFLLMLGGIPWQAYFQVRLSSSSATYAQVLSFLAAGCLV--MAIPAILIGAIGA 296
      | :| | | | | | | | | : | : | : |
Db    234 ---DHLILHPPLGISW-----YVSTL-ILSGLGFFMYPQLYPSI----- 268

Qy    297 STDWNQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVS----- 341
      || | | | : :||: : : || : : | : | :
Db    269 -----YGARDLKTlKRNyVLLPLYSIFMIPVILAGFTVAALGIKLSAPDEAVLKAVE 320

Qy    342 -----AAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVMRITV 385
      || | : | : || : : : : | : : : | ||||:| | ||:|
Db    321 ITYPSWVLGVVGAAGFAAAASTASAILLSLAGLLSKNLYAIA-KPTASDKELVLVSRISV 379

Qy    386 FVFGASATAMALLTKTVYGLWYLSSDLVYIVI-----FPQLLCVLEVKGTNTY--- 433
      : | | :|| | | | : : | : | | | |
Db    380 ILLGLLAMGLAL-----YSPGRIVSLLLLAYAGMTQMFPGAVFGLFWKRMNKYATG 430

Qy    434 -GAVAGYVSGLFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMVTSFLTNI 492
      | :|| : : :||: | | | | | : | : : : :
Db    431 TGIIAGLITVAYLRLV-----LKKNPL-----GIH-----FGLWGLLVNIIIVTL 469

Qy    493 CISYLAK 499
      ::|| |
Db    470 IVAYLTK 476
```

RESULT 15

H69670

sodium/proline symporter opuE - Bacillus subtilis

N;Alternate names: proline transporter opuE

C;Species: Bacillus subtilis

C;Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 20-Jun-2000

C;Accession: H69670; T44450
 R;Kunst, F.; Ogasawara, N.; Moszer, I.; Albertini, A.M.; Alloni, G.; Azevedo, V.; Bertero, M.G.; Bessieres, P.; Bolotin, A.; Borchert, S.; Boriss, R.; Boursier, L.; Brans, A.; Braun, M.; Brignell, S.C.; Bron, S.; Brouillet, S.; Bruschi, C.V.; Caldwell, B.; Capuano, V.; Carter, N.M.; Choi, S.K.; Codani, J.J.; Connerton, I.F.; Cummings, N.J.; Daniel, R.A.; Denizot, F.; Devine, K.M.; Duesterhoeft, A.; Ehrlich, S.D.; Emmerson, P.T.; Entian, K.D.; Errington, J.; Fabret, C.; Ferrari, E.
 Nature 390, 249-256, 1997
 A;Authors: Foulger, D.; Fritz, C.; Fujita, M.; Fujita, Y.; Fuma, S.; Galizzi, A.; Galleron, N.; Ghim, S.Y.; Glaser, P.; Goffeau, A.; Golightly, E.J.; Grandi, G.; Guiseppi, G.; Guy, B.J.; Haga, K.; Haiech, J.; Harwood, C.R.; Henaut, A.; Hilbert, H.; Holsappel, S.; Hosono, S.; Hullo, M.F.; Itaya, M.; Jones, L.; Joris, B.; Karamata, D.; Kasahara, Y.; Klaerr-Blanchard, M.; Klein, C.; Kobayashi, Y.; Koetter, P.; Koningstein, G.; Krogh, S.; Kumano, M.; Kurita, K.; Lapidus, A.; Lardinois, S.
 A;Authors: Lauber, J.; Lazarevic, V.; Lee, S.M.; Levine, A.; Liu, H.; Masuda, S.; Maueel, C.; Medigue, C.; Medina, N.; Mellado, R.P.; Mizuno, M.; Moestl, D.; Nakai, S.; Noback, M.; Noone, D.; O'Reilly, M.; Ogawa, K.; Ogiwara, A.; Oudega, B.; Park, S.H.; Parro, V.; Pohl, T.M.; Portetelle, D.; Porwollik, S.; Prescott, A.M.; Presecan, E.; Pujic, P.; Purnelle, B.; Rapoport, G.; Rey, M.; Reynolds, S.; Rieger, M.; Rivolta, C.; Rocha, E.; Roche, B.; Rose, M.; Sadaie, Y.; Sato, T.; Scanlon, E.
 A;Authors: Schleich, S.; Schroeter, R.; Scoffone, F.; Sekiguchi, J.; Sekowska, A.; Seror, S.J.; Serror, P.; Shin, B.S.; Soldo, B.; Sorokin, A.; Tacconi, E.; Takagi, T.; Takahashi, H.; Takemaru, K.; Takeuchi, M.; Tamakoshi, A.; Tanaka, T.; Terpstra, P.; Tognoni, A.; Tosato, V.; Uchiyama, S.; Vandenbol, M.; Vannier, F.; Vassarotti, A.; Viari, A.; Wambutt, R.; Wedler, E.; Wedler, H.; Weitzenegger, T.; Winters, P.; Wipat, A.; Yamamoto, H.; Yamane, K.; Yasumoto, K.; Yata, K.; Yoshida, K.
 A;Authors: Yoshikawa, H.F.; Zumstein, E.; Yoshikawa, H.; Danchin, A.
 A;Title: The complete genome sequence of the Gram-positive bacterium *Bacillus subtilis*.
 A;Reference number: A69580; MUID:98044033; PMID:9384377
 A;Accession: H69670
 A;Status: preliminary; nucleic acid sequence not shown; translation not shown
 A;Molecule type: DNA
 A;Residues: 1-492 <KUN>
 A;Cross-references: GB:Z99107; GB:AL009126; NID:g2632866; PIDN:CAB12486.1; PID:g2632980
 A;Experimental source: strain 168
 R;Borriss, R.
 submitted to the EMBL Data Library, June 1997
 A;Reference number: Z22776
 A;Accession: T44450
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-492 <BOR>
 A;Cross-references: EMBL:AF011545; PIDN:AAB72182.1
 C;Genetics:
 A;Gene: opuE
 A;Map position: 56 degree
 C;Function:
 A;Description: catalyzes the uptake of proline by a Na⁺-dependent transport mechanism
 C;Superfamily: proline carrier protein

C;Keywords: proline transport; sodium transport; symport system; transmembrane protein

F;44-71/Domain: transmembrane #status predicted <TM1>
F;126-145/Domain: transmembrane #status predicted <TM2>
F;161-183/Domain: transmembrane #status predicted <TM3>
F;189-208/Domain: transmembrane #status predicted <TM4>
F;231-253/Domain: transmembrane #status predicted <TM5>
F;272-295/Domain: transmembrane #status predicted <TM6>
F;311-347/Domain: transmembrane #status predicted <TM7>
F;366-386/Domain: transmembrane #status predicted <TM8>
F;391-417/Domain: transmembrane #status predicted <TM9>
F;422-438/Domain: transmembrane #status predicted <TM10>
F;452-470/Domain: transmembrane #status predicted <TM11>

Query Match 9.6%; Score 285; DB 2; Length 492;
Best Local Similarity 22.1%; Pred. No. 2.5e-13;
Matches 118; Conservative 97; Mismatches 214; Indels 106; Gaps 18;

```
Qy      5 VEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVG 64
      :| :|:: :::: :||:| :| :| : : :||| :| | : | :
Db      3 IEIIISLGIYFIAMLLIGWYAFKKTDDIND-----YMLGGRGLGPFVLTALSAGAADM 55

Qy     65 GGYINGTAEAVYVPGYGLAWAQAPI---GYSLSLILGGLFFAKPMRSKGYVTMLDPFQQI 121
      | : | |:: | : : || :| | : :|:| | :
Db     56 GWMLMGVPGAMFATGLSTLWLALGLTIGAYSNYLLAPRLRAYTEAADDAITIPDFFDKR 115

Qy    122 YGKRMGGLLFIPALMGEMFWAAAIIFSAL---GATISVIIDVDMHISVIISALIATLYTLV 178
      : | :||: :| : | | : : : : |||
Db    116 FQHSSSLKIVSALIIMIFFTLYTSSGMVSGGRLFESAFGADYKLGFLTTAVVVLTYTLF 175

Qy    179 GGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVY 238
      || :|: || || :| | : || : || | :| : :
Db    176 GGFLAVSLTDFVQGAIMFAAL-VLVPI-----VAFT--HVGGVAPTFHEIDAVNPH 223

Qy    239 SWLDSF----LLLMLGGIPWQAYFQRVLSSSSATYAQ---VLSFLA----- 277
      || | : : : :| : : || :| :|
Db    224 -LLDIFKGASVISIISYLAWGLGY-----YGQPHIIVRFMAIKDIKDLKPARRIG 272

Qy    278 AFGCLVMAIPAILIGAIGASTDWNQTAYGLPDKTTEEADMILPIVLQYLCPVYISFFGL 337
      : : : :| | || || : : || | : | | : | |
Db    273 MSWMIITVLGSLTGLIG-----VAYAHKFGVAVKDPEMIFIIFSKILFHPLITGFL 325

Qy    338 GAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVVWMRITVFVFGASATAMAL 397
      |: ||: ||| | :| :| :||: ||: ||||:| : |:| | :|
Db    326 SAILAAIMSSSISSQLLVTAASAVTEDLYRSFFRRKASDKELVMIGRLSVLVIAVIAVLLSL 385

Qy    398 LTKTVYGLWYLSSDLVYIVIF-----PQLLCVLFVKGTNTYGAVAGYVSG---LF 444
      :| : : :| : | :| | :| | :| :| :
Db    386 NP-----NSTILDVGYAWAGFGSAFGPAILLSLYWKRMNEWGALAAMIVGAATVL 436

Qy    445 LRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMVTSFLTNICISYLA 499
      : || | | :| : | :| :| :| :| :|
Db    437 IWITTG-----LAKSTGVY-EIIP----GFILSMIAGIIVSMITK 471
```

Search completed: September 28, 2004, 17:09:18
Job time : 46 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: September 28, 2004, 17:08:35 ; Search time 132 Seconds
(without alignments)
1412.910 Million cell updates/sec

Title: US-10-069-541-6
Perfect score: 2972
Sequence: 1 MAFHVEGLIAIIVFYLLILL.....EAFLDVDSSPEGSGTEDNLQ 580

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1349238 seqs, 321558718 residues

Total number of hits satisfying chosen parameters: 1349238

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published_Applications_AA:*
1: /cgn2_6/ptodata/1/pubpaa/US07_PUBCOMB.pep:*
2: /cgn2_6/ptodata/1/pubpaa/PCT_NEW_PUB.pep:*
3: /cgn2_6/ptodata/1/pubpaa/US06_NEW_PUB.pep:*
4: /cgn2_6/ptodata/1/pubpaa/US06_PUBCOMB.pep:*
5: /cgn2_6/ptodata/1/pubpaa/US07_NEW_PUB.pep:*
6: /cgn2_6/ptodata/1/pubpaa/PCTUS_PUBCOMB.pep:*
7: /cgn2_6/ptodata/1/pubpaa/US08_NEW_PUB.pep:*
8: /cgn2_6/ptodata/1/pubpaa/US08_PUBCOMB.pep:*
9: /cgn2_6/ptodata/1/pubpaa/US09A_PUBCOMB.pep:*
10: /cgn2_6/ptodata/1/pubpaa/US09B_PUBCOMB.pep:*
11: /cgn2_6/ptodata/1/pubpaa/US09C_PUBCOMB.pep:*
12: /cgn2_6/ptodata/1/pubpaa/US09_NEW_PUB.pep:*
13: /cgn2_6/ptodata/1/pubpaa/US10A_PUBCOMB.pep:*
14: /cgn2_6/ptodata/1/pubpaa/US10B_PUBCOMB.pep:*
15: /cgn2_6/ptodata/1/pubpaa/US10C_PUBCOMB.pep:*
16: /cgn2_6/ptodata/1/pubpaa/US10_NEW_PUB.pep:*
17: /cgn2_6/ptodata/1/pubpaa/US60_NEW_PUB.pep:*
18: /cgn2_6/ptodata/1/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result	Score	Query	Match	Length	DB	ID	Description
No.							

1	2972	100.0	580	10	US-09-911-077A-2	Sequence 2, Appli
2	2972	100.0	580	10	US-09-911-077A-10	Sequence 10, Appl
3	2972	100.0	580	10	US-09-911-077A-11	Sequence 11, Appl
4	2972	100.0	580	10	US-09-911-077A-12	Sequence 12, Appl
5	2972	100.0	580	16	US-10-408-765A-1145	Sequence 1145, Ap
6	2820	94.9	580	10	US-09-911-077A-6	Sequence 6, Appli
7	2795	94.0	580	10	US-09-911-077A-4	Sequence 4, Appli
8	2795	94.0	580	10	US-09-911-077A-24	Sequence 24, Appl
9	1506.5	50.7	610	12	US-10-241-784-2	Sequence 2, Appli
10	1453	48.9	576	10	US-09-911-077A-8	Sequence 8, Appli
11	311.5	10.5	675	9	US-09-733-630-2	Sequence 2, Appli
12	306	10.3	486	14	US-10-156-761-12818	Sequence 12818, A
13	306	10.3	664	14	US-10-119-988-12	Sequence 12, Appl
14	298.5	10.0	675	9	US-09-928-530-2	Sequence 2, Appli
15	298.5	10.0	675	14	US-10-162-012-27	Sequence 27, Appl
16	298.5	10.0	675	15	US-10-162-102-27	Sequence 27, Appl
17	297.5	10.0	471	12	US-10-282-122A-52725	Sequence 52725, A
18	295	9.9	596	14	US-10-119-988-8	Sequence 8, Appli
19	292	9.8	672	9	US-09-928-530-5	Sequence 5, Appli
20	292	9.8	672	14	US-10-162-012-30	Sequence 30, Appl
21	292	9.8	672	15	US-10-162-102-30	Sequence 30, Appl
22	287	9.7	678	12	US-10-072-012-438	Sequence 438, App
23	286	9.6	678	12	US-10-451-822-15	Sequence 15, Appl
24	281.5	9.5	673	12	US-10-072-012-440	Sequence 440, App
25	279	9.4	454	12	US-10-282-122A-53545	Sequence 53545, A
26	277.5	9.3	596	9	US-09-740-026A-2	Sequence 2, Appli
27	277.5	9.3	596	12	US-10-072-012-114	Sequence 114, App
28	277.5	9.3	596	12	US-10-169-395-124	Sequence 124, App
29	277.5	9.3	596	12	US-10-332-447-16	Sequence 16, Appl
30	277.5	9.3	596	14	US-10-237-859-2	Sequence 2, Appli
31	277.5	9.3	643	14	US-10-119-988-5	Sequence 5, Appli
32	277	9.3	596	9	US-09-740-026A-4	Sequence 4, Appli
33	277	9.3	596	14	US-10-237-859-4	Sequence 4, Appli
34	277	9.3	597	12	US-10-072-012-436	Sequence 436, App
35	273	9.2	681	12	US-10-451-822-26	Sequence 26, Appl
36	272.5	9.2	524	9	US-09-738-626-6949	Sequence 6949, Ap
37	272.5	9.2	524	12	US-10-627-476-496	Sequence 496, App
38	272.5	9.2	718	12	US-10-170-385-307	Sequence 307, App
39	270.5	9.1	718	16	US-10-755-889-176	Sequence 176, App
40	269.5	9.1	612	12	US-10-072-012-116	Sequence 116, App
41	269.5	9.1	664	14	US-10-119-988-2	Sequence 2, Appli
42	262.5	8.8	477	12	US-10-282-122A-67179	Sequence 67179, A
43	262	8.8	512	15	US-10-161-493-36	Sequence 36, Appl
44	260	8.7	552	12	US-10-072-012-439	Sequence 439, App
45	260	8.7	585	12	US-10-451-822-46	Sequence 46, Appl

ALIGNMENTS

RESULT 1
 US-09-911-077A-2
 ; Sequence 2, Application US/09911077A
 ; Publication No. US20030114399A1
 ; GENERAL INFORMATION:
 ; APPLICANT: BLAKELY, RANDY D.

```
; APPLICANT: APPARSUNDARAM, SUBRAMANIAM
; APPLICANT: FERGUSON, SHAWN
; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA
; FILE REFERENCE: VBLT:008US
; CURRENT APPLICATION NUMBER: US/09/911,077A
; CURRENT FILING DATE: 2001-07-23
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 580
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-911-077A-2
```

```
Query Match          100.0%; Score 2972; DB 10; Length 580;
Best Local Similarity 100.0%; Pred. No. 1.7e-269;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy      61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy      121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy      181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy      241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy      301 NQTAYGLPDPKTTTEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      301 NQTAYGLPDPKTTTEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy      361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420

Qy      421 LLCVLFVKGTNTYGA VAGYVSGLFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      421 LLCVLFVKGTNTYGA VAGYVSGLFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480

Qy      481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540

Qy      541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
```

RESULT 2

US-09-911-077A-10

; Sequence 10, Application US/09911077A

; Publication No. US20030114399A1

; GENERAL INFORMATION:

; APPLICANT: BLAKELY, RANDY D.

; APPLICANT: APPARSUNDARAM, SUBRAMANIAM

; APPLICANT: FERGUSON, SHAWN

; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA

; FILE REFERENCE: VBLT:008US

; CURRENT APPLICATION NUMBER: US/09/911,077A

; CURRENT FILING DATE: 2001-07-23

; NUMBER OF SEQ ID NOS: 27

; SOFTWARE: PatentIn Ver. 2.1

; SEQ ID NO 10

; LENGTH: 580

; TYPE: PRT

; ORGANISM: Homo sapiens

US-09-911-077A-10

Query Match 100.0%; Score 2972; DB 10; Length 580;

Best Local Similarity 100.0%; Pred. No. 1.7e-269;

Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSDSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSDSEVYSW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
Db	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Db	361	RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Qy	421	LLCVLFVKGTNTYGAAGYVSGFLFRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK	480
Db	421	LLCVLFVKGTNTYGAAGYVSGFLFRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK	480

```

Qy      481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540

Qy      541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      541 ELALVKPRQSM TLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580

```

RESULT 3

```

US-09-911-077A-11
; Sequence 11, Application US/09911077A
; Publication No. US20030114399A1
; GENERAL INFORMATION:
; APPLICANT: BLAKELY, RANDY D.
; APPLICANT: APPARSUNDARAM, SUBRAMANIAM
; APPLICANT: FERGUSON, SHAWN
; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA
; FILE REFERENCE: VBLT:008US
; CURRENT APPLICATION NUMBER: US/09/911,077A
; CURRENT FILING DATE: 2001-07-23
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 11
; LENGTH: 580
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-911-077A-11

```

```

Query Match          100.0%; Score 2972; DB 10; Length 580;
Best Local Similarity 100.0%; Pred. No. 1.7e-269;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy      61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy      121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy      181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy      241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy      301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

```

Qy 361 RNIYQLSFRQNASDKEIVVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 RNIYQLSFRQNASDKEIVVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420

Qy 421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480

Qy 481 TLAMVTSFLTNICISYLAKEYLFESGTLPPKLDVFDVAVVARHSEENMDKTLVKNENIKLD 540
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 481 TLAMVTSFLTNICISYLAKEYLFESGTLPPKLDVFDVAVVARHSEENMDKTLVKNENIKLD 540

Qy 541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580

RESULT 4

US-09-911-077A-12
 ; Sequence 12, Application US/09911077A
 ; Publication No. US20030114399A1
 ; GENERAL INFORMATION:
 ; APPLICANT: BLAKELY, RANDY D.
 ; APPLICANT: APPARSUNDARAM, SUBRAMANIAM
 ; APPLICANT: FERGUSON, SHAWN
 ; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA
 ; FILE REFERENCE: VBLT:008US
 ; CURRENT APPLICATION NUMBER: US/09/911,077A
 ; CURRENT FILING DATE: 2001-07-23
 ; NUMBER OF SEQ ID NOS: 27
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 12
 ; LENGTH: 580
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-911-077A-12

Query Match 100.0%; Score 2972; DB 10; Length 580;
 Best Local Similarity 100.0%; Pred. No. 1.7e-269;
 Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180

Qy 181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240

Qy 241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
 |||
 Db 241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy 301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
 |||
 Db 301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy 361 RNIYQLSFRQNASDKEIVVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
 |||
 Db 361 RNIYQLSFRQNASDKEIVVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420

Qy 421 LLCVLFVKGTNTYGA VAGYVSGLEFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480
 |||
 Db 421 LLCVLFVKGTNTYGA VAGYVSGLEFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFK 480

Qy 481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
 |||
 Db 481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540

Qy 541 ELALVKPRQSM T L S S T F T N K E A F L D V D S S P E G S G T E D N L Q 580
 |||
 Db 541 ELALVKPRQSM T L S S T F T N K E A F L D V D S S P E G S G T E D N L Q 580

RESULT 5

US-10-408-765A-1145

; Sequence 1145, Application US/10408765A

; Publication No. US20040101874A1

; GENERAL INFORMATION:

; APPLICANT: Ghosh, Soumitra S.

; APPLICANT: Fahy, Eoin D.

; APPLICANT: Zhang, Bing

; APPLICANT: Gibson, Bradford W.

; APPLICANT: Taylor, Steven W.

; APPLICANT: Glenn, Gary M.

; APPLICANT: Warnock, Dale E.

; TITLE OF INVENTION: TARGETS FOR THERAPEUTIC INTERVENTION

; TITLE OF INVENTION: IDENTIFIED IN THE MITOCHONDRIAL PROTEOME

; FILE REFERENCE: 660088.465

; CURRENT APPLICATION NUMBER: US/10/408,765A

; CURRENT FILING DATE: 2003-04-04

; NUMBER OF SEQ ID NOS: 3077

; SOFTWARE: FastSEQ for Windows Version 4.0

; SEQ ID NO 1145

; LENGTH: 580

; TYPE: PRT

; ORGANISM: Homo sapiens

US-10-408-765A-1145

Query Match 100.0%; Score 2972; DB 16; Length 580;

Best Local Similarity 100.0%; Pred. No. 1.7e-269;

Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
 |||

Db 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
 Qy 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
 |||||
 Db 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
 Qy 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
 |||||
 Db 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
 Qy 181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
 |||||
 Db 181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
 Qy 241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDW 300
 |||||
 Db 241 LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDW 300
 Qy 301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
 |||||
 Db 301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
 Qy 361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSDDLVIYIVIFPQ 420
 |||||
 Db 361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSDDLVIYIVIFPQ 420
 Qy 421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
 |||||
 Db 421 LLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
 Qy 481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
 |||||
 Db 481 TLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKENIKLD 540
 Qy 541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
 |||||
 Db 541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580

RESULT 6

US-09-911-077A-6

; Sequence 6, Application US/09911077A

; Publication No. US20030114399A1

; GENERAL INFORMATION:

; APPLICANT: BLAKELY, RANDY D.

; APPLICANT: APPARSUNDARAM, SUBRAMANIAM

; APPLICANT: FERGUSON, SHAWN

; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA

; FILE REFERENCE: VBLT:008US

; CURRENT APPLICATION NUMBER: US/09/911,077A

; CURRENT FILING DATE: 2001-07-23

; NUMBER OF SEQ ID NOS: 27

; SOFTWARE: PatentIn Ver. 2.1

; SEQ ID NO 6

; LENGTH: 580

; TYPE: PRT

; ORGANISM: Rattus norvegicus

US-09-911-077A-6

Query Match 94.9%; Score 2820; DB 10; Length 580;
Best Local Similarity 93.1%; Pred. No. 3.1e-255;
Matches 540; Conservative 24; Mismatches 16; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | : | | : | | | | | | | | | | | : | | | : | | | | | | | | | | | | | | | |
Db      1 MPFHVEGLVAILFYLLIFLVGIWAAWTKNSGNAEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     61 TWVGGGYINGTAEAVYGPCCGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | : | | | | | | | |
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAILYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

Qy    241 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    241 LDNFFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGFDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIIVIFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    361 RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ 420

Qy    421 LLCVLVFKGTNTYGA VAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      | | | | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    421 LLCVLFIKGTNTYGA VAGYIFGLFLRITGGEPYLYLQPLIFYPGYYPDKNGIYNQRFPFK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    481 TISMVTSFFTNICVSYLAKYLFESGTLPPKLDIFDAVVS RHSEENMDKTILVRNENIKLN 540

Qy    541 ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    541 ELAPVKPRQSLTSLSTFTNKEALLDVDSSPEGSGTEDNLQ 580
```

RESULT 7

US-09-911-077A-4

; Sequence 4, Application US/09911077A

; Publication No. US20030114399A1

; GENERAL INFORMATION:

; APPLICANT: BLAKELY, RANDY D.

; APPLICANT: APPARSUNDARAM, SUBRAMANIAM

; APPLICANT: FERGUSON, SHAWN

; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA

; FILE REFERENCE: VBLT:008US

```
; CURRENT APPLICATION NUMBER: US/09/911,077A
; CURRENT FILING DATE: 2001-07-23
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 580
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-911-077A-4
```

```
Query Match          94.0%; Score 2795; DB 10; Length 580;
Best Local Similarity 92.6%; Pred. No. 6.9e-253;
Matches 537; Conservative 23; Mismatches 20; Indels 0; Gaps 0;
```

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | : | | : | | | | | | | | | | | : | | | : | | | | | | | | | | |
Db      1 MPFHVEGLVAIILFYLLIFLVGIWAAWKTKNNGNPEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     61 TWVGGGYINGTAEAVYGPGLAWAHAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFKQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | : | | | |
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAILYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVFPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVYSW 240
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | : | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVFPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

Qy    241 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | | | |
Db    241 LDNFLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGYDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWVMRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIIVFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | |
Db    361 RNIYQLSFRQNASDKEIVWVMRITVLVFGASATAMALLTKTVYGLWYLSSDLVYIIFPQ 420

Qy    421 LLCVLVFKGTNTYGAAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      | | | | | : | | | | | | | | | : | | | | | | | | | | | | | | | : | | | |
Db    421 LLCVLFIKGTNTYGAAGYIFGLFLRITGGEPYLYLQPLIFYPGYSDKNGIYNQRFPPK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTIIVKNENIKLD 540
      | | : | | | | | | | : | | | | | | | | | | | | | | | | | | | : | | | | :
Db    481 TLMVTSFFTNICVSYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTIIVRNENIKLN 540

Qy    541 ELALVKPRQSMTLSSFTNKEAFLDVDSSPEGSGTEDNLQ 580
      | | | | | : | | | | | | | | | | | | | | | | | | | | |
Db    541 ELAPVKPRQSLTLSSFTNKEALLDVDSSPEGSGTEDNLQ 580
```

```
RESULT 8
US-09-911-077A-24
```

```
; Sequence 24, Application US/09911077A
; Publication No. US20030114399A1
; GENERAL INFORMATION:
; APPLICANT: BLAKELY, RANDY D.
; APPLICANT: APPARSUNDARAM, SUBRAMANIAM
; APPLICANT: FERGUSON, SHAWN
; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA
; FILE REFERENCE: VBLT:008US
; CURRENT APPLICATION NUMBER: US/09/911,077A
; CURRENT FILING DATE: 2001-07-23
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 24
; LENGTH: 580
; TYPE: PRT
; ORGANISM: Mus musculus
US-09-911-077A-24
```

```
Query Match          94.0%; Score 2795; DB 10; Length 580;
Best Local Similarity 92.6%; Pred. No. 6.9e-253;
Matches 537; Conservative 23; Mismatches 20; Indels 0; Gaps 0;
```

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | : | | : | | | | | | | | | | : | | | | : | | | | | | | | | | | |
Db      1 MPFHVEGLVAIILFYLLIFLVGIWAAWKTKNNGNPEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | : |
Db     61 TWVGGGYINGTAEAVYVPGYGLAWAHAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFKQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | | | |
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAIILYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

Qy    241 LDSFLLMLLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | | |
Db    241 LDNFFLLMLLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMALPAICIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGYPDPKTKKEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIIVFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | | |
Db    361 RNIYQLSFRQNASDKEIVWVMRITVLVFGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ 420

Qy    421 LLCVLFFVKGNTNTYGAVAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      | | | | | : | | | | | : | | | | | | | | | | | | | | | | | | | | | |
Db    421 LLCVLFIKGTNTYGAVAGYIFGLFLFRITGGEPYLYLQPLIFYPGYYSKNGIYNQRFPPK 480

Qy    481 TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTIIVKNENIKLD 540
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | |
Db    481 TLSMVTSFFTNICVSYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTIIVRNENIKLN 540
```

Qy	4	HVEGLLIAIVFYLLILLVGIWAARTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWV	63
Db	3	NIAGVVSIVLFYLLILVVGWIWAG-RKKQSGNDSE--EEVMLAGRSIGLFVGIFTMTATWV	59
Qy	64	GGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIYG	123
Db	60	GGGYINGTAEAIYTS--GLVWCQAPFGYALSLVFGGIFFANPMRKQGYITMLDPLQDSFG	117
Qy	124	KRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGGLYS	183
Db	118	ERMGGLLFLPALCGEVFWAAGILAAALGATLSVIIDMDHRTSVILSSCIAIFYTLFGLYS	177
Qy	184	VAYTDVVLQFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVYSWLDS	243
Db	178	VAYTDVIQLFCIFIGLWMCIPFAWSNEHVGSL-----SDLEVDWIGHVEPKKHPLYDY	231
Qy	244	FLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQT	303
Db	232	GLLLVFGGIPWQVYFQR---QNGRKGPPASAYVAAAGCILMAIPPVLIGAIAKATPWNET	287
Qy	304	AYGLPDPKTTTEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNI	363
Db	288	DYKGPYPLTVDETSMLPMVLQYLTPDFVSFFGLGAVSAAVMSSADSSVLSSAASMFARNV	347
Qy	364	YQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQLLC	423
Db	348	YKLIFRQKASEMEIIWVMRVAIIVVGILATIMALTIPSIYGLWSMCSDLVYVILFPOLLM	407

```

Qy      424 VL-FVKGTNTYGAVAGYVSGFLRLITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFKTL 482
      | : | | | | | : : | : | : : | | | | | | | | | | : :
Db      408 VVHFKKHCNTYGSLSAYIVALAIRLSGGEAILGLAPLIKYPGY---DEETKEQMFPFRM 464

Qy      483 AMVTSFLTNICISYLA KYLFESGTLPPKLDVFDVAVV 518
      | | : | : | : | : | : | | | | | | | |
Db      465 AMLLSLVTLISVSWWTKMMFESGKLPPSYDYFRCVV 500

```

```

US-09-911-077A-8
; Sequence 8, Application US/09911077A
; Publication No. US20030114399A1
; GENERAL INFORMATION:
; APPLICANT: BLAKELY, RANDY D.
; APPLICANT: APPARSUNDARAM, SUBRAMANIAM
; APPLICANT: FERGUSON, SHAWN
; TITLE OF INVENTION: HUMAN AND MOUSE CHOLINE TRANSPORTER cDNA
; FILE REFERENCE: VBLT:008US
; CURRENT APPLICATION NUMBER: US/09/911,077A
; CURRENT FILING DATE: 2001-07-23
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 8
; LENGTH: 576
; TYPE: PRT
; ORGANISM: Caenorhabditis elegans
US-09-911-077A-8

```

Qy	7	GLIAIVFYLLILLVGIWAAWRTKNSGSAEER----	SEAIIVGGRDIGLLVGGFTMTATW	62
Db	6	GIVAIVFFYVLILVVGIWAGRKSKSSKELESEAGAATEEVMLAGRNIGTLVGIFTMTATW		65
Qy	63	VGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIY		122
Db	66	VGGAYINGTAEALY--NGGLGCGAPVGYAISLVMGGLLFAKKMREEGYITMLDPFQHKY		123
Qy	123	GKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVII SALIATLYTLVGGLY		182
Db	124	GQRIGGLMYVPALLGETFWTAAILSALGATLSVILGIDMNASVTL SACIAVFYFTFTGGYY		183
Qy	183	SVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDS-SEVYSWL		241
Db	184	AVAYTDVVQLFCIFVGLWVCVPAAMVHDGAKDISRNA-----GDWIGEIGGFKETSLWI		237
Qy	242	DSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDWN		301
Db	238	DCMLLLVFGGIPWQVYFQRVLSKTAHGAQTL SFVAGVGCILMAIPPALIGAIARNTDWR		297
Qy	302	QTAYGLPDPKTTTEA-----DMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSA		355
Db	298	MTDYSPPWNNGTKVESIPDPKRNMVVPLVFOYLTPRWVAFIGLGAVSAAVMSSADSSVLSA		357

Qy 356 SSMFARNIYQLSFRQNASDKEIVVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYI 415
 :||| |::|: | :||:|:: | || : | || | :::| | | :|||:
 Db 358 ASMFANHNIWKLITIRPHASEKEVIVMRIAICVGMATIMALTIQSIYGLWYLCADLVYV 417
 Qy 416 VIFFQLLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQ 475
 :::| | | |:: :|||:| | | | : | | | :|: |
 Db 418 ILFPQLLCVVYMPRSNTYGSLAGYAVGLVLRILIGGEPLVSLPAFFHYPMY---TDGV--Q 472
 Qy 476 KFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAV---ARHSEENMDKTILV 532
 |||:| ||:| | :| :| ||:| | | :| | | | :| |
 Db 473 YFPFRTTAMLSSMATIYIVSIQSEKLFKSGRLSPEWDMGCVVNIPIDHVPLPSDVSFAV 532
 Qy 533 KNENIKL-----DELALVKPRQSMTLSSSTFTN 559
 :| : : || | : | : || :|
 Db 533 SSETLNMKAPNGTPAPVHPNQPSDENTLLHPYSDQSYYSTNSN 576

RESULT 11

US-09-733-630-2

; Sequence 2, Application US/09733630

; Patent No. US20020034799A1

; GENERAL INFORMATION:

; APPLICANT: Donoho, Gregory

; APPLICANT: Scoville, John

; APPLICANT: Turner, C. Alexander Jr.

; APPLICANT: Freidrich, Glenn

; APPLICANT: Zambrowicz, Brian

; APPLICANT: Abuin, Alejandro

; APPLICANT: Sands, Arthur T.

; TITLE OF INVENTION: No. US20020034799A1el Human Transporter Protein and

; TITLE OF INVENTION: Polynucleotides Encoding the Same

; FILE REFERENCE: LEX-0106-USA

; CURRENT APPLICATION NUMBER: US/09/733,630

; CURRENT FILING DATE: 2000-12-08

; PRIOR APPLICATION NUMBER: US 60/170,137

; PRIOR FILING DATE: 1999-12-10

; NUMBER OF SEQ ID NOS: 3

; SOFTWARE: FastSEQ for Windows Version 4.0

; SEQ ID NO 2

; LENGTH: 675

; TYPE: PRT

; ORGANISM: Homo sapiens

US-09-733-630-2

Query Match 10.5%; Score 311.5; DB 9; Length 675;

Best Local Similarity 23.0%; Pred. No. 6.4e-20;

Matches 152; Conservative 112; Mismatches 235; Indels 161; Gaps 28;

Qy 2 AFHVEGL----IAIIVFY-LLILLVGIWAAWRKNSGSAEERSEAIIVGGRDIGLLVGGF 56
 || :|| |::| | | :| |::| :|| : : | | :|
 Db 18 AFPQKGLEPGDIAVLVLYFLFVLAVGLWSTVKTK-----RDTVKGYFLAGGDMVWWPVGA 72
 Qy 57 TMTATWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLI-LGGLF-----FAKPMRS 108
 :: | : || | : ||| : | | | : | || | :
 Db 73 SLFASNVGSGHF-----IGLAGSSAATGISVSAYELNGLFSVLMWLAWIFLPIYI 121

Qy 109 KGYVTMLDPFQQIYGKRMGGLLFIPALMGEMFWAAAFSAL-----GAT-ISVIIDVDM 161
 | | | : : : | | | : | | : : : | | : | | : : | :
 Db 122 AGQVTTMPEYLR--KRFGGIR-IPILAVLYLFIYIFTKISVDMYAGAFIQSLHLDL 177
 Qy 162 HISVIISALIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVH 221
 : : : : | : | | : | | | : | : : | | | : :
 Db 178 YLAIVGLLAI TAVYTVAGGLAAVIYTDALQTLIMLIGAL TLMGY--SFAAVG--GMEGLK 233
 Qy 222 AKY-----QKPWLGTVDSSEVYS-WLDSFLLML 249
 | | | | : : | |
 Db 234 EKYFLALASNRSENSSCGLPREDAFHI FRDPLTSDLPWPGVLFGMSIPSLWY----- 285
 Qy 250 GGIPW---QAYFQRVLSSSSATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYG 306
 | | | | : : : : : : : : : : : : : : : :
 Db 286 ----WCTDQVIVQRTLA AKNL SHAKGGALMAAYLKVLPLFIMVFPGMVSRILFPDQVA-- 339
 Qy 307 LPDPKTTEE-----ADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSM 358
 | | : : : : | : | : : : : : : : : : :
 Db 340 CADPEICQKICSNPSGCSDIAYPKLVLELLPTGLRGLMMAVMVAALMSSLTSIFNSASTI 399
 Qy 359 FARNIYQLSFRQNASDKEIVWVMRITVFVFGASATAMALLTKTVYGLW----- 406
 | : : | | : | : | : | : | : | : | :
 Db 400 FTMDLWN-HLRPRASEKELMIVGRVFV-----LLLVLVSILWIPVVQASQGGQL 447
 Qy 407 --YLSSDLVYI-----VIFPQLLCVLFVKGTNTYGA VAGYVSGFLRITG-GEPLYLYLP 458
 | : | | : | : | : | : | : | : | : : : : :
 Db 448 FIYIQSISSYLQPPVAVVF---IMGCFWKRTNEKGAFWGLISGLLLGLVRLVLDFIYVQP 504
 Qy 459 LIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLT NICISYLA KYLFESGTLPPKLDV----- 513
 | | : : : : : : | : | : : : | | : :
 Db 505 RC----DQDERPVLVKS IHYLYFSMILSTVTLITVSTVSWF-----TEPPSKEMVSHLT 555
 Qy 514 ----FDAVVARHSEENMDKTILVK NENIKLD-----ELALVKPRQSM TLSSTFTNKEA 562
 | | : | : | : : : : | | | | : :
 Db 556 WFTRHDPVVQKEQAPPAAPLSLTLSQNGMPEASSSSSVQFEMVQENTSKTHSCDMTPKQS 615

RESULT 12

US-10-156-761-12818

; Sequence 12818, Application US/10156761

; Publication No. US20030119018A1

; GENERAL INFORMATION:

; APPLICANT: OMURA, SATOSHI

; APPLICANT: IKEDA, HARUO

; APPLICANT: ISHIKAWA, JUN

; APPLICANT: HORIKAWA, HIROSHI

; APPLICANT: SHIBA, TADAYOSHI

; APPLICANT: SAKAKI, YOSHIYUKI

; APPLICANT: HATTORI, MASAHIRA

; TITLE OF INVENTION: NOVEL POLYNUCLEOTIDES

; FILE REFERENCE: 249-262

; CURRENT APPLICATION NUMBER: US/10/156,761

; CURRENT FILING DATE: 2002-05-29

; PRIOR APPLICATION NUMBER: JP 2001-204089

; PRIOR FILING DATE: 2001-05-30

; PRIOR APPLICATION NUMBER: JP 2001-272697

; PRIOR FILING DATE: 2001-08-02

; NUMBER OF SEQ ID NOS: 15109
; SEQ ID NO 12818
; LENGTH: 486
; TYPE: PRT
; ORGANISM: Streptomyces avermitilis
US-10-156-761-12818

Query Match 10.3%; Score 306; DB 14; Length 486;
Best Local Similarity 27.7%; Pred. No. 1.3e-19;
Matches 130; Conservative 84; Mismatches 194; Indels 62; Gaps 20;

```
Qy      11 IIVFYLL-ILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYIN 69
        :|| || :| :| | | |:          :| || :| : || | :||
Db      7 VIVVYLAGMLAMGWWGMRRAKSKSD-----FLVAGRRLGPAMYSGTMAAIVLGGASTI 59

Qy      70 GTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIYGKRMGGL 129
        | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      60 GGVGLGYKYGLSGAWMVFAIGLGL-LALSVFFSARIARLKVY-TVSEMLDLRYGGRAG-- 115

Qy      130 LFIPALMGEMFWAAAIFSALGATIS-----VIIDVDMHISVIISALIATLYTLVGGLYS 183
        : | : || : | : ||| : | :| : :|| : | | : ||| :|
Db      116 ----VISGVVMWAYTLMIAVTSTIAYATIFDVLFDNMRTLAILGGSIVVAYSTLGGMWS 171

Qy      184 VAYTDVVQLFCIFVG-LWISVPFALSHPAVADIGFTAVHAK----YQKPWLGTVDSSEVY 238
        : ||:| | :| | : :| | : | ||:| | | | | | : :
Db      172 ITLTDVQFVVKTIQVLLLLLPIAI----VKAGGFSAMKAKLPTEYFDP-LG-IGGETIF 225

Qy      239 SWLDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGAST 298
        :: : | : | : | : ||| : : | | | : : | || | : : ||
Db      226 TYV---LIYTFGMLIGQDIWQVFTARSDDTAKWGGTVAGTYCLVYALAGAVIG----- 276

Qy      299 DWNQTAYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAMSSADSSILSASSM 358
        || : | | | | : : || : | | | | | | : : : : :
Db      277 ----TAAKVLYP-TLPSADSAFATIVKDELPVGVRLVLAALAAVMSTSSGALIACATV 331

Qy      359 FARNIQ----LSFRQNASDKEIVWVMRITVFVFGASATAMAL-LTKTVYGLWYLSDDL 413
        :| : :| | : | | : : | | : : | | | | : ||
Db      332 ANNDIWSRLRGVSSRK-GDDHDEVGRNRLFILVMGVAVICTAIALNDVVEALTVAYNLLV 390

Qy      414 YIVIFPQLLCVLFVKGTNTYGAVAGYVSG----LFLRITGG----EPYLY 455
        : : | | :| : || : ||:| : | : | | | | | |
Db      391 GGLLVPILGGLLWKRG-TVHGALASVIVGGLAVIGLMATFGILANEPVYY 439
```

RESULT 13

US-10-119-988-12

; Sequence 12, Application US/10119988

; Publication No. US20030054453A1

; GENERAL INFORMATION:

; APPLICANT: Curtis, Rory A.J.

; APPLICANT: Chen, Hong

; APPLICANT: Millennium Pharmaceuticals Inc.

; TITLE OF INVENTION: 68723, Sodium/Glucose Cotransporter

; TITLE OF INVENTION: Family Members and Uses Therefor

; FILE REFERENCE: MPI01-103P1RNM

; CURRENT APPLICATION NUMBER: US/10/119,988

; CURRENT FILING DATE: 2002-04-10

```
; PRIOR APPLICATION NUMBER: 60/282,764
; PRIOR FILING DATE: 2001-04-10
; NUMBER OF SEQ ID NOS: 18
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 12
;   LENGTH: 664
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-119-988-12
```

Qy	11	IIVFYLLILLVGIWAAWRTKNSGSAERSEAIIVGGRDIGLLVGGMTATWVGGGYING	70
Db	32	IVIYFVVMMAVGLWAMFST-NRGTV---GGFFLAGRSMVWWPIGASLFASNIGSGHFGV	86
Qy	71	TAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSK-GYVTMLDPFQQIYGK	124
Db	87	LA-----GTGAASGIAIGGFENALVLVVVLGWLFF--PIYIKAGVVTM----PEYLRK	134
Qy	125	RMGG-----LLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIA	172
Db	135	RFGGQRIQVYLSLLSLLLYIFTKISADIFSGAIF-----INLALGLNLYLAIFLLLAIT	188
Qy	173	TLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQK--PWL-	229
Db	189	ALYTITGGLAAVIYTDTLQTVIMLVGSLILTGFATHEVG----GYDAFMEKYMKAIPTIV	244
Qy	230	---GTVDSSEVYS-WLDSFLLL---MLGGIPW-----QAYFQVRVLS	264
Db	245	SDGNTTFQEKCYTPRADSFIHFRDPLTGDLPWPGFIFGMSILTLWYWCTDQVIVQRCLSA	304
Qy	265	SSATYAQ---VLSFLAAFGCLVMAIPAIL-----IGAI-----GASTDWNQT	303
Db	305	KNMSHVKGGCILCGYLKLMPMFIMVMPGMISRILYTEKIAICVVPSECEKYCGTKVGCTNI	364
Qy	304	AYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAMSSADSSILSASSMFARNI	363
Db	365	AY-----PTLVVELMPNGLRGLMLSVMLASLMSSLTSIFNSASTLFTMDI	409
Qy	364	YQLSFRQNASDKEIVVMRITVFV-FGASATAMALLTKTVYG--LWYLSSDLVYI--VIF	418
Db	410	Y-AKVRKRASEKELMIAGRLFILVLIGISIAWVPIVQSAQSGQLFDYIQSITSYLGPPIA	468
Qy	419	PQLLCVLFVKGTNTYGAVAGYVSGLFLRI-----TG-----GEPYLY	455
Db	469	AVFLLAIFWKRVNEPGAFWGLILGLLIGISRMITEFAYGTGSCMEPSNCPTIICGVHYLY	528
Qy	456	LQPLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAHYLFESGTLPPKLDVFD	515
Db	529	FAILF-----AISFITIVVISLLTKPI-----PDVHLYR	558
Qy	516	AV--VARHSEENMDKILVKNENIKLDELALVKPRQSMTSLSTFTNKE	561
Db	559	LCWSLRNSKEERID--LDAEEENIQ-----EGPKETIEIETQVPEKK	598

RESULT 14

US-09-928-530-2

; Sequence 2, Application US/09928530
 ; Patent No. US20020156002A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Curtis, Rory A. J.
 ; APPLICANT: Silos-Santiago, Inmaculada
 ; TITLE OF INVENTION: 32620, A NOVEL HUMAN SODIUM-SUGAR
 ; TITLE OF INVENTION: SYMPORTER FAMILY MEMBER AND USES THEREOF
 ; FILE REFERENCE: 10446-080001
 ; CURRENT APPLICATION NUMBER: US/09/928,530
 ; CURRENT FILING DATE: 2001-08-13
 ; PRIOR APPLICATION NUMBER: 60/227,068
 ; PRIOR FILING DATE: 2000-08-22
 ; NUMBER OF SEQ ID NOS: 7
 ; SOFTWARE: FastSEQ for Windows Version 4.0
 ; SEQ ID NO 2
 ; LENGTH: 675
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-09-928-530-2

Query Match 10.0%; Score 298.5; DB 9; Length 675;
 Best Local Similarity 22.7%; Pred. No. 1.1e-18;
 Matches 149; Conservative 115; Mismatches 238; Indels 155; Gaps 29;

Qy 2 AFHVEGL----IAIIVFY-LLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGF 56
 || :|| ||::| | | :| ||::| : || : : | : ||
 Db 18 AFPQKGLEPGDIAVLVLYFLFVLAVGLWSTVKT---DTVKGYFLAEGNMVWVPVGA- 72

Qy 57 TMTATWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLS-----LILGGLFFAKPMRSKGY 111
 :: | : || | : | | | : | : | : | : | : | : | : |
 Db 73 SLFASNVGSGHFIGLA-----GSGAATGISVSAYELNGLFSVLMLAWIFL--PIYIAGQ 124

Qy 112 VTMLDPFQQIYGKRMGGLLFIPALMGEMFWAAAIFSALGATI---SVIID---VDMHIS 164
 || : : : || || : || : : : || : : : : | : : : :
 Db 125 VTTMPEYLR---KRFGGIR-IPILAVLYLFYIYFTKISVDMYAGAFIQSSHLDLILA 180

Qy 165 VIISALIATLYTLVGGLYSVAYTDVVLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY 224
 :: | : || : || : | || : | : : | : : | || | : ||
 Db 181 IVGLLAITAVYTVAGGLAAVIYTDALQTLIMLIGALTLMGY--SFAAVG--GMEGLKEY 236

Qy 225 -----QKPWLGTVDSEVYS-WLDSFLLMLGGI 252
 || | : : | |
 Db 237 FLALASNRSENSSCGLPREDAFHIFRDPLTSDLPWPGVLFGMSIPSLWY----- 285

Qy 253 PW---QAYFQVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWNQTAYGLPD 309
 | | || | : : : : : : : : : : | : : | | |
 Db 286 -WCTDQVIVQRTLAAKNLSHAKGGALMAAYLKVLPFIMVFPGMVSRILFPDQVA--CAD 342

Qy 310 PKTTEE-----ADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFAR 361
 | : : : : | : | : | : : : : | : | : | : | : | : | : |
 Db 343 PEICQKICSNPSGCSDIAYPKLVLELLPTGLRGLMMAVMVAALMSSILTSIFNSASTIFTM 402

Qy 362 NIYQLSFRQNASDKEIVVMRITVFVFGASATAMALLTKTVYGLW-----Y 407

; PRIOR FILING DATE: 2001-08-21
 ; PRIOR APPLICATION NUMBER: US 60/279,281
 ; PRIOR FILING DATE: 2001-03-28
 ; PRIOR APPLICATION NUMBER: US 10/109,029
 ; PRIOR FILING DATE: 2002-03-28
 ; PRIOR APPLICATION NUMBER: PCT/US02/09728
 ; PRIOR FILING DATE: 2002-03-28
 ; PRIOR APPLICATION NUMBER: US 60/290,288
 ; PRIOR FILING DATE: 2001-05-11
 ; PRIOR APPLICATION NUMBER: US (not assigned)
 ; PRIOR FILING DATE: 2002-05-13
 ; NUMBER OF SEQ ID NOS: 48
 ; SOFTWARE: FastSEQ for Windows Version 4.0
 ; SEQ ID NO 27
 ; LENGTH: 675
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 US-10-162-012-27

Query Match 10.0%; Score 298.5; DB 14; Length 675;
 Best Local Similarity 22.7%; Pred. No. 1.1e-18;
 Matches 149; Conservative 115; Mismatches 238; Indels 155; Gaps 29;

Qy 2 AFHVEGL----IAIIVFY-LLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGF 56
 || :|| ||:| | | :| ||:| : || : | : ||
 Db 18 AFPQKGLEPGDIAVLVLYFLFVLAVGLWSTVKTKR----DTVKGYFLAEGNMVWVPVGA- 72

Qy 57 TMTATWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSL-----LILGGLFFAKPMRSKGY 111
 :: |: || |: | | | | : | |: |:| :| |: |
 Db 73 SLFASNVGSGHFGLA-----GSGAATGISVSAYEINGLFSVLMIAWIFL--PIYIAGQ 124

Qy 112 VTMLDPFQQIYGKRMGGLLFIPALMGEMFWAAAIIFSALGATI---SVID---VDMHIS 164
 || : : : || ||: || :: :: ||: : : : | : : : :
 Db 125 VTTMPEYLR---KRFGGIR-IPILAVLYLFYIFTKISVDMYAGAFIQSSHLDLILA 180

Qy 165 VIISALIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY 224
 :: | :||: ||| :| ||| :| : :| : : | || | : ||
 Db 181 IVGLLAITAVYTVAGGLAAVIYTDALQTLIMLIGALTLMGY--SFAAVG--GMEGLKEKY 236

Qy 225 -----QKPWLGTVDSEVYS-WLDSFLLMLGGI 252
 || | : : ||
 Db 237 FLALASNRSENSSCGLPREDAFHIFRDPLTSDLPWPGVLFGMSIPSLWY----- 285

Qy 253 PW---QAYFQRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWNQTAYGLPD 309
 | | || |: : :|: : :||: : : : | : : | | |
 Db 286 -WCTDQVIVQRTLAAKNLSHAKGGALMAAYLKVLPLFIMVFGMVSRILFPDQVA--CAD 342

Qy 310 PKTTEE-----ADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFAR 361
 |: :: :|: | :| | : : : ||: || | ||:|
 Db 343 PEICQKICSNPSGCSDIAYPKLVLELLPTGLRGLMMAMVMAALMSSLTSIFNSASTIFTM 402

Qy 362 NIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLW-----Y 407
 ::: | ||: ||: | |: | || | || |
 Db 403 DLWN-HLRPRASEKELMIVGRVFV-----LLLVLVSILWIPVVQASQGGQLFIY 450

Qy 408 LSSDLVYI-----VIFPQLLCVLFVKGNTNYGAVAGYVSGLFLRITG-GEPLYLYLQPLIF 461
 : | | : |:| : | | || || | :|| | : : :||

Search completed: September 28, 2004, 17:20:45
Job time : 134 secs

Search completed: September 28, 2004, 17:20:45
Job time : 134 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: September 28, 2004, 16:40:44 ; Search time 126 Seconds
(without alignments)
1452.385 Million cell updates/sec

Title: US-10-069-541-6
Perfect score: 2972
Sequence: 1 MAFHVEGLIAIIVFYLLILL.....EAFLDVDSSPEGSGTEDNLQ 580

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_25:*
1: sp_archaea:*
2: sp_bacteria:*
3: sp_fungi:*
4: sp_human:*
5: sp_invertebrate:*
6: sp_mammal:*
7: sp_mhc:*
8: sp_organelle:*
9: sp_phage:*
10: sp_plant:*
11: sp_rodent:*
12: sp_virus:*
13: sp_vertebrate:*
14: sp_unclassified:*
15: sp_rvirus:*
16: sp_bacteriap:*
17: sp_archeap:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result	Score	Query	Match Length	DB	ID	Description
No.						

1	2972	100.0	580	4	Q9GZV3	Q9gzv3 homo sapien
2	2820	94.9	580	11	Q9JMD7	Q9jmd7 rattus norv
3	2806	94.4	580	11	Q8BGY9	Q8bgy9 mus musculu
4	2795	94.0	580	11	Q99PK3	Q99pk3 mus musculu
5	2791	93.9	580	11	Q9ESW5	Q9esw5 mus musculu
6	2253	75.8	584	13	Q8UWF0	Q8uwf0 torpedo mar
7	1679	56.5	377	13	Q8AV27	Q8av27 gallus gall
8	1557.5	52.4	614	5	Q9VE46	Q9ve46 drosophila
9	1530.5	51.5	579	5	Q9GPB1	Q9gpb1 limulus pol
10	1453	48.9	576	5	O02228	O02228 caenorhabdi
11	422.5	14.2	484	16	Q7UFM6	Q7ufm6 rhodopirell
12	405.5	13.6	462	16	Q8EXG7	Q8exg7 leptospira
13	381.5	12.8	479	16	Q8Y273	Q8y273 ralstonia s
14	344	11.6	492	17	Q9V2P3	Q9v2p3 pyrococcus
15	334	11.2	492	16	Q81Y52	Q81y52 bacillus an
16	333	11.2	493	16	Q81AD3	Q81ad3 bacillus ce
17	316	10.6	493	17	Q8U3M8	Q8u3m8 pyrococcus
18	314.5	10.6	665	11	Q9QXI6	Q9qxi6 mus musculu
19	314.5	10.6	665	11	Q8C3K6	Q8c3k6 mus musculu
20	312.5	10.5	665	11	Q9QXX5	Q9qxx5 mus musculu
21	311.5	10.5	480	16	Q8ERF0	Q8erf0 oceanobacil
22	311	10.5	665	11	Q8CCA7	Q8cca7 mus musculu
23	310.5	10.4	675	4	Q8WWX8	Q8www8 homo sapien
24	309	10.4	670	11	Q923I7	Q923i7 mus musculu
25	308.5	10.4	675	4	Q86Y55	Q86y55 homo sapien
26	307.5	10.3	675	4	Q96PP5	Q96pp5 homo sapien
27	306	10.3	486	16	Q82CQ9	Q82cq9 streptomyce
28	304	10.2	567	16	Q8EQQ5	Q8eqq5 oceanobacil
29	301	10.1	463	16	Q9I3S6	Q9i3s6 pseudomonas
30	300	10.1	500	16	Q9CN55	Q9cn55 pasteurella
31	299.5	10.1	507	16	Q9K9E2	Q9k9e2 bacillus ha
32	299.5	10.1	546	16	Q8G6N6	Q8g6n6 bifidobacte
33	299	10.1	662	6	Q9BDF6	Q9bdf6 equus cabal
34	299	10.1	718	11	Q80WA5	Q80wa5 rattus norv
35	297.5	10.0	673	11	Q8K0E3	Q8k0e3 mus musculu
36	292	9.8	698	4	Q8WY15	Q8wyl5 homo sapien
37	291.5	9.8	535	16	Q8FQ71	Q8fq71 corynebacte
38	291	9.8	514	17	Q8TUR0	Q8tur0 methanosarc
39	290.5	9.8	674	6	Q863B5	Q863b5 oryctolagus
40	287	9.7	664	6	Q8MKB7	Q8mkb7 bos taurus
41	287	9.7	678	11	Q8VDT1	Q8vdt1 mus musculu
42	286.5	9.6	674	6	Q28728	Q28728 oryctolagus
43	286	9.6	491	17	O58753	O58753 pyrococcus
44	286	9.6	685	11	Q8BZW1	Q8bzw1 mus musculu
45	286	9.6	685	11	Q8BGU9	Q8bgu9 mus musculu

ALIGNMENTS

RESULT 1

Q9GZV3

ID Q9GZV3 PRELIMINARY; PRT; 580 AA.

AC Q9GZV3;

DT 01-MAR-2001 (TrEMBLrel. 16, Created)

DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)

DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)

DE High affinity choline transporter (High-affinity choline transporter
 DE CHT1).
 GN CHT1 OR SLC5A7.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Hypothalamus;
 RA Bruess M.;
 RL Submitted (AUG-2000) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Hypothalamus;
 RA Wieland A., Bonisch H., Bruss M.;
 RT "Molecular cloning of the human and murine high affinity choline
 RT transporters and characterization of the human gene-structure.";
 RL Submitted (AUG-2000) to the EMBL/GenBank/DDBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20483599; PubMed=11027560;
 RA Apparsundaram S., Ferguson S.M., George A.L. Jr., Blakely R.D.;
 RT "Molecular cloning of a human, hemicholinium-3-sensitive choline
 RT transporter.";
 RL Biochem. Biophys. Res. Commun. 276:862-867(2000).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Spinal cord;
 RX PubMed=11068039;
 RA Okuda T., Haga T.;
 RT "Functional characterization of the human high-affinity choline
 RT transporter.";
 RL FEBS Lett. 484:92-97(2000).
 RN [5]
 RP SEQUENCE FROM N.A.
 RA Bruess M.;
 RL Submitted (JAN-2001) to the EMBL/GenBank/DDBJ databases.
 RN [6]
 RP SEQUENCE FROM N.A.
 RA Wieland A., Bonisch H., Bruss M.;
 RT "Molecular cloning of the human and murine high affinity choline
 RT transporters and characterization of the human gene structure.";
 RL Submitted (JAN-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AJ401466; CAC03717.1; -.
 DR EMBL; AF276871; AAG25940.1; -.
 DR EMBL; AB043997; BAB18161.1; -.
 DR EMBL; AJ308378; CAC88115.1; -.
 DR EMBL; AJ308379; CAC88115.1; JOINED.
 DR EMBL; AJ308380; CAC88115.1; JOINED.
 DR EMBL; AJ308381; CAC88115.1; JOINED.
 DR EMBL; AJ308382; CAC88115.1; JOINED.
 DR EMBL; AJ308383; CAC88115.1; JOINED.
 DR EMBL; AJ308384; CAC88115.1; JOINED.
 DR PIR; JC7502; JC7502.
 DR Genew; HGNC:14025; SLC5A7.
 DR GO; GO:0005624; C:membrane fraction; NAS.

DR GO; GO:0015220; F:choline transporter activity; TAS.
DR GO; GO:0008292; P:acetylcholine biosynthesis; NAS.
DR InterPro; IPR001734; Na/solut_sympor.
DR Pfam; PF00474; SSF; 1.
DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
SQ SEQUENCE 580 AA; 63203 MW; 66CB35496CB6E2D6 CRC64;

Query Match 100.0%; Score 2972; DB 4; Length 580;
Best Local Similarity 100.0%; Pred. No. 5.3e-205;
Matches 580; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVFPFALSHPAVADIGFTAVHAKYQKPWLGTVDSDSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFVGLWISVFPFALSHPAVADIGFTAVHAKYQKPWLGTVDSDSEVYSW	240
Qy	241	LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Db	241	LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Db	361	RNIYQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420
Qy	421	LLCVLFVKGTNTYGAVAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPEFK	480
Db	421	LLCVLFVKGTNTYGAVAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPEFK	480
Qy	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
Db	481	TLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD	540
Qy	541	ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580
Db	541	ELALVKPRQSMTLSSTFTNKEAFLDVDSSPEGSGTEDNLQ	580

RESULT 2

Q9JMD7

ID Q9JMD7 PRELIMINARY; PRT; 580 AA.

AC Q9JMD7;

DT 01-OCT-2000 (TrEMBLrel. 15, Created)

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
		: : : :	
Db	1	MSFHVEGLVAIILFYLLIFLVGIWAAWTKNSGNPEERSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAEAVYGPCCGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120

DR InterPro; IPR001734; Na/solut_sympoort.
DR Pfam; PF00474; SSF; 1.
DR PROSITE; PS50283; NA SOLUT_SYMP_3; 1.
SQ SEQUENCE 580 AA; 63383 MW; DDBF58ED428270AF CRC64;

Query Match 94.0%; Score 2795; DB 11; Length 580;
Best Local Similarity 92.6%; Pred. No. 2.7e-192;
Matches 537; Conservative 23; Mismatches 20; Indels 0; Gaps 0;

```
Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      | | | | | : | | : | | | | | | | | | | | : | | | | : | | | | | | | | | | | | | | |
Db      1 MPFHVEGLVAIILFYLLIFLVGIWAAWKTKNNGNPEERSEAIIVGGRDIGLLVGGFTMTA 60

Qy     61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     61 TWVGGGYINGTAEAVYVPGYGLAWAHAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFKQ 120

Qy    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | : | | | | |
Db    121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAILYTLVGG 180

Qy    181 LYSVAYTDVVQLFCIFVGLWISVFPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSEVYSW 240
      | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | : | | | | |
Db    181 LYSVAYTDVVQLFCIFIGLWISVFPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW 240

Qy    241 LDSFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    241 LDNFFLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300

Qy    301 NQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    301 NQTAYGYDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA 360

Qy    361 RNIYQLSFRQNASDKEIVWVRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIIFPQ 420
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    361 RNIYQLSFRQNASDKEIVWVRITVLFVGASATAMALLTKTVYGLWYLSSDLVYIIFPQ 420

Qy    421 LLCVLFFVKGNTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      | | | | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | : | | | | |
Db    421 LLCVLFFIKGNTNTYGAVAGYIFGLFLRITGGEPYLYLQPLIFYPGYSDKNGIYNQKFPFK 480

Qy    481 TLMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540
      | | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    481 TLMVTSFFTNICVSYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVRNENIKLN 540

Qy    541 ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db    541 ELAPVKPRQSLTLSSSTFTNKEALLDVDSSPEGSGTEDNLQ 580
```

RESULT 5

Q9ESW5

ID Q9ESW5 PRELIMINARY; PRT; 580 AA.

AC Q9ESW5;

DT 01-MAR-2001 (TrEMBLrel. 16, Created)

DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)

DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)

DE High affinity choline transporter.
 GN SLC5A7 OR CHT1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/cJ; TISSUE=Brain stem;
 RA Bruess M.;
 RL Submitted (AUG-2000) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/cJ; TISSUE=Brain stem;
 RA Wieland A., Bonisch H., Bruss M.;
 RT "Molecular cloning of the human and murine high affinity choline
 RT transporters and characterization of the human gene-structure."
 RL Submitted (AUG-2000) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AJ401467; CAC03719.1; -.
 DR MGD; MGI:1927126; Slc5a7.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001734; Na/solut_sympoort.
 DR Pfam; PF00474; SSF; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 SQ SEQUENCE 580 AA; 63331 MW; A4F1387CAA9EAAFE CRC64;

Query Match 93.9%; Score 2791; DB 11; Length 580;
 Best Local Similarity 92.4%; Pred. No. 5.1e-192;
 Matches 536; Conservative 24; Mismatches 20; Indels 0; Gaps 0;

Qy	1	MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA	60
Db	1	MSFHVEGLVAIILFYLLIFLVGIWAAWKTKNNGNPEEHSEAIIVGGRDIGLLVGGFTMTA	60
Qy	61	TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Db	61	TWVGGGYINGTAVAVYVPGCGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ	120
Qy	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG	180
Db	121	IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDVNISVIVSALIAIYTLVGG	180
Qy	181	LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW	240
Db	181	LYSVAYTDVVQLFCIFIGLWISVPFALSHPAVTDIGFTAVHAKYQSPWLGTIESVEVYTW	240
Qy	241	LDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDW	300
Db	241	LDNFLLMLGGIPWQAYFQRVLSSSSATYAQVLSYLAAGCLVMALPAICIGAIGASTDW	300
Qy	301	NQTAYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Db	301	NQTAYGYDPDKTKEEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFA	360
Qy	361	RNIYQLSFRQNASDKEIVWMRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ	420

```

Db      361 RNIYQLSFRQNASDKEIVWVRITVLVFGASATAMALLTKTVYGLWYLSSDLVYIIIFPQ 420
Qy      421 LLCVLFVKGNTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDDNGIYNQKFPFK 480
      |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db      421 LLCVLFIKGTNTYGAVAGYIFGLFLRITGGEPYLYLQPLIFYPGYYSCKNGIYNQRFPFK 480
Qy      481 TLAMVTSFLTNICISYLAKEYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKNENIKLD 540
      ||:||||| ||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db      481 TLSMVTSEFTNICVSYLAKEYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVRNENIKLN 540
Qy      541 ELALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDNLQ 580
      ||| |||||:||||| |||||:|||||
Db      541 ELAPVKPRQSLTLSSSTFTNKEALLDVDSSPEGSGTEDNLQ 580

```

RESULT 6

Q8UWFO

```

ID   Q8UWFO          PRELIMINARY;          PRT;    584 AA.
AC   Q8UWFO;
DT   01-MAR-2002 (TrEMBLrel. 20, Created)
DT   01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT   01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE   High affinity choline transporter.
GN   CHT1.
OS   Torpedo marmorata (Marbled electric ray).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Chondrichthyes;
OC   Elasmobranchii; Squalia; Hypnosqualia; Pristiorajae; Batoidea;
OC   Torpediniformes; Torpedinoidei; Torpedinidae; Torpedo.
OX   NCBI_TaxID=7788;
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Electric lobe;
RA   Gueronprez L., O'Regan S., Meunier F.M., Morot-Gaudry-Talarmain Y.;
RT   "Cyclosporin, FK506 and rapamycin inhibit neuronal choline uptake via
RT   calcineurin-dependent and independent mechanisms.";
RL   Submitted (NOV-2001) to the EMBL/GenBank/DDBJ databases.
DR   EMBL; AJ420808; CAD12727.1; -.
DR   GO; GO:0016020; C:membrane; IEA.
DR   GO; GO:0005215; F:transporter activity; IEA.
DR   GO; GO:0006810; P:transport; IEA.
DR   InterPro; IPR001734; Na/solut_sympo.
DR   Pfam; PF00474; SSF; 1.
DR   PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
SQ   SEQUENCE    584 AA;  63660 MW;  995F937B01195A3D CRC64;

```

```

Query Match          75.8%;   Score 2253;   DB 13;   Length 584;
Best Local Similarity 72.4%;   Pred. No. 2.1e-153;
Matches 418;   Conservative 83;   Mismatches 70;   Indels 6;   Gaps 2;

```

```

Qy      1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSG--SAEERSEAIIVGGRDIGLLVGGFTM 58
      |  :::::||||| ||:||||:|:  | :||||:|||||
Db      1 MTVHIDGIVAIVLFYLLILFVGLWAAWKSKNTSMEGAMDRSEAIMIGGRDIGLLVGGFTM 60
Qy      59 TATWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPF 118
      |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db      61 TATWVGGGYINGTAEAVYVPGYGLAWAQAPFGYALSLVIGGLFFAKPMRSRGYVTMLDPF 120

```


Qy 119 QQIYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLV 178
 ||:|||||:||||:||||:||||:||||:||||:||||:||||:||||
 Db 121 QQMYGKRMGGLLFIPALLGEIFWSAAILSALGATLSVIVDININVSVVVSAVIAVLYTLV 180
 Qy 179 GGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVY 238
 |||||:||||:||||:||||:||||:||||:||||:||||:||||
 Db 181 GGLYSVAYTDVVQLFCIFLGLWISIPFALLNPAVTDIIVTANQEVYQEPWVGNIQSKDSL 240
 Qy 239 SWLDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGAST 298
 |:|:|||||:||||:||||:||||:||||:||||:||||:||||
 Db 241 IWIDNFLMLGGIPWQVYFQRVLSASSATYAQVLSFLAAFGLVMAIPSVLIGAIGTST 300
 Qy 299 DWNQTAYGLPDPKTTTEADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSM 358
 |||||:||||:| | |||||:||||:||||:||||:||||:||||
 Db 301 DWNQTSYGLPGPIGKNETDMILPIVLQHLCPPIYISFFGLGAVSAAVMSSADSSILSASSM 360
 Qy 359 FARNIYQLSFRQNASDKEIVWVMRITVVFVGASATAMALLTKTVYGLWYLSSDLVYIVIF 418
 ||||| |:||| |||||:||||:||||:||||:||||:||||:||||
 Db 361 FARNIYHLAFRQEASDKEIVWVMRITIFLFGGAATSMALLAQSIYGLWYLSSDLVYVIIF 420
 Qy 419 PQLLCVLFVKGTNTYGAAGYVSGFLFRITGGEPYLYLQPLIFYPGYYPD----DNGIYN 474
 |||: |||||:||||:| |||:||||:||||:|:|||| | | |: :|
 Db 421 PQLISVLFVKGTNTYGSAGYIIGFLLRISGGEPYLMQPFYIYPCYLDHSGFDDPVYV 480
 Qy 475 QKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTILVKN 534
 |:||||:||||: ||| | :||| |||| || ||||| |:|:|:|:| |||| |:|
 Db 481 QRFPFKTMAMLFSLGNTGVSYLVKYLFEVSGILPPKLDFLDSVVSXKSKEIMDKTFLMNQ 540
 Qy 535 ENIKLDELALVKPRQSMSTLSSTFTNKEAFLDVDSSPE 571
 :|| | || | | :|:| ||||| |:|: |||
 Db 541 DNITLSELVHVNPISASVSAALTNKEAFEDIEPNPE 577

RESULT 7

Q8AV27

ID Q8AV27 PRELIMINARY; PRT; 377 AA.
 AC Q8AV27;
 DT 01-MAR-2003 (TrEMBLrel. 23, Created)
 DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Putative high affinity choline transporter 1 (Fragment).
 GN CHT1.
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Ciliary ganglion;
 RX MEDLINE=22308883; PubMed=12421710;
 RA Mueller F., Rohrer H.;
 RT "Molecular control of ciliary neuron development: BMPs and downstream
 RT transcriptional control in the parasympathetic lineage."
 RL Development 129:5707-5717(2002).
 DR EMBL; AJ511267; CAD53475.1; -.

RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Berkeley;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,
 RA Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissenbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195(2000).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA Celniker S.E., Adams M.D., Kronmiller B., Wan K.H., Holt R.A.,
 RA Evans C.A., Gocayne J.D., Amanatides P.G., Brandon R.C., Rogers Y.,
 RA Banzon J., An H., Baldwin D., Banzon J., Beeson K.Y., Busam D.A.,
 RA Carlson J.W., Center A., Champe M., Davenport L.B., Dietz S.M.,
 RA Dodson K., Dorsett V., Doup L.E., Doyle C., Dresnek D., Farfan D.,
 RA Ferriera S., Frise E., Galle R.F., Garg N.S., George R.A.,
 RA Gonzalez M., Houck J., Hoskins R.A., Hostin D., Howland T.J.,
 RA Ibegwam C., Jalali M., Kruse D., Li P., Mattei B., Moshrefi A.,
 RA McIntosh T.C., Moy M., Murphy B., Nelson C., Nelson K.A., Nunoo J.,
 RA Pacleb J., Paragas V., Park S., Patel S., Pfeiffer B.,
 RA Phouanenvong S., Pittman G.S., Puri V., Richards S., Scheeler F.,
 RA Stapleton M., Strong R., Svirskas R., Tector C., Tyler D.,
 RA Williams S.M., Zaveri J.S., Smith H.O., Venter J.C., Rubin G.M.;

```

RT      "Sequencing of Drosophila melanogaster genome.";
RL      Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
RN      [3]
RP      SEQUENCE FROM N.A.
RA      Misra S., Crosby M.A., Matthews B.B., Bayraktaroglu L., Campbell K.,
RA      Hradecky P., Huang Y., Kaminker J.S., Prochnik S.E., Smith C.D.,
RA      Tupy J.L., Bergman C., Berman B., Carlson J.W., Celniker S.E.,
RA      Clamp M., Drysdale R., Emmert D., Frise E., de Grey A., Harris N.,
RA      Kronmiller B., Marshall B., Millburn G., Richter J., Russo S.,
RA      Searle S.M.J., Smith E., Shu S., Smutniak F., Whitfield E.,
RA      Ashburner M., Gelbart W.M., Rubin G.M., Mungall C.J., Lewis S.E.;
RT      "Annotation of Drosophila melanogaster genome.";
RL      Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
RN      [4]
RP      SEQUENCE FROM N.A.
RA      Adams M.D., Celniker S.E., Gibbs R.A., Rubin G.M., Venter C.J.;
RL      Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
RN      [5]
RP      SEQUENCE FROM N.A.
RA      FlyBase;
RL      Submitted (SEP-2002) to the EMBL/GenBank/DDBJ databases.
RN      [6]
RP      SEQUENCE FROM N.A.
RC      STRAIN=Berkeley;
RA      Stapleton M., Brokstein P., Hong L., Agbayani A., Carlson J.,
RA      Champe M., Chavez C., Dorsett V., Farfan D., Frise E., George R.,
RA      Gonzalez M., Guarin H., Li P., Liao G., Miranda A., Mungall C.J.,
RA      Nunoo J., Pacleb J., Paragas V., Park S., Phouanenvong S., Wan K.,
RA      Yu C., Lewis S.E., Rubin G.M., Celniker S.;
RL      Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.
DR      EMBL; AE003723; AAF55583.2; -.
DR      EMBL; AY047521; AAK77253.1; -.
DR      FlyBase; FBgn0038641; CG7708.
DR      GO; GO:0016020; C:membrane; IEA.
DR      GO; GO:0005215; F:transporter activity; IEA.
DR      GO; GO:0006810; P:transport; IEA.
DR      InterPro; IPR001734; Na/solut_sympoort.
DR      Pfam; PF00474; SSF; 1.
DR      PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
SQ      SEQUENCE      614 AA;   66893 MW;   71A77E1216360042 CRC64;

```

Qy	4	HVEGLIAIIVFYLLILLVGIWAAWRTKNSG3AEERSEAIIVGGRDIGLLVGGFTMTATWV	63
		:: :: :: :: :: :: ::	
Db	3	NIAGVVSIVLFYLLILVVGIWAG-RKKQSGNDSE--EEVMLAGRSIGLFGVIFTMTATWV	59
Qy	64	GGGYINGTAEAVYPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSGYVTMLDPFQQIYG	123
		: : : : : :	
Db	60	GGGYINGTAEAIYTS--GLVWCQAPFGYALSLVFGGIFANPMRKQGYITMLDPLQDSFG	117
Qy	124	KRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGGLYS	183
		: : : : :	
Db	118	ERMGGLLFIPALCGEVFAAGILAALGATLSVIIDMDHRTSVILSSCIAIFYTLFGGLYS	177

Qy 184 VAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSWLDS 243
 |||||:|||||:||||: ||| |: | : : : |:| |: : : :|
 Db 178 VAYTDVIQLFCIFIGLWMCIPFAWSNEHVGS-----SDLEVDWIGHVEPKKHLYIDY 231
 Qy 244 FLLMLGGIPWQAYFQRLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWNQT 303
 |||: ||||| ||||| :| ||:|:| ||:| ||| :||| :| ||:|
 Db 232 GLLLVFGGIPWQVYFQRLSSKTAGRAQLLSYVAAAGCILMAIPVVLIGAIKATPWNEN 291
 Qy 304 AYGLPDPKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAMVSSADSSILSASSMFARNI 363
 | | | | :| |||:|||| | :||||||| |||||:|||||:|
 Db 292 DYKGPYPLTVDETSMLPMVLQYLTPDFVSFFGLGAVSAAMVSSADSSVLSAASMFARNV 351
 Qy 364 YQLSFRQNASDKEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQLLC 423
 |:| ||| |:| |:| |:| : | | || ||| :||| : ||||:| |||
 Db 352 YKLIFRQKASEMEIIVWMVAIIVVGILATIMALTIPSIYGLWSMCSDLVYVILFPQLLM 411
 Qy 424 VL-FVKGTNTYGAAGYVSGFLFRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTL 482
 |:| | | |||:|:| |:| | :|:| || | | ||| ||| | | |||:|
 Db 412 VVHFKKHCNTYGSLSAYIVALAIRLSGGEAILGLAPLIKYPGY---DEETKEQMFPFRTM 468
 Qy 483 AMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVV 518
 ||:| :| | :|:| | :||| ||| | | ||
 Db 469 AMLLSLVTLISVSWWTKMMFESGKLPPSYDYFRCVV 504

RESULT 9

Q9GPB1

ID Q9GPB1 PRELIMINARY; PRT; 579 AA.
 AC Q9GPB1;
 DT 01-MAR-2001 (TrEMBLrel. 16, Created)
 DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Choline cotransporter.
 OS Limulus polyphemus (Atlantic horseshoe crab).
 OC Eukaryota; Metazoa; Arthropoda; Chelicerata; Merostomata; Xiphosura;
 OC Limulidae; Limulus.
 OX NCBI_TaxID=6850;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=21261948; PubMed=11368908;
 RA Wang Y., Cao Z., Newkirk R.F., Ivy M.T., Townsel J.G.;
 RT "Molecular cloning of a cDNA for a putative choline co-transporter
 RT from Limulus CNS."
 RL Gene 268:123-131(2001).
 DR EMBL; AY011119; AAG41055.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001734; Na/solut_sympo.
 DR Pfam; PF00474; SSF; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 SQ SEQUENCE 579 AA; 62937 MW; FE7F29D4FAF47F04 CRC64;

Query Match 51.5%; Score 1530.5; DB 5; Length 579;
 Best Local Similarity 52.0%; Pred. No. 1.5e-101;
 Matches 305; Conservative 115; Mismatches 134; Indels 33; Gaps 11;

Qy 1 MAFHVEGLIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
 || :: |::| :||:||||:| | : | : :| |:: ||:| || | |||
 Db 1 MAVNILGVVSGIFYVIIIVGIWAS-RKKKTSSGQSETEEIMLAGRNIGFLVGVLTMTA 59
 Qy 61 TWVGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQ 120
 |||||:| | | ||| ||:| | :||: || | ||:||||| |:
 Db 60 TWVGGGYINGTAEAMY--NGLVWCQAPFGYALSLFIGGIVFAKKMRSQGYVTMLDPLQE 117
 Qy 121 IYGKRMGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGG 180
 :| :|||:| | ||:|:| | :||| ||| :: |::| | | || ||
 Db 118 NFGSKMGGLLFIPALCGEIFWSAAAILAALGATISVITELESSTSIIVSSSIIVFYTFFGG 177
 Qy 181 LYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSW 240
 |||||:|||| | | :||: || | : |::| |:
 Db 178 FYSVAYTDVIQLFCIFFGLWLCIPFSFSHEAVGSLs-----SIDFLGSVKLSDAGIN 229
 Qy 241 LDSFLLMLGGIPWQAYFQRVLSSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDW 300
 :| :||: | ||| ||||: : : ||||:| | | ||||| | :| |
 Db 230 VDIWLLIFGGIPWQVYFQRVLSAKNVNSAQVLSYVAAGCVVMAIPAILIGVIAKATAW 289
 Qy 301 NQTAYGLPDPKTEEADMILPIVLQYLCVYISFFGLGAVSAAVMSSADSSILSASSMFA 360
 |::| | : | : :||:| | | :||| |||||:| |||||:|:
 Db 290 NETALGM--PLTPNDTSLVPLVLHYLTPTAVSFFGLGAVSAAVMSSSDSSILSASSLFS 347
 Qy 361 RNIYQLSFRQNASDKIEIVWMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQ 420
 ||:|:| || | ||:|:| ||:|:| | | |||| | :||| |||||:|:|:| |
 Db 348 RNVYKLIFRQKASEREVWVIRISILVVGILATAMALTVKSVYGLWYLSSDLIYVILFPQ 407
 Qy 421 LLCVLFVKG-TNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPF 479
 |||: :| |||::| :| | || | |::| || : : :| |::|
 Db 408 LLCVHLKKYCNTYGSLSAYIVGFLLRALGGESILGLEPVIHYP-FFSETSG---QRFPF 463
 Qy 480 KTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTLVKNENIK- 538
 :||:| :| :| : || : ||:| | |||:| | :|| :|| :|| :||
 Db 464 RTLMLASLITLLAISGITKWIFEMNHLPAKLDIFRCVT--NIQEN-----IIKIQKLQG 516
 Qy 539 -----LDEL--ALVKPRQSMTLSSSTFTNKEAFLDVDSSPEGSGTEDN 578
 || : : : : : | | ||: | :|
 Db 517 GAMPVLDSIKKEIYQKDMNNSFNTVNSGNAELLTDSTYSGKIKKNN 563

RESULT 10

002228

ID 002228 PRELIMINARY; PRT; 576 AA.
 AC 002228; Q9NL58;
 DT 01-JUL-1997 (TrEMBLrel. 04, Created)
 DT 01-OCT-2001 (TrEMBLrel. 18, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE C48D1.3 protein (High-affinity choline transporter CHO-1).
 GN C48D1.3 OR CHO-1.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Burton J.;

RL Submitted (OCT-1996) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99069613; PubMed=9851916;
 RA none;
 RT "Genome sequence of the nematode C.elegans: A platform for
 RT investigating biology.";
 RL Science 282:2012-2018(1998).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=N2;
 RX MEDLINE=20116099; PubMed=10649566;
 RA Okuda T., Haga T., Kanai Y., Endou H., Ishihara T., Katsura I.;
 RT "Identification and characterization of the high-affinity choline
 RT transporter.";
 RL Nat. Neurosci. 3:120-125(2000).
 DR EMBL; Z81049; CAB02847.2; -.
 DR EMBL; AB030946; BAA90483.1; -.
 DR PIR; T20037; T20037.
 DR WormPep; C48D1.3; CE27109.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001734; Na/solut_sympoort.
 DR Pfam; PF00474; SSF; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 SQ SEQUENCE 576 AA; 62427 MW; FAB09778358288D9 CRC64;

Query Match 48.9%; Score 1453; DB 5; Length 576;
 Best Local Similarity 50.5%; Pred. No. 5.4e-96;
 Matches 295; Conservative 95; Mismatches 150; Indels 44; Gaps 9;

Qy	7	GLIAIIVFYLLILLVGIWAAWRTKNSGSAEER-----SEAIIVGGRDIGLLVGGFTMTATW	62
		:: : : : :: : :: :	
Db	6	GIVAIVFFYVLILVVGIWAGRKSKESEAGAATEEVMLAGRNIGTLVGIFTMTATW	65
Qy	63	VGGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIY	122
Db	66	VGGAYINGTAEALY--NGLLGCQAPVGYAISLVMGGLLFAKKMREEGYITMLDPFQHKY	123
Qy	123	GKRMGGLLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVGGLY	182
		:: ::: :	
Db	124	GQRIGGLMYVPALLGETFWTAAILSALGATLSVILGIDMNASVTLACIAVFYTFGTGGYY	183
Qy	183	SVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDVDS-SEVYSWL	241
		:	
Db	184	AVAYTDVVQLFCIFVGLWVCVPAAMVHDGAKDISRNA-----GDWIGEIGGFKETSLWI	237
Qy	242	DSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAGCLVMAIPAILIGAIGASTDWN	301
Db	238	DCMLLVFGGIPWQVYFQRVLSKTAHGAQTLSFVAGVGCILMAIPPALIGAIARNTDWR	297
Qy	302	QTAYGLPDPKTTEEA-----DMILPIVLQYLCPVYISFFGLGAVSAAMVSSADSSILSA	355
		: : : ::	
Db	298	MTDYSPWNNGTKVESIPDPKRNMVVPLVFQYLTPRWVAFIGLGAWSAAMVSSADSSVLSA	357
Qy	356	SSMFARNIYQLSFRQNASDKEIVVMRITVVFVGASATAMALLTKTVYGLWYLSDDLVIYI	415

```

      :||| | ||:| : ||:|:| : ||| : | || ||| : ||:| ||| : ||| :
Db      358 ASMEFAHNIWKLTIRPHASEKEVIIVMRIAIIICVGIMATIMALTIQSIYGLWYLCADLVYV 417

Qy      416 VIFPQLLCVLFVKGTNTYGAAGYVSGFLRLITGGEPYLYLQPLIFYPGYYPDDNGIYNQ 475
      : ||| | ||| : ||| : ||| || ||| : | || | : || : |
Db      418 ILFPQLLCVVYMPRSNTYGSILAGYAVGLVLRLLIGGEPLVSLPAFFHYPMY---TDGV--Q 472

Qy      476 KFPFKTLAMVTSFLTNICISYLAAYLFESGTLPPKLDVFDVAVV---ARHSEENMDKTILV 532
      |||:| ||:| | :| :| ||:| | | : || || | : |
Db      473 YFPFRTTAMLSSMATIYIVSIQSEKLFKSGRLSPEWDVMGCVVNIPIHDVPLPSDVSEFAV 532

Qy      533 KNENIKL-----DELALVKPRQSMTLSSSTFTN 559
      :| : : || | : | : || : |
Db      533 SSETLNMKAPNGTPAPVHPNQPSDENTLLHPYSDQSYYSTNSN 576

```

RESULT 11

Q7UFM6

```

ID      Q7UFM6          PRELIMINARY;          PRT;      484 AA.
AC      Q7UFM6;
DT      01-OCT-2003 (TrEMBLrel. 25, Created)
DT      01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
DT      01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE      High affinity choline transporter.
GN      CHT1 OR RB8472.
OS      Rhodopirellula baltica.
OC      Bacteria; Planctomycetes; Planctomycetacia; Planctomycetales;
OC      Planctomycetaceae; Pirellula.
OX      NCBI_TaxID=117;
RN      [1]
RP      SEQUENCE FROM N.A.
RC      STRAIN=1;
RX      MEDLINE=22735913; PubMed=12835416;
RA      Gloeckner F.O., Kube M., Bauer M., Teeling H., Lombardot T.,
RA      Ludwig W., Gade D., Beck A., Borzym K., Heitmann K., Rabus R.,
RA      Schlesner H., Amann R., Reinhardt R.;
RT      "Complete genome sequence of the marine planctomycete Pirellula sp.
RT      strain 1.";
RL      Proc. Natl. Acad. Sci. U.S.A. 100:8298-8303(2003).
DR      EMBL; BX294147; CAD78656.1; -.
KW      Complete proteome.
SQ      SEQUENCE      484 AA;  52674 MW;  79AB0135F18FEBB2 CRC64;

```

```

Query Match      14.2%;  Score 422.5;  DB 16;  Length 484;
Best Local Similarity  27.6%;  Pred. No. 3.9e-22;
Matches 141;  Conservative  95;  Mismatches 220;  Indels  55;  Gaps  14;

```

```

Qy      7 GLIAIIVFYLLI-LLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGG 65
      ||| | : ||| : : ||: || | | : || : || | : | : : ||| |
Db      2 GLIAAVLAYLLLTIAIGLLAARRVGN-----AQDFMVAGRSLPLYMNFACVFATWFG- 53

Qy      66 GYINGTAEAVY-----VPGYGL-AWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQ 119
      || | | | || | | ||:| :| ||| : : || : | : :
Db      54 -----AETVLSVSATFAGQGLRAIPGDPFGFSICLVLVALLFFARAFYRMDLLTIGDFYR 107

Qy      120 QIYGKRMGGLLFIPALMGEMFWAAAI FSALGATISVI-----IDVDMHISVIISALIAT 173
      : ||: : | : : ||| : ||| ||| : : : : || |

```


Db 108 KRYGRSIEVLTSVVISASASYLGWAAAQLTALGLVISVLGKGIGYETLTINNGIVIGFTIVA 167
 Qy 174 LYTLVGGGLYSVAYTDVVQLFCIFVGLW-ISVPFALSHPAVADIGFTAVHAKYQKPWLGTV 232
 ||::||::|| ||::| | | :|| :|| | : | : : : | : : :
 Db 168 FYTMGGMWSVALTDMIQTFTVIIIGLLVSVYMAHAAGGVSVVIESARESGLQVFPDWG 227
 Qy 233 DSSEVYSWLDSFLLMLGGIPWQAYFQVRLSSSSSATYAQVLSFLAA-FGCLVMAIPA-IL 290
 | : : : : || || || | |||| | : | : | | : : | |
 Db 228 QSGQWWIYIGGFLTAALGSIPQQDVFQRVTSAKDERTAMTGTLGGMFYCMFAFVPMFIA 287
 Qy 291 IGAIGASTDWNQTAYGLPDKTTEEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADS 350
 | : | | : | | : | : : ||| : || : | |
 Db 288 YAAVVIDPDHLQQF----NSDDLREVQRTLPHAVIQSTPFVWQTVFLGALVSAILSTASG 343
 Qy 351 SILSASSMFARNIYQLSFRQNASDKIEIVWMRITVFVFGASATAMALLT-KTVYGLWYLS 409
 ::| : || : | : || : || : : || : ||| | || : | : | : :
 Db 344 TLLAPSSLIVENVIR-PFRSDLDLDDKNMLRWLRIVLLMFGALALHQAALTSNNTMYEMIQA 402
 Qy 410 SDLVYIVIFPQLLCVLFVKGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYYPDD 469
 : : | : | | || : ||| : : : | : | |
 Db 403 YSVPLVGALVPLAVGLYWKRAATRGAMASIVSGVATWLA----FEYMLPEFLIPS----- 453
 Qy 470 NGIYNQKFPFKTLAMVTSFLTNICISYLAKY 500
 : : : ||| : : | | :
 Db 454 -----QLMGLAASFLAMVVVSLLDKF 474

RESULT 12

Q8EXG7

ID Q8EXG7 PRELIMINARY; PRT; 462 AA.
 AC Q8EXG7;
 DT 01-MAR-2003 (TrEMBLrel. 23, Created)
 DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Probable sodium:solute symporter.
 GN LB245.
 OS *Leptospira interrogans*.
 OC Bacteria; Spirochaetes; Spirochaetales; Leptospiraceae; Leptospira.
 OX NCBI_TaxID=173;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=56601 / Serogroup Icterohaemorrhagiae / Serovar lai;
 RA Ren S.;
 RL Submitted (MAR-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AE011612; AAN51804.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Complete proteome.
 SQ SEQUENCE 462 AA; 50487 MW; C9B0104065514C68 CRC64;

Query Match 13.6%; Score 405.5; DB 16; Length 462;
 Best Local Similarity 27.5%; Pred. No. 6.2e-21;
 Matches 134; Conservative 103; Mismatches 204; Indels 47; Gaps 16;

Qy 8 LIAI-IVFYLL-ILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGG 65
 Db 1 MLAISVIFYLFTTILIGAVASRFVSD-----SKDYVLAGRRLPLFLASSALFATWFGS 53

Qy 66 GYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIYGKR 125
 Db 54 ETLLG-ASSRFVEDGILGVIEDPFGAALCLFLVGLFFARPLYRMNLTFGDFYKNRFGRR 112

Qy 126 ---MGGLLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIATLYTLVGGLY 182
 Db 113 AEILSSVFMIPSYFG---WIAAQFVALGIIFHSLADIPVSTGIIAGAGVVLIIYTVTGGMW 169

Qy 183 SVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKP----WLGTVDSSEVY 238
 Db 170 AISLTDFLQTVLIVLGLSYLV-WDLSSKAG---GIEKILAS-TKPGFFRFFPEMNAKSIF 224

Qy 239 SWLDSFLLMLGGIPWQAYFQRVLSSSSATYAQVLSFLAAFGCLVMA-IPAILIGAIGAS 297
 Db 225 AYIAAWMTIGLGSIPQQDIFQVRMASKSEKVAVYSSLLGSFFYLSVAFLP--LIAVLCAR 282

Qy 298 TDWNQTAYGLPDPKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAMSSADSSILSASS 357
 Db 283 KIYPEIA-----KEDAQMILPKTVLTHTGLETQILFFGALLSAVMSTASGAILASAS 334

Qy 358 MFARNIYQLSFRQNASDKEIVVMRITVFVFGASATAMALLTKTVYGLWYLSSDLVYIVI 417
 Db 335 VLGENVIRPFFKK-TSERTLLRLRFLRSVIAITLVLSLSMANTKSNIELVSQASALSLVSL 393

Qy 418 FPQLLCVLFVKGTNTYGAVAGYVSG-----LFLRITGGEPYLYLQPLIFYPGYYPD 468
 Db 394 FIPLVAGLFRKNSTSTGAIFSMIVGFCTWFLCNILSLEIPASIPGLISSWIALYLGDWME 453

Qy 469 DNGIYNQK 476
 Db 454 HRG-YIQK 460

RESULT 13

Q8Y273

ID Q8Y273 PRELIMINARY; PRT; 479 AA.
 AC Q8Y273;
 DT 01-MAR-2002 (TrEMBLrel. 20, Created)
 DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Probable sodium/solute symporter transmembrane protein.
 GN RSC0463 OR RS04434.
 OS Ralstonia solanacearum (Pseudomonas solanacearum).
 OC Bacteria; Proteobacteria; Betaproteobacteria; Burkholderiales;
 OC Burkholderiaceae; Ralstonia.
 OX NCBI_TaxID=305;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=GMI1000;
 RX MEDLINE=21681879; PubMed=11823852;
 RA Salanoubat M., Genin S., Artiguenave F., Gouzy J., Mangenot S.,
 RA Arlat M., Billault A., Brottier P., Camus J.C., Cattolico L.,

RA Chandler M., Choisine N., Claudel-Renard C., Cunnac S., Demange N.,
 RA Gaspin C., Lavie M., Moisan A., Robert C., Saurin W., Schiex T.,
 RA Siguier P., Thebault P., Whalen M., Wincker P., Levy M.,
 RA Weissenbach J., Boucher C.A.;
 RT "Genome sequence of the plant pathogen *Ralstonia solanacearum*.";
 RL Nature 415:497-502(2002).
 DR EMBL; AL646059; CAD13991.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001734; Na/solut_sympoort.
 DR Pfam; PF00474; SSF; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Complete proteome.
 SQ SEQUENCE 479 AA; 52091 MW; 560962E411DBC9B8 CRC64;

Query Match 12.8%; Score 381.5; DB 16; Length 479;
 Best Local Similarity 28.2%; Pred. No. 3.4e-19;
 Matches 128; Conservative 85; Mismatches 188; Indels 53; Gaps 16;

Qy	11	IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING	70
		: ::: : : : : : : :	
Db	6	VIVYVVISVGIGLWAALRVRNTAD-----FAVAGRGLPFYVVTATVFATWFGSETVLG	58
Qy	71	TAEAVYVPGYGLAWAQA-PIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIYGKRMGGL	129
		:: : : : : : :	
Db	59	-IPAVFLK-EGLHGVVADPFSGSLCLILVGLFFARPLYRMNLLTIGDFYRNRFRVAEVL	116
Qy	130	LFIPALMGEMFWAAAIIFSALGATISVIID--VDMHISVIISALIATLYTLVGGGLYSVAYT	187
		: :: : : : : : ::	
Db	117	TTLICIVVSYLGWVAAQIKALGLVFYTVSDGGLSQQTGMMIGAASVLVYTLFEGMWSVAVT	176
Qy	188	DVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHA----KYQKPWLGTVDSSEVYSWLDS	243
		: : : : : : : : : : : : :	
Db	177	DFIQMIIIVIGM-MYIGWEVSGQA-GGVATVVAHASAAGKFS--FWPAFNPIEVIGFVTA	232
Qy	244	FLLMLGIPWQAYFQRLSS-----SSATYAQVLSFLAAFGLVMAIPAILIGAIGA	296
		:: : ::: : :	
Db	233	WITMLGSIPQQDVFORVTSSRTERIAGTASVLGGVLYFLFAFIPMFLAYSATLI-----	287
Qy	297	STDWNQTAYGLPDPK-----TTEEADMILP-IVLQYLCPVYISFFGLGAVSAAMSSADS	350
		: : : : :: : : : :	
Db	288	-----DPQMVARINTDSQLILPKLVLEH-APLVAQVMFFGALLSAIKSCASA	334
Qy	351	SILSASSMFARNIYQLSFRQNASDKEIVVWMRITVEFVGASATAMALLTK-TVYGLWYLS	409
		::: : : : : : :: : :	
Db	335	TLLAPSVTFAENVLR-PMLPRMDDKRELRVMAVVLVFTALVTLFALNSHLSIFHMFVNA	393
Qy	410	SDLVYIVIFPQLLCVLFVKGTNTYGAVAGYVSGL	443
		: : :	
Db	394	YKVTLVAAAFVPLAFGLFWKRATRQGGLLAIALGL	427

RESULT 14

Q9V2P3

ID Q9V2P3 PRELIMINARY; PRT; 492 AA.

AC Q9V2P3;

DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Proline symporter (Proline permease).
 GN PUTP-3 OR PYRAB00320 OR PAB2354.
 OS Pyrococcus abyssi.
 OC Archaea; Euryarchaeota; Thermococci; Thermococcales; Thermococcaceae;
 OC Pyrococcus.
 OX NCBI_TaxID=29292;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=GE5 / Orsay;
 RA Heilig R.;
 RT "Pyrococcus abyssi genome sequence: insights into archaeal chromosome
 RT structure and evolution."
 RL Submitted (JUL-1999) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AJ248283; CAB48955.1; -.
 DR PIR; D75188; D75188.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005215; F:transporter activity; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001734; Na/solut_sympor.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Complete proteome.
 SQ SEQUENCE 492 AA; 53457 MW; A7C72B1AF29282B3 CRC64;

Query Match 11.6%; Score 344; DB 17; Length 492;
 Best Local Similarity 24.2%; Pred. No. 1.7e-16;
 Matches 132; Conservative 99; Mismatches 196; Indels 118; Gaps 25;

Qy 8 LIAIIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67
 | : : : | : | | : | | | : | | | : : :
 Db 14 LVAFLEFTLILPILVGFYAMKRTKS-----EEDFFVGGGRAMDKITVALSAVSSGRSSWL 66

 Qy 68 INGTAEEAVYVPGYGLAWAQAPIGYSLS----LILGGLFFAKPMRSKGYVTMLDPFQQIYG 123
 : | : | | | | : | | : : : | : | : | : :
 Db 67 VLGLSGMAYKMGVTA VW--AAVGYIVAEMFQFVYMGIRLRKFSEFNATVDPDYFEARFR 124

 Qy 124 K-----RMGG----LLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATL 174
 | : : : : | | | | : | : : : : : | : :
 Db 125 DTSKILRIAASIIIIIFLTSYVGAQFNAGA-----KTLSTALGISIFTALMISVLMIIIV 178

 Qy 175 YTLVGGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFT-----AVHAKYQK 226
 | : : | : | | | : : : : : | | : | : | :
 Db 179 YMILGGFIAVAYNDVIRAVIMIIGLVV-----LPVIAVAKVGGTTEEV LKVLHALDPK LIN 233

 Qy 227 PW---LGTVDSSEVYSWLDSFLLMLG-GIPWQAY-FQRLSSSSSATYAQVLSFLAAFGC 281
 | | | | : | : | | : | : | : : : |
 Db 234 PWAFGAGVVIG-----FLGIGFGSPGQPHIIVRYMSIDDPNKL RVSTVVGTFWN 282

 Qy 282 LVMAIPAILIGAIGASTDWNQTAYGLPDPKTT--EADMILP-IVLQYLCPVYISFFGLG 338
 : | : | | : | : : : | : : | : | : : | :
 Db 283 VVLAWGAIFVGLAGRAI-----VPDVSQ L PGKNAEMIYPYLSAQYFPPILYGIL-IG 333

 Qy 339 AVSAAVMSSADSSILSASSMFARNIYQLSFRQNA--SDKEIVWVMRITVFVFGASATAMA 396

```

      : ||::||:| | :| :| ::|| :| :| :|:| | | :|
Db      334 GIFAAILSTADSQLLVVASTVVKDLYQEVIKKGTKIDEKTALTISRVTVLVVGFLAAILA 393
Qy      397 LLTKTVYGLWYLSSDLVY-IVIF-----PQLLCVLFVKGTNTYGAVAGYVSGLFL 445
      |::|:::|:| | | :| :| :| | | :| :| :|
Db      394 -----YVAKDIIFWFVLEAWGGLGASFGPTLILSLYWKGTTKWGVLAGMIVGTIT 443
Qy      446 RITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESG 505
      | | |::|: | :| :| | :| :| :| :|
Db      444 TIVW---KLYLKPI-----TGLY-ELVP----AFIFSLIATIIVSMITK----- 479
Qy      506 TLPPK 510
      ||:
Db      480 --PPE 482

```

RESULT 15

Q81Y52

```

ID      Q81Y52          PRELIMINARY;          PRT;      492 AA.
AC      Q81Y52;
DT      01-JUN-2003 (TrEMBLrel. 24, Created)
DT      01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT      01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE      Sodium/proline symporter family protein.
GN      BA3705.
OS      Bacillus anthracis (strain Ames).
OC      Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
OX      NCBI_TaxID=198094;
RN      [1]
RP      SEQUENCE FROM N.A.
RX      MEDLINE=22608414; PubMed=12721629;
RA      Read T.D., Peterson S.N., Tourasse N., Baillie L.W., Paulsen I.T.,
RA      Nelson K.E., Tettelin H., Fouts D.E., Eisen J.A., Gill S.R.,
RA      Holtzapple E.K., Okstad O.A., Helgason E., Rilstone J., Wu M.,
RA      Kolonay J.F., Beanan M.J., Dodson R.J., Brinkac L.M., Gwinn M.,
RA      DeBoy R.T., Madpu R., Daugherty S.C., Durkin A.S., Haft D.H.,
RA      Nelson W.C., Peterson J.D., Pop M., Khouiri H.M., Radune D.,
RA      Benton J.L., Mahamoud Y., Jiang L., Hance I.R., Weidman J.F.,
RA      Berry K.J., Plaut R.D., Wolf A.M., Watkins K.L., Nierman W.C.,
RA      Hazen A., Cline R., Redmond C., Thwaite J.E., White O., Salzberg S.L.,
RA      Thomason B., Friedlander A.M., Koehler T.M., Hanna P.C., Kolsto A.-B.,
RA      Fraser C.M.;
RT      "The genome sequence of Bacillus anthracis Ames and comparison to
RT      closely related bacteria.";
RL      Nature 423:81-86(2003).
DR      EMBL; AE017035; AAP27454.1; -.
DR      TIGR; BA3705; -.
DR      GO; GO:0016020; C:membrane; IEA.
DR      GO; GO:0005215; F:transporter activity; IEA.
DR      GO; GO:0006810; P:transport; IEA.
DR      InterPro; IPR001734; Na/solut_sympor.
DR      Pfam; PF00474; SSF; 1.
DR      TIGRFAMs; TIGR00813; sss; 1.
DR      PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
KW      Complete proteome.
SQ      SEQUENCE      492 AA;  53891 MW;  E2377D735C1A90F9 CRC64;

```


OM protein - protein search, using sw model

Run on: September 28, 2004, 16:56:39 ; Search time 24 Seconds
(without alignments)
1258.362 Million cell updates/sec

Title: US-10-069-541-6
Perfect score: 2972
Sequence: 1 MAFHVEGLIAIIVFYLLILL.....EAFLDVDSSPEGSGTEDNLQ 580

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0
Maximum DB seq length: 20000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	308.5	10.4	662	1	SL51_RABIT	P11170 oryctolagus
2	308	10.4	670	1	SL52_RAT	P53792 rattus norv
3	306	10.3	664	1	SL51_HUMAN	P13866 homo sapien
4	306	10.3	665	1	SL51_RAT	P53790 rattus norv
5	303.5	10.2	660	1	SL54_PIG	P31636 sus scrofa
6	298	10.0	672	1	SL52_RABIT	P26430 oryctolagus
7	294	9.9	659	1	SL54_HUMAN	Q9ny91 homo sapien
8	294	9.9	664	1	SL51_SHEEP	P53791 ovis aries
9	293.5	9.9	543	1	SGLT_VIBPA	P96169 vibrio para
10	292	9.8	672	1	SL52_HUMAN	P31639 homo sapien
11	290	9.8	656	1	SL54_MOUSE	Q9et37 mus musculu
12	289	9.7	718	1	SL53_MOUSE	Q9jkk2 mus musculu
13	285	9.6	492	1	OPUE_BACSU	O06493 bacillus su
14	278.5	9.4	718	1	SL53_CANFA	P31637 canis famil
15	275	9.3	718	1	SL53_BOVIN	P53793 bos taurus
16	272.5	9.2	718	1	SL53_HUMAN	P53794 homo sapien
17	260.5	8.8	504	1	PUTP_HAEIN	P45174 haemophilus

18	260.5	8.8	605	1	SL51_PIG	P26429	sus scrofa
19	253	8.5	502	1	PUTP_ECOLI	P07117	escherichia
20	249	8.4	502	1	PUTP_SALTY	P10502	salmonella
21	239.5	8.1	484	1	PANF_HAEIN	P44963	haemophilus
22	239	8.0	549	1	YJCG_ECOLI	P32705	escherichia
23	231	7.8	643	1	SL55_HUMAN	Q92911	homo sapien
24	229.5	7.7	636	1	SL56_RABIT	Q9xt77	oryctolagus
25	226	7.6	571	1	YIDK_ECOLI	P31448	escherichia
26	219.5	7.4	634	1	SL56_RAT	O70247	rattus norv
27	218	7.3	618	1	SL55_RAT	Q63008	rattus norv
28	209	7.0	635	1	SL56_HUMAN	Q9y289	homo sapien
29	206.5	6.9	483	1	PANF_ECOLI	P16256	escherichia
30	198.5	6.7	735	1	DUR3_YEAST	P33413	saccharomyc
31	198	6.7	516	1	YWCA_BACSU	P39599	bacillus su
32	137	4.6	657	1	NU5M_EMENI	P11628	emericella
33	132	4.4	482	1	ARCD_PSEAE	P18275	pseudomonas
34	132	4.4	492	1	YCLF_BACSU	P94408	bacillus su
35	132	4.4	499	1	MVIN_AQUAE	O67658	aquifex aeo
36	131	4.4	570	1	NU5M_PARTE	P15584	paramecium
37	125.5	4.2	499	1	NQOE_PARDE	P29926	paracoccus
38	125	4.2	476	1	YAAJ_ECOLI	P30143	escherichia
39	124.5	4.2	666	1	NU5M_CHOCR	P48920	chondrus cr
40	123	4.1	517	1	QOX1_SULAC	P98004	sulfolobus
41	121	4.1	692	1	NU5C_MARPO	P06264	marchantia
42	120	4.0	687	1	CSTA_HELJPJ	Q9zk47	helicobacte
43	120	4.0	732	1	YLH3_SCHPO	Q9hgq3	schizosacch
44	120	4.0	741	1	YBIO_ECOLI	P75783	escherichia
45	119	4.0	468	1	MLEN_BACSU	P54571	bacillus su

ALIGNMENTS

RESULT 1

SL51_RABIT

ID SL51_RABIT STANDARD; PRT; 662 AA.
AC P11170;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-JUL-1989 (Rel. 11, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE Sodium/glucose cotransporter 1 (Na+)/glucose cotransporter 1)
DE (High affinity sodium-glucose cotransporter).
GN SLC5A1 OR SGLT1.
OS Oryctolagus cuniculus (Rabbit).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX NCBI_TaxID=9986;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=New Zealand white;
RX MEDLINE=88065856; PubMed=2446136;
RA Hediger M.A., Coady M.J., Ikeda T.S., Wright E.M.;
RT "Expression cloning and cDNA sequencing of the Na+/glucose co-
RT transporter."
RL Nature 330:379-381(1987).
RN [2]
RP SEQUENCE FROM N.A.

RC STRAIN=New Zealand white; TISSUE=Kidney cortex;
 RX MEDLINE=91223090; PubMed=2025641;
 RA Morrison A.I., Panayotova-Heiermann M., Feigl G., Schoelermann B.,
 RA Kinne R.K.H.;
 RT "Sequence comparison of the sodium-D-glucose cotransport systems in
 RT rabbit renal and intestinal epithelia.";
 RL Biochim. Biophys. Acta 1089:121-123(1991).
 CC -!- FUNCTION: Actively transports glucose into cells by Na(+) co-
 CC transport with a Na(+) to glucose coupling ratio of 2:1.
 CC -!- FUNCTION: Efficient substrate transport in mammalian kidney is
 CC provided by the concerted action of a low affinity high capacity
 CC and a high affinity low capacity Na(+)/glucose cotransporter
 CC arranged in series along kidney proximal tubules.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- TISSUE SPECIFICITY: Found predominantly in intestine and in outer
 CC renal medulla.
 CC -!- DISEASE: Mutation of Asp-28 is implicated in glucose/galactose
 CC malabsorption.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X06419; CAA29727.1; -.
 DR EMBL; X55355; CAA39040.1; -.
 DR PIR; S00515; A37226.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUTE_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUTE_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUTE_SYMP_3; 1.
 KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
 KW Glycoprotein.
 FT DOMAIN 1 28 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 29 47 POTENTIAL.
 FT DOMAIN 48 64 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 65 85 POTENTIAL.
 FT DOMAIN 86 105 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 106 126 POTENTIAL.
 FT DOMAIN 127 171 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 172 191 POTENTIAL.
 FT DOMAIN 192 208 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 209 229 POTENTIAL.
 FT DOMAIN 230 270 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 271 291 POTENTIAL.
 FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 315 334 POTENTIAL.
 FT DOMAIN 335 423 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 424 443 POTENTIAL.
 FT DOMAIN 444 455 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 456 476 POTENTIAL.

FT	DOMAIN	477	526	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	527	547	POTENTIAL.
FT	DOMAIN	548	640	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	641	661	POTENTIAL.
FT	DOMAIN	662	662	EXTRACELLULAR (POTENTIAL).
FT	CARBOHYD	248	248	N-LINKED (GLCNAC. . .).
FT	SITE	43	43	IMPLICATED IN SODIUM COUPLING
FT				(BY SIMILARITY).
FT	SITE	300	300	IMPLICATED IN SODIUM COUPLING
FT				(BY SIMILARITY).
SQ	SEQUENCE	662 AA; 73079 MW; 03F55A0309CBBE01 CRC64;		

Query Match 10.4%; Score 308.5; DB 1; Length 662;
 Best Local Similarity 23.4%; Pred. No. 2.6e-14;
 Matches 154; Conservative 110; Mismatches 238; Indels 155; Gaps 26;

Qy	11	IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING	70
Db	32	IVIYFLVMAVGLWAMFST-NRGTV---GGFFLAGRSMVWWPIGASLFASNIGSGHFVG	86
Qy	71	TAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSKGYVTMLDPFQQIY-GK	124
Db	87	LA-----GTGAASGIATGGFEWNALIMVVVLGWVFPVIYIRA-GVVTMPEYLQKRFGGK	139
Qy	125	RMGGLLFIPALMGEMFW--AAAFSALGAT-ISVIIDVDMHISVIIISALIATLYTLVGGGL	181
Db	140	RIQIYLSILSLLLYIFTKISADIFS--GAIFIQLTLGLDIYVAIIILLVITGLYTITGGL	197
Qy	182	YSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY-----Q	225
Db	198	AAVIYTDTLQTAIMMVGSVILTGFAPHEVG----GYEAFTEKYMRAIPSQISYGNTSIPQ	253
Qy	226	KPWLGTVDSSSEVYSWLDSFLLMLLGGIPW-----QAYFQRLVSSSSA	267
Db	254	KCYTPREDAFHI-----FRDAITGDIPWPGLVFGMSILTLWYWCTDQVIVQRCLSAKNL	307
Qy	268	TYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDP-----KTTEEADMILP	321
Db	308	SHVKAGCILCGYLKVMFMFLIVMMGMVSRILYTDKVCVVPSECERYCGTRVGCTNIAFP	367
Qy	322	IVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVM	381
Db	368	TLVVELMPNGLRGLMLSVMMASLMSLTSIFNSASTLEFTMDIY-TKIRKKASEKELMIAG	426
Qy	382	RI-TVFVFGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNTYGAV	436
Db	427	RLFMLFLIGISIAWVPIVQSAQSGQLFDYIQSITSYLGPPIAAVFLLAIFWKRVNEPGAF	486
Qy	437	AGYVSGFLRLI-----TG-----GEPYLYLQPLIFYPGYPPDDNGIY	473
Db	487	WGLVLGFLIGISRMITEFAYGTGSCMEPSNCPTIICGVHYLYFAIILF-----	534
Qy	474	NQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAVVA-RHSEENMDKTILV	532
Db	535	-----VISIITVVVVSLETKPI-----PDVHLYRLCWSLRNSKE-----	568
Qy	533	KNENIKLD--ELALVKPRQSMTLSSTFTNKEAF-----LDVDSSPEGSGTED	577

Db 569 --ERIDLDAGEEDIQEAPEEATDTEVPKKKKGGFFRRAYDLFCGLDQDKGPKMTKEEE 623

RESULT 2

SL52_RAT

ID SL52_RAT STANDARD; PRT; 670 AA.
AC P53792;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Sodium/glucose cotransporter 2 (Na+)/glucose cotransporter 2)
DE (Low affinity sodium-glucose cotransporter).
GN SLC5A2 OR SGLT2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Kidney;
RX MEDLINE=96094332; PubMed=7493971;
RA You G., Lee W.-S., Barros E.J.G., Kanai Y., Huo T.-L., Khawaja S.,
RA Wells R.G., Nigam S.K., Hediger M.A.;
RT "Molecular characteristics of Na(+)-coupled glucose transporters in
RT adult and embryonic rat kidney."
RL J. Biol. Chem. 270:29365-29371(1995).
CC -!- FUNCTION: Sodium-dependent glucose transporter. Has a Na+ to
CC glucose coupling ratio of 1:1.
CC -!- FUNCTION: Efficient substrate transport in mammalian kidney is
CC provided by the concerted action of a low affinity high capacity
CC and a high affinity low capacity Na(+)/glucose cotransporter
CC arranged in series along kidney proximal tubules.
CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
CC -!- TISSUE SPECIFICITY: Kidney, in proximal tubule S1 segments.
CC -!- DEVELOPMENTAL STAGE: Appears on embryonic day 17 and gradually
CC increases until day 19. Decreases between day 19 and birth.
CC -!- PTM: GLYCOSYLATED AT A SINGLE SITE.
CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U29881; AAC52325.1; -.
DR InterPro; IPR001734; Na/solut_sympor.
DR Pfam; PF00474; SSF; 1.
DR TIGRFAMs; TIGR00813; sss; 1.
DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
KW Glycoprotein.

RA Laird G.K., Langford C.F., Leversha M.A., Lloyd C., Lloyd D.M.,
 RA Martyn I.D., Mashreghi-Mohammadi M., Matthews L.H., Mccann O.T.,
 RA Mcclay J., McLaren S., McMurray A.A., Milne S.A., Mortimore B.J.,
 RA Odell C.N., Pavitt R., Pearce A.V., Pearson D., Phillimore B.J.C.T.,
 RA Phillips S.H., Plumb R.W., Ramsay H., Ramsey Y., Rogers L., Ross M.T.,
 RA Scott C.E., Sehra H.K., Skuce C.D., Smalley S., Smith M.L.,
 RA Soderlund C., Spragon L., Steward C.A., Sulston J.E., Swann R.M.,
 RA Vaudin M., Wall M., Wallis J.M., Whiteley M.N., Willey D.L.,
 RA Williams L., Williams S.A., Williamson H., Wilmer T.E., Wilming L.,
 RA Wright C.L., Hubbard T., Bentley D.R., Beck S., Rogers J., Shimizu N.,
 RA Minoshima S., Kawasaki K., Sasaki T., Asakawa S., Kudoh J.,
 RA Shintani A., Shibuya K., Yoshizaki Y., Aoki N., Mitsuyama S.,
 RA Roe B.A., Chen F., Chu L., Crabtree J., Deschamps S., Do A., Do T.,
 RA Dorman A., Fang F., Fu Y., Hu P., Hua A., Kenton S., Lai H., Lao H.I.,
 RA Lewis J., Lewis S., Lin S.-P., Loh P., Malaj E., Nguyen T., Pan H.,
 RA Phan S., Qi S., Qian Y., Ray L., Ren Q., Shaul S., Sloan D., Song L.,
 RA Wang Q., Wang Y., Wang Z., White J., Willingham D., Wu H., Yao Z.,
 RA Zhan M., Zhang G., Chissoe S., Murray J., Miller N., Minx P.,
 RA Fulton R., Johnson D., Bemis G., Bentley D., Bradshaw H., Bourne S.,
 RA Cordes M., Du Z., Fulton L., Goela D., Graves T., Hawkins J.,
 RA Hinds K., Kemp K., Latreille P., Layman D., Ozersky P., Rohlfs T.,
 RA Scheet P., Walker C., Wamsley A., Wohldmann P., Pepin K., Nelson J.,
 RA Korf I., Bedell J.A., Hillier L.W., Mardis E., Waterston R.,
 RA Wilson R., Emanuel B.S., Shaikh T., Kurahashi H., Saitta S.,
 RA Budarf M.L., McDermid H.E., Johnson A., Wong A.C.C., Morrow B.E.,
 RA Edelmann L., Kim U.J., Shizuya H., Simon M.I., Dumanski J.P.,
 RA Peyrard M., Kedra D., Seroussi E., Fransson I., Tapia I., Bruder C.E.,
 RA O'Brien K.P., Wilkinson P., Bodenteich A., Hartman K., Hu X.,
 RA Khan A.S., Lane L., Tilahun Y., Wright H.;

RT "The DNA sequence of human chromosome 22.";

RL Nature 402:489-495(1999).

RN [4]

RP VARIANT GGM ASN-28.

RX MEDLINE=91179516; PubMed=2008213;

RA Turk E., Zabel B., Mundlos S., Dyer J., Wright E.M.;

RT "Glucose/galactose malabsorption caused by a defect in the

RT Na⁺/glucose cotransporter.";

RL Nature 350:354-356(1991).

RN [5]

RP VARIANT GGM GLY-28.

RX MEDLINE=94253082; PubMed=8195156;

RA Turk E., Martin M.G., Wright E.M.;

RT "Structure of the human Na⁺/glucose cotransporter gene SGLT1.";

RL J. Biol. Chem. 269:15204-15209(1994).

CC -!- FUNCTION: Actively transports glucose into cells by Na⁺(+)

CC co-transport with a Na⁺(+) to glucose coupling ratio of 2:1.

CC -!- FUNCTION: Efficient substrate transport in mammalian kidney is

CC provided by the concerted action of a low affinity high capacity

CC and a high affinity low capacity Na⁺(+)/glucose cotransporter

CC arranged in series along kidney proximal tubules.

CC -!- SUBCELLULAR LOCATION: Integral membrane protein.

CC -!- TISSUE SPECIFICITY: Expressed mainly in intestine and kidney.

CC -!- DISEASE: Defects in SLC5A1 are the cause of congenital glucose-

CC galactose malabsorption (GGM) [MIM:606824]. GGM is an intestinal

CC monosaccharide transporter deficiency. It is an autosomal

CC recessive disorder manifesting itself within the first weeks of

CC life. It is characterized by severe diarrhea and dehydration which

CC are usually fatal unless glucose and galactose are eliminated from
CC the diet.
CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; L29339; AAB59448.1; -.
DR EMBL; L29328; AAB59448.1; JOINED.
DR EMBL; L29330; AAB59448.1; JOINED.
DR EMBL; L29329; AAB59448.1; JOINED.
DR EMBL; L29331; AAB59448.1; JOINED.
DR EMBL; L29332; AAB59448.1; JOINED.
DR EMBL; L29333; AAB59448.1; JOINED.
DR EMBL; L29334; AAB59448.1; JOINED.
DR EMBL; L29335; AAB59448.1; JOINED.
DR EMBL; L29336; AAB59448.1; JOINED.
DR EMBL; L29337; AAB59448.1; JOINED.
DR EMBL; L29338; AAB59448.1; JOINED.
DR EMBL; M24847; AAA60320.1; -.
DR EMBL; AL022321; -; NOT_ANNOTATED_CDS.
DR EMBL; Z83849; -; NOT_ANNOTATED_CDS.
DR EMBL; Z74021; -; NOT_ANNOTATED_CDS.
DR EMBL; Z80998; -; NOT_ANNOTATED_CDS.
DR EMBL; Z83839; -; NOT_ANNOTATED_CDS.
DR PIR; A33545; A33545.
DR Genew; HGNC:11036; SLC5A1.
DR MIM; 182380; -.
DR MIM; 606824; -.
DR GO; GO:0005887; C:integral to plasma membrane; TAS.
DR InterPro; IPR001734; Na/solut_symport.
DR Pfam; PF00474; SSF; 1.
DR TIGRFAMs; TIGR00813; sss; 1.
DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
KW Glycoprotein; Disease mutation.
FT DOMAIN 1 28 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 29 47 POTENTIAL.
FT DOMAIN 48 64 EXTRACELLULAR (POTENTIAL).
FT TRANSMEM 65 85 POTENTIAL.
FT DOMAIN 86 105 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 106 126 POTENTIAL.
FT DOMAIN 127 171 EXTRACELLULAR (POTENTIAL).
FT TRANSMEM 172 192 POTENTIAL.
FT DOMAIN 193 208 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 209 229 POTENTIAL.
FT DOMAIN 230 270 EXTRACELLULAR (POTENTIAL).
FT TRANSMEM 271 291 POTENTIAL.
FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 315 334 POTENTIAL.

FT	DOMAIN	335	423	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	424	443	POTENTIAL.
FT	DOMAIN	444	455	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	456	476	POTENTIAL.
FT	DOMAIN	477	526	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	527	547	POTENTIAL.
FT	DOMAIN	548	642	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	643	663	POTENTIAL.
FT	CARBOHYD	248	248	N-LINKED (GLCNAC. . .) (BY SIMILARITY).
FT	VARIANT	28	28	D -> G (IN GGM).
FT				/FTid=VAR_013630.
FT	VARIANT	28	28	D -> N (IN GGM).
FT				/FTid=VAR_007168.
SQ	SEQUENCE	664 AA;	73497 MW;	2B403376595EAB74 CRC64;

Query Match 10.3%; Score 306; DB 1; Length 664;
 Best Local Similarity 22.8%; Pred. No. 4e-14;
 Matches 148; Conservative 104; Mismatches 218; Indels 178; Gaps 30;

Qy	11	IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING	70
		:: :: :: : : : : : :	
Db	32	IVIIYFVVVMAVGLWAMFST-NRGTV----GGFFLAGRSMVWWPIGASLFASNIGSGHFVG	86
Qy	71	TAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSK-GYVTMLDPFQQIYGK	124
		: : : :	
Db	87	LA-----GTGAASGIAIGGFEWNAVLVLVVLGWLFF--PIYIKAGVVTM----PEYLRK	134
Qy	125	RMGG-----LLFIPALMGEMFWAAAFSALGATISVIIDVDMHISVIISALIA	172
		: : : : : :	
Db	135	RFGGQRIQVYLSLLSLLLYIFTKISADIFSGAIF-----INLALGLNLILAIFLLLAIT	188
Qy	173	TLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQK--PWL-	229
		: : : : : :	
Db	189	ALYTTITGGLAAVIYTDTLQTVIMLVGSLILTGFAPHEVG----GYDAFMEKYMKAIPTIV	244
Qy	230	---GTVDSSEVYS-WLDSFLLL---MLGGIPW-----QAYFQRVLSS	264
		: : : : :	
Db	245	SDGNTTFQEKCYTPRADSFHIFRDPLTGDLPWPGFIFGMSILTLWYWCTDQVIVQRCLSA	304
Qy	265	SSATYAQ----VLSFLAAGCLVMAIPAIL-----IGAI-----GASTDWNQT	303
		: : : : : : : : : : :	
Db	305	KNMSHVKGGCILCGYLKLMPMFIMVMPGMISRILYTEKIACVVPSECEKYCGTKVGCTNI	364
Qy	304	AYGLPDPKTTTEADMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNI	363
		: : : : : :	
Db	365	AY-----PTLVVELMPNGLRGLMLSVMLASLMSSLTSIFNSASTLFTMDI	409
Qy	364	YQLSFRQNASDKEIVVMRITVVFV-FGASATAMALLTKTVYG--LWYLSSDLVYI--VIF	418
		: : : : : : : : : :	
Db	410	Y-AKVRKRASEKELMIAGRLFILVLIGISIAWVPIVQSAQSGQLFDYIQSITSYLGPPIA	468
Qy	419	PQLLCVLFVKGTNTYGAAGYVSGFLRLI-----TG-----GEPYLY	455
		: : :	
Db	469	AVFLLAIFWKRVNEPGAFAWGLILGLLIGISRMITEFAYGTGSCMEPSNCPTIICGVHYLY	528
Qy	456	LQPLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFD	515
		: : : : : : :	

Db 529 FAIILF-----AISFITIVVISLLTKPI-----PDVHLYR 558

Qy 516 AV--VARHSEENMDKTILVKENIKLDELALVKPRQSMTLSSSTFTNKE 561
: || :| : : |||: |::: : : |:

Db 559 LCWSLRNSKEERID--LDAEEENIQ-----EGPKETIEIETQVPEKK 598

RESULT 4

SL51_RAT

ID SL51_RAT STANDARD; PRT; 665 AA.

AC P53790; P97787;

DT 01-OCT-1996 (Rel. 34, Created)

DT 01-OCT-1996 (Rel. 34, Last sequence update)

DT 10-OCT-2003 (Rel. 42, Last annotation update)

DE Sodium/glucose cotransporter 1 (Na+)/glucose cotransporter 1)

DE (High affinity sodium-glucose cotransporter).

GN SLC5A1 OR SGLT1.

OS Rattus norvegicus (Rat).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.

OX NCBI_TaxID=10116;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=Sprague-Dawley; TISSUE=Kidney;

RX MEDLINE=94216314; PubMed=8163506;

RA Lee W.S., Kanai Y., Wells R.G., Hediger M.A.;

RT "The high affinity Na+/glucose cotransporter. Re-evaluation of

RT function and distribution of expression.";

RL J. Biol. Chem. 269:12032-12039(1994).

RN [2]

RP SEQUENCE FROM N.A.

RA Kasahara M., Mori K.;

RL Submitted (MAY-1993) to the EMBL/GenBank/DDBJ databases.

RN [3]

RP SEQUENCE FROM N.A.

RC STRAIN=Sprague-Dawley; TISSUE=Jejunum;

RA Aoshima H., Yokoyama T., Tanizaki J., Izu H., Yamada M.;

RT "The sugar specificity of Na/glucose cotransporter from rat jejunum.";

RL Submitted (JAN-1997) to the EMBL/GenBank/DDBJ databases.

CC -!- FUNCTION: Actively transports glucose into cells by Na(+) co-

CC transport with a Na(+) to glucose coupling ratio of 2:1.

CC -!- FUNCTION: Efficient substrate transport in mammalian kidney is

CC provided by the concerted action of a low affinity high capacity

CC and a high affinity low capacity Na(+)/glucose cotransporter

CC arranged in series along kidney proximal tubules.

CC -!- SUBCELLULAR LOCATION: Integral membrane protein.

CC -!- DEVELOPMENTAL STAGE: Appears on embryonic day 18 and gradually

CC increases until birth.

CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

```

CC -----
DR   EMBL; U03120; AAA19015.1; -.
DR   EMBL; D16101; BAA03676.1; -.
DR   EMBL; AB000729; BAA19172.1; -.
DR   PIR; A53582; A53582.
DR   InterPro; IPR001734; Na/solut_sympoort.
DR   Pfam; PF00474; SSF; 1.
DR   TIGRFAMs; TIGR00813; sss; 1.
DR   PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
DR   PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
DR   PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
KW   Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
KW   Glycoprotein.
FT   DOMAIN      1      28      CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM    29      47      POTENTIAL.
FT   DOMAIN      48      64      EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM    65      85      POTENTIAL.
FT   DOMAIN      86     105      CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   106     126      POTENTIAL.
FT   DOMAIN     127     171      EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   172     192      POTENTIAL.
FT   DOMAIN     193     208      CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   209     229      POTENTIAL.
FT   DOMAIN     230     270      EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   271     291      POTENTIAL.
FT   DOMAIN     292     314      CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   315     334      POTENTIAL.
FT   DOMAIN     335     423      EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   424     443      POTENTIAL.
FT   DOMAIN     444     455      CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   456     476      POTENTIAL.
FT   DOMAIN     477     526      EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   527     547      POTENTIAL.
FT   DOMAIN     548     643      CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   644     664      POTENTIAL.
FT   CARBOHYD    248     248      N-LINKED (GLCNAC. . .) (POTENTIAL).
FT   CONFLICT    354     354      Y -> H (IN REF. 3).
SQ   SEQUENCE    665 AA;  73066 MW;  A92038D964BFF061 CRC64;

```

```

Query Match          10.3%;  Score 306;  DB 1;  Length 665;
Best Local Similarity 23.5%;  Pred. No. 4e-14;
Matches 155;  Conservative 105;  Mismatches 242;  Indels 158;  Gaps 29;

```

```

Qy      11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING 70
      |:::|:::|::|::|::|::|::|::|::|::|::|::|::|::|::|::|::|::|
Db      32 IVIYFVVVMAVGLWAMEST-NRGTV----GGFFLAGRSMVWVPIGASLFASNIGSGHFVG 86

Qy      71 TAEAVYVPGYGLAWAQAPIGYSLS-----LILGGLFFAKPMRSK-GYVTMLDPFQQIYGK 124
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db      87 LA-----GTGAAAGIAMGGFEWNALVFVVVLGWLFLV--PIYIKAGVVMTM----PEYLRK 134

Qy     125 RMGG-----LLFIPALMGEMFWAAAIFSA LGATISVIIDVDMHISVIISALIA 172
      | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
Db     135 RFGGKRIQIYLSVLSLLLYIFTKISADIFSGAIF-----INLALGLDIYLAIFILLAIT 188

Qy     173 TLYTLVGGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQK--PWL- 229
      |||: |||: | |||: | | | | | | | | | | | | | | | | | |

```


RA Wright E.M.;
 RT "SAAT1 is a low affinity Na⁺/glucose cotransporter and not an amino
 RT acid transporter. A reinterpretation."
 RL J. Biol. Chem. 269:22488-22491(1994).
 CC -!- FUNCTION: Sodium-dependent glucose transporter. Has a Na⁺ to
 CC glucose coupling ratio of 1:1.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- TISSUE SPECIFICITY: KIDNEY, INTESTINE, LIVER, SKELETAL MUSCLE,
 CC AND SPLEEN.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -!- CAUTION: Was originally (Ref.1) thought to be a sodium/neutral
 CC amino acid cotransporter (system a neutral amino acid transporter)
 CC responsible for the sodium-dependent intake of neutral amino acids
 CC such as alanine, glycine, serine, cysteine, and proline.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; L02900; AAC37325.1; -.
 DR PIR; A44432; A44432.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
 KW Glycoprotein.
 FT DOMAIN 1 28 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 29 47 POTENTIAL.
 FT DOMAIN 48 64 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 65 85 POTENTIAL.
 FT DOMAIN 86 105 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 106 126 POTENTIAL.
 FT DOMAIN 127 171 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 172 191 POTENTIAL.
 FT DOMAIN 192 208 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 209 229 POTENTIAL.
 FT DOMAIN 230 270 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 271 291 POTENTIAL.
 FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 315 334 POTENTIAL.
 FT DOMAIN 335 423 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 424 443 POTENTIAL.
 FT DOMAIN 444 455 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 456 476 POTENTIAL.
 FT DOMAIN 477 526 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 527 547 POTENTIAL.
 FT DOMAIN 548 638 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 639 659 POTENTIAL.
 FT CARBOHYD 248 248 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 660 AA; 72745 MW; 38616367F8F18F1A CRC64;

Query Match 10.2%; Score 303.5; DB 1; Length 660;
 Best Local Similarity 23.2%; Pred. No. 5.9e-14;
 Matches 141; Conservative 103; Mismatches 230; Indels 135; Gaps 26;

```

Qy      11 IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING 70
      |:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|:::|
Db      32 IVIYFVVMMAVGLWAMLRT-NRGTV----GGFFLAGRDVTWWPMGASLFASNIGSGHFVG 86

Qy      71 TAEAVYVPGYGLA---WAQAPIGYSLSLILGGLFFAKPMRSKGYVTMLDPFQQIY-GKRM 126
      | | | | | : | | | | | : | | | | | : | | | | | : | | | | |
Db      87 LAGTGAASGIAIAAFEW-----NALLLLLVLGWFFVPIYIKAGVMTMPEYLRKRFGGKRL 141

Qy     127 GGLLFIPAL-----MGEMFWAAAI FSALGATISVIIDVDMHISVIISALIATLYTLVG 179
      | | | | | : | | | | | : | | | | | : | | | | | : | | | | |
Db     142 QIYLSILSLFICVALRISSDIFSGAIF-----IKLALGLDLYLAIFSLLAITAIYTTITG 195

Qy     180 GLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQK--PWLGTVD---- 233
      || || || | : | : | : | : | | | | | : | : | | | : | | |
Db     196 GLASVIYTDTLQTIIMLIGSFILMGFAF---VEYGGYESFTEKYMNAIPTIVEGDNLTI 251

Qy     234 SSEVYS-WLDSFLLL---MLGGIPW-----QAYFQRLSSSSATYAQ 271
      | : | : | | | : | : | | | | | | | | | | | : | : |
Db     252 SPKCYTPQGDSEFHIRDAVTGDI PWPGMIFGMTVVAAWYWCTDQVIVQRCLSGKDMSHVK 311

Qy     272 VLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYGLEDPKT----TEE--ADMILPIVLQ 325
      : : | : | : | | | : | : | | | | | : | : | : |
Db     312 AACIMCGYLKLLPMLMMPGMISRI LYTEKVACVVPSECVKHCGTEVGCSNYAYPLLVM 371

Qy     326 YLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEIVWVRITV 385
      | | : | | : | : | | | | | | | : | | | : | | | : |
Db     372 ELMPSGLRGLMLSVMLASLMSSLTSIFNSASTLFTMDLY-TKIRKQASEKELLIAGRLFI 430

Qy     386 FVFGASATAMALLTKTVYG---LWYLSSDLVYI--VIFPQLLCVLFVKGTNTYGA----V 436
      : : | : | : | | | : | | | : | | | | | : | : |
Db     431 ILLIVISIVWVPLVQVAQNQLFHYIESISSYLGPPIAAVFLLAIFCKRVNEQGAFWGLI 490

Qy     437 AGYVSGL-----FLRITG-----GEPYLYLQPLIFYPGYYPDDNGIYNQKF 477
      | : | | | | : | | | | | | | | | : | : |
Db     491 IGFVMGLIRMIAEFVYGTGSCLAASNCPQIICGVHYLYFALILFF----- 535

Qy     478 PFKTLAMVTISFLTNICISYLAK-----YLFE-----SGTLPPKLDVFDVAVVARH----- 521
      | | : | | | | : | : | : | : | | | | |
Db     536 -----VSILVVLAISLLTKPIPDVHLYRLCWALRNSTEERIDL-DAEEKRHEEAHDG 586

Qy     522 -SEENMDKT 529
      | : | : |
Db     587 VDEDNPEET 595
  
```

RESULT 6

SL52_RABIT

ID SL52_RABIT STANDARD; PRT; 672 AA.

AC P26430;

DT 01-AUG-1992 (Rel. 23, Created)

DT 01-AUG-1992 (Rel. 23, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)

DE Sodium/nucleoside cotransporter (Na(+)/nucleoside cotransporter).
 GN SLC5A2 OR SNST1.
 OS Oryctolagus cuniculus (Rabbit).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
 OX NCBI_TaxID=9986;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Kidney;
 RX MEDLINE=92156077; PubMed=1740408;
 RA Pajor A.M., Wright E.M.;
 RT "Cloning and functional expression of a mammalian Na⁺/nucleoside
 RT cotransporter. A member of the SGLT family."
 RL J. Biol. Chem. 267:3557-3560(1992).
 CC -!- FUNCTION: Actively transports uridine into cells by Na⁺
 CC co-transport. May play a role in reabsorption of nucleosides from
 CC glomerular filtrate by the proximal tubule in kidney, and in the
 CC regulation of cardiac contractility by adenosine.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- TISSUE SPECIFICITY: More abundant in heart than in kidney, where
 CC it is absent from the outer cortex.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M84020; AAA31421.1; -.
 DR PIR; A42251; A42251.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Transmembrane; Sodium transport; Symport; Glycoprotein.
 FT DOMAIN 1 25 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 26 44 POTENTIAL.
 FT DOMAIN 45 61 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 62 82 POTENTIAL.
 FT DOMAIN 83 102 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 103 123 POTENTIAL.
 FT DOMAIN 124 168 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 169 188 POTENTIAL.
 FT DOMAIN 189 205 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 206 226 POTENTIAL.
 FT DOMAIN 227 270 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 271 291 POTENTIAL.
 FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 315 334 POTENTIAL.
 FT DOMAIN 335 422 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 423 442 POTENTIAL.
 FT DOMAIN 443 454 CYTOPLASMIC (POTENTIAL).

FT	TRANSMEM	455	475	POTENTIAL.
FT	DOMAIN	476	525	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	526	546	POTENTIAL.
FT	DOMAIN	547	650	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	651	671	POTENTIAL.
FT	CARBOHYD	250	250	N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ	SEQUENCE	672 AA;	73161 MW;	E2D987B03B9C57B4 CRC64;

Qy	9	IAII-VFYLLILLVGIWAARWRTKNSGSAERSEAIIVGGRDIGLLVGGFTMTATWVG	67
Db	26	IAVIAAYFLLVIGVGLWSMCRN-NGRTV---GGYFLAGRSMVWVPGASLFASNIGSGH	80
Qy	68	INGTAEAVYVPGYGLAWAQAPIGYSLS----LILGGLFFAKPMRSKGYVTMLDPFQQIYG	123
Db	81	FVGLA-----GTGAANGLAVAGFEWNALFVVLALLGWLFLAPVYLTAGVITM----PQYLR	130
Qy	124	KRMGG-----LLFIPALMGEMFWAAAI--SALGATISVIIDVDMHISVIISA	169
Db	131	KRFGGHRIRLYLSVLSLFLYIFTKISVDMFSGAVFIQQALGWN-----YASVIAL	182
Qy	170	LIATLYTLVGGGLYSVAYTDVVLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY-----	224
Db	183	GITMVYTVTGGLAALMYTDTVTQTFVIIAGAFILTGYAFHEVG----GYSGLFDKYMAMT	238
Qy	225	-----QKPWLGTVDSSSEVYSWLDSFLLL--MLGGIPW-----QAYF	258
Db	239	SLTVSEDPVAGNISSSCYRPRPDSYHLLRDPVTGDLWPALLLGLTIVSGWYWCSDQVIV	298
Qy	259	QRVLSSSSATYAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLPDPKT----TE	314
Db	299	QRCLAGRNLTHIKAGCILCGYLKLTMPFLMVMPGMISRILYPDEVACVAPEVCKRVC	358
Qy	315	E--ADMILPIVLQYLCPVYISFFGLGAVSAAMVSSADSSILSASSMFARNIYQLSFRQNA	372
Db	359	VGCSNIAYPRLVVKLMPNGLRGLMLAVMLAALMSSLASIFNSSSTLFTMDIYTL--RPRA	416
Qy	373	SDKEIVVMRITVVFVFGASATAMALLTKTVYG---LWYLSSDLVYIV--IFPQLLCVLFV	427
Db	417	GEGELLLVGRLLWVVFIVAVSVAWLPVVQAAQGGQLFDYIQSVSSYLAPPVSAVFVVALFV	476
Qy	428	KGTNTYGAVAGYVSGFLFRITGGEPLYLQPLIFYPGYYPDDNGIYNQKFPFKTLAMV--	485
Db	477	PRVNEKGAFWGLIGGLLMGLARLIP-----EFSFGTGSCVRP	513
Qy	486	---TSFLTNICISYLAKYLFE-SG-----TLP-PKLDVFDVAVVA-RHSEENMDKTI	530
Db	514	SACPAFLCRVHYLYFAIVLFFCSGLLIIIVSLCTAPIPRKHLHRLVFSLRHSKE-----	567
Qy	531	LVKNENIKLDEL	542
Db	568	--EREDLDDEL	577

RESULT 7

SL54_HUMAN

ID SL54_HUMAN STANDARD; PRT; 659 AA.
AC Q9NY91; O15279;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Low affinity sodium-glucose cotransporter (Sodium/glucose
DE cotransporter 3) (Na(+)/glucose cotransporter 3).
GN SLC5A4 OR SAAT1 OR SGLT2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Small intestine;
RA Gorboulev V., Baumgarten K., Veyhl M., Koepsell H.;
RT "The molecular cloning and functional characterization of the human
RT SGLT2 transporter.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DDBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=20057165; PubMed=10591208;
RA Dunham I., Hunt A.R., Collins J.E., Bruskiewich R., Beare D.M.,
RA Clamp M., Smink L.J., Ainscough R., Almeida J.P., Babbage A.K.,
RA Bagguley C., Bailey J., Barlow K.F., Bates K.N., Beasley O.P.,
RA Bird C.P., Blakey S.E., Bridgeman A.M., Buck D., Burgess J.,
RA Burrill W.D., Burton J., Carder C., Carter N.P., Chen Y., Clark G.,
RA Clegg S.M., Cobley V.E., Cole C.G., Collier R.E., Connor R.,
RA Conroy D., Corby N.R., Coville G.J., Cox A.V., Davis J., Dawson E.,
RA Dhami P.D., Dockree C., Dodsworth S.J., Durbin R.M., Ellington A.G.,
RA Evans K.L., Fey J.M., Fleming K., French L., Garner A.A.,
RA Gilbert J.G.R., Goward M.E., Grafham D.V., Griffiths M.N.D., Hall C.,
RA Hall R.E., Hall-Tamlyn G., Heathcott R.W., Ho S., Holmes S.,
RA Hunt S.E., Jones M.C., Kershaw J., Kimberley A.M., King A.,
RA Laird G.K., Langford C.F., Leversha M.A., Lloyd C., Lloyd D.M.,
RA Martyn I.D., Mashreghi-Mohammadi M., Matthews L.H., Mccann O.T.,
RA McClay J., McLaren S., McMurray A.A., Milne S.A., Mortimore B.J.,
RA Odell C.N., Pavitt R., Pearce A.V., Pearson D., Phillimore B.J.C.T.,
RA Phillips S.H., Plumb R.W., Ramsay H., Ramsey Y., Rogers L., Ross M.T.,
RA Scott C.E., Sehra H.K., Skuce C.D., Smalley S., Smith M.L.,
RA Soderlund C., Spragon L., Steward C.A., Sulston J.E., Swann R.M.,
RA Vaudin M., Wall M., Wallis J.M., Whiteley M.N., Willey D.L.,
RA Williams L., Williams S.A., Williamson H., Wilmer T.E., Wilming L.,
RA Wright C.L., Hubbard T., Bentley D.R., Beck S., Rogers J., Skimizu N.,
RA Minoshima S., Kawasaki K., Sasaki T., Asakawa S., Kudoh J.,
RA Shintani A., Shibuya K., Yoshizaki Y., Aoki N., Mitsuyama S.,
RA Roe B.A., Chen F., Chu L., Crabtree J., Deschamps S., Do A., Do T.,
RA Dorman A., Fang F., Fu Y., Hu P., Hua A., Kenton S., Lai H., Lao H.I.,
RA Lewis J., Lewis S., Lin S.-P., Loh P., Malaj E., Nguyen T., Pan H.,
RA Phan S., Qi S., Qian Y., Ray L., Ren Q., Shaull S., Sloan D., Song L.,
RA Wang Q., Wang Y., Wang Z., White J., Willingham D., Wu H., Yao Z.,
RA Zhan M., Zhang G., Chissoe S., Murray J., Miller N., Minx P.,
RA Fulton R., Johnson D., Bemis G., Bentley D., Bradshaw H., Bourne S.,
RA Cordes M., Du Z., Fulton L., Goela D., Graves T., Hawkins J.,
RA Hinds K., Kemp K., Latreille P., Layman D., Ozersky P., Rohlffing T.,

RA Scheet P., Walker C., Wamsley A., Wohldmann P., Pepin K., Nelson J.,
 RA Korf I., Bedell J.A., Hillier L.W., Mardis E., Waterston R.,
 RA Wilson R., Emanuel B.S., Shaikh T., Kurahashi H., Saitta S.,
 RA Budarf M.L., McDermid H.E., Johnson A., Wong A.C.C., Morrow B.E.,
 RA Edelman L., Kim U.J., Shizuya H., Simon M.I., Dumanski J.P.,
 RA Peyrard M., Kedra D., Seroussi E., Fransson I., Tapia I., Bruder C.E.,
 RA O'Brien K.P., Wilkinson P., Bodenteich A., Hartman K., Hu X.,
 RA Khan A.S., Lane L., Tilahun Y., Wright H.;
 RT "The DNA sequence of human chromosome 22.";
 RL Nature 402:489-495(1999).
 RN [3]
 RP SEQUENCE OF 73-247 FROM N.A.
 RC TISSUE=Brain;
 RA Poppe R., Koepsell H.;
 RL Submitted (DEC-1995) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: Sodium-dependent glucose transporter (By similarity).
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AJ133127; CAB81772.1; -.
 DR EMBL; AL008723; CAB51758.1; -.
 DR EMBL; U41897; AAB61732.1; -.
 DR Genew; HGNC:11039; SLC5A4.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
 KW Glycoprotein.
 FT DOMAIN 1 28 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 29 47 POTENTIAL.
 FT DOMAIN 48 64 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 65 85 POTENTIAL.
 FT DOMAIN 86 105 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 106 126 POTENTIAL.
 FT DOMAIN 127 171 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 172 191 POTENTIAL.
 FT DOMAIN 192 208 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 209 229 POTENTIAL.
 FT DOMAIN 230 270 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 271 291 POTENTIAL.
 FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 315 334 POTENTIAL.
 FT DOMAIN 335 423 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 424 443 POTENTIAL.
 FT DOMAIN 444 455 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 456 476 POTENTIAL.

FT	DOMAIN	477	526	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	527	547	POTENTIAL.
FT	DOMAIN	548	637	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	638	658	POTENTIAL.
FT	CARBOHYD	248	248	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	CONFLICT	76	76	A -> V (IN REF. 3).
FT	CONFLICT	106	106	S -> P (IN REF. 3).
FT	CONFLICT	243	243	V -> I (IN REF. 3).
SQ	SEQUENCE	659 AA; 72455 MW; F8A34AED648B523A CRC64;		

Query Match 9.9%; Score 294; DB 1; Length 659;
 Best Local Similarity 22.5%; Pred. No. 2.7e-13;
 Matches 135; Conservative 97; Mismatches 225; Indels 144; Gaps 22;

Qy	11	IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGYING	70
		::: ::: : : : : : :: : :	
Db	32	IVIYFLVMAVGLWAMLKT-NRGTI----GGFFLAGRDMAWWPMGASLFASNIGSNHYVG	86
Qy	71	TAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSKGYVTMLDPFQQIYGKR	125
		: : : : :: : :	
Db	87	LA-----GTGAASGVATVTFEWTSSVMLLILGWIFVPIYIKS-GVMTM----PEYLKKR	135
Qy	126	MGG-----LLFIPALMGEMFWAAAI FSALGATISVIIDVDMHISVIISALIAT	173
		: : : : : : : : : :	
Db	136	FGGERLQVYLSILSLFICVLLISADIFAGAIF-----IKLALGLDLYLAIFILLAMTA	189
Qy	174	LYTLVGGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVD	233
		: : : : : : : :	
Db	190	VYTTTGGLASVIYTDTLQTIIMLIGSFILMGFAFNEVG----GYESFTEKYVNATPSVVE	245
Qy	234	-----SSEVYS-WLDSFLLL---MLGGIPW-----QAYFQRVLSSS	265
		: : : :	
Db	246	GDNLTISASCYTPRADSFHIFRDAVTGDIPWPGIIFGMPITALWYWCTNQVIVQRCLCGK	305
Qy	266	SATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYGLP-----DPKTTTEEA	316
		: : : : : : : : : :	
Db	306	DMSHVKAACIMCAYLKLPMFLMVMPGMISRILYTDVMVACVVPSECVKHCGVDVGCTNYA	365
Qy	317	DMILPIVLQYLCPVYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKE	376
		: : : : : : : :	
Db	366	---YPTMVLELMPQGLRGLMLSVMLASLMSLTSIFNSASTLFTIDLY-TKMRKQASEKE	421
Qy	377	IVWVMRITVFVFGASATAMALLTKTVYG---LWYLSSDLVYI--VIFPQLLCVLFVKGTN	431
		: : : : : : : : :	
Db	422	LLIAGRIFVLLLTVVSVVWVPLVQVSQNGQLIHYTESISSYLGPPIAAVFVLAIFCKRVN	481
Qy	432	TYGAVAGYVSGLEFL-----RITGGEPYLYLQPLIFYPGYYPD	468
		: : : : :	
Db	482	EQGAFWGLMVGLAMGLIRMITEFAYGTGSCLAPSNCPKIICGVHYLYFSIVLFF-----	535
Qy	469	DNGIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDA--VVARHSEENM	526
		: : : : : :	
Db	536	-----GSMLVTLGISLLTKPI-----PDVHLYRLCWVLRNSTEERI	571
Qy	527	D 527	
Db	572	D 572	

RESULT 8

SL51_SHEEP

ID SL51_SHEEP STANDARD; PRT; 664 AA.
AC P53791;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Sodium/glucose cotransporter 1 (Na+)/glucose cotransporter 1)
DE (High affinity sodium-glucose cotransporter).
GN SLC5A1 OR SGLT1.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Jejunal mucosa;
RX MEDLINE=96077158; PubMed=7492327;
RA Tarpey P., Wood I.S., Shirazi-Beechey S.P., Beechey R.B.;
RT "Amino acid sequence and the cellular location of the Na(+)-dependent
RT D-glucose symporters (SGLT1) in the ovine enterocyte and the parotid
RT acinar cell.";
RL Biochem. J. 312:293-300(1995).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Mammary gland;
RX MEDLINE=98050042; PubMed=9388688;
RA Shillingford J.M., Wood I.S., Shennan D.B., Shirazi-Beechey S.P.,
RA Beechey R.B.;
RT "Determination of the sequence of a mRNA from lactating sheep mammary
RT gland that encodes a protein identical to the Na(+)-dependent glucose
RT transporter (SGLT1).";
RL Biochem. Soc. Trans. 25:467-467(1997).
CC -!- FUNCTION: Actively transports glucose into cells by Na(+) co-
CC transport with a Na(+) to glucose coupling ratio of 2:1.
CC -!- FUNCTION: Efficient substrate transport in mammalian kidney is
CC provided by the concerted action of a low affinity high capacity
CC and a high affinity low capacity Na(+)/glucose cotransporter
CC arranged in series along kidney proximal tubules.
CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X82411; CAA57809.1; -.
DR EMBL; X82410; CAA57808.1; -.
DR EMBL; AJ001026; CAA04483.1; -.
DR PIR; S59637; S59637.

DR InterPro; IPR001734; Na/solut_sympoort.
DR Pfam; PF00474; SSF; 1.
DR TIGRFAMs; TIGR00813; sss; 1.
DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
KW Glycoprotein.

FT	DOMAIN	1	28	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	29	47	POTENTIAL.
FT	DOMAIN	48	64	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	65	85	POTENTIAL.
FT	DOMAIN	86	105	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	106	126	POTENTIAL.
FT	DOMAIN	127	171	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	172	192	POTENTIAL.
FT	DOMAIN	193	208	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	209	229	POTENTIAL.
FT	DOMAIN	230	270	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	271	291	POTENTIAL.
FT	DOMAIN	292	314	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	315	334	POTENTIAL.
FT	DOMAIN	335	423	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	424	443	POTENTIAL.
FT	DOMAIN	444	455	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	456	476	POTENTIAL.
FT	DOMAIN	477	526	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	527	547	POTENTIAL.
FT	DOMAIN	548	642	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	643	663	POTENTIAL.
FT	CARBOHYD	248	248	N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ	SEQUENCE	664 AA;	73178 MW;	820AC019B5C93987 CRC64;

Query Match 9.9%; Score 294; DB 1; Length 664;
Best Local Similarity 23.9%; Pred. No. 2.8e-13;
Matches 127; Conservative 93; Mismatches 202; Indels 110; Gaps 23;

Qy	11	IIVFYLLILLVGIWAAWRKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY---	67
Db	32	IVIYFVVVMAVGLWAMFST-NRGTV----GGFFLAGRSMVWWPIGASLFASNIGSGHFVG	86
Qy	68	INGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSK-GYVTMLDPFQQIYGKRM	126
Db	87	LAGTGAAAGIATGGFEWN----ALILVVLGWFV--PIYIKAGVVTM----PEYLRKRF	136
Qy	127	GG-----LLFIPALMGEMFWAAAIIFSALGATISVIIDVDMHISVIISALIATL	174
Db	137	GGQRIQVYLSVLSVLVLYIFTKISADIFSGAIF-----INLALGLDLYLAIFILLAITAL	190
Qy	175	YTLVGGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVDS	234
Db	191	YTITGGLAAVIYTDTLQTVIMLLGSFILTGFAPHEVG----GYSAFVTKYMNA-IPTVTS	245
Qy	235	-----SEVYS-WLDSFLLL---MLGGIPW-----QAYFQRLSSS	265
Db	246	YGNTTVKKECYTPRADSFHIFRDPLKGDLPWPGLIFGLTIISLWYWCTDQVIVQRCLSAK	305

Qy 266 SATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQTAYGLPDPKTTEE-----AD 317
 : : : : : | : : | : : | : : : :
 Db 306 NMHSVKGACIMCGYMKLLPMLVMPGMISRILFTEKVACTV--PSECEKYCGTKVGCTN 363
 Qy 318 MILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNASDKEI 377
 : | : : | | : | : | : | | | : | : | : | : | :
 Db 364 IAYPTLVVELMPNGLRGLMLSVMLASLMSSITSIFNSASTLFTMDIY-TKIRKKASEKEL 422
 Qy 378 VVVMRITVFV-FGASATAMALLTKTVYG--LWYLSSDLVYI--VIFPQLLCVLFVKGTNT 432
 : | : : | | : : : | : | : | : | : | : | :
 Db 423 MIAGRLEMLVLIGVSIWVPIVQSAQSGQLFDYIQSITSYLGPPIAAVFLLAIFCKRVNE 482
 Qy 433 YGAVAGYVSGFLFLRI-----TG-----GEPYLYLQPLIF 461
 | | | : | : : | | | | : | : | :
 Db 483 PGAFWGLIIGFLIGVSRMITEFAYGTGSCMEPSNCPTIICGVHYLYFAILF 534

RESULT 9

SGLT_VIBPA

ID SGLT_VIBPA STANDARD; PRT; 543 AA.
 AC P96169;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Sodium/glucose cotransporter (Na+)/glucose symporter).
 GN SGLT.
 OS Vibrio parahaemolyticus.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Vibrionales;
 OC Vibrionaceae; Vibrio.
 OX NCBI_TaxID=670;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=AQ3334;
 RX MEDLINE=96248401; PubMed=8652595;
 RA Sarker R.I., Okabe Y., Tsuda M., Tsuchiya T.;
 RT "Sequence of a Na+/glucose symporter gene and its flanking regions of
 RT Vibrio parahaemolyticus.";
 RL Biochim. Biophys. Acta 1281:1-4(1996).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20400508; PubMed=10835424;
 RA Turk E., Kim O., Le Coutre J., Whitelegge J.P., Eskandari S.,
 RA Lam J.T., Kreman M., Zampighi G., Faull K.F., Wright E.M.;
 RT "Molecular characterization of Vibrio parahaemolyticus vSGLT: a model
 RT for sodium-coupled sugar cotransporters.";
 RL J. Biol. Chem. 275:25711-25716(2000).
 RN [3]
 RP MASS SPECTROMETRY OF FORMYLATED FORM, AND REVISIONS TO N-TERMINUS.
 RX MEDLINE=20222957; PubMed=10757971;
 RA le Coutre J., Whitelegge J.P., Gross A., Turk E., Wright E.M.,
 RA Kaback H.R., Faull K.F.;
 RT "Proteomics on full-length membrane proteins using mass
 RT spectrometry.";
 RL Biochemistry 39:4237-4242(2000).
 CC -!- FUNCTION: ACTIVELY TRANSPORTS GLUCOSE INTO CELLS BY NA(+) CO-
 CC TRANSPORT (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.

```

CC  -!- MASS SPECTROMETRY: MW=60680; METHOD=Electrospray.
CC  -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
DR  EMBL; D78137; BAA11215.1; ALT_FRAME.
DR  EMBL; AF255301; AAF80602.1; -.
DR  InterPro; IPR001734; Na/solut_symport.
DR  Pfam; PF00474; SSF; 1.
DR  TIGRFAMs; TIGR00813; sss; 1.
DR  PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
DR  PROSITE; PS00457; NA_SOLUT_SYMP_2; FALSE_NEG.
DR  PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
KW  Transport; Sugar transport; Transmembrane; Sodium transport; Symport.
FT  TRANSMEM      10      30      POTENTIAL.
FT  TRANSMEM      45      65      POTENTIAL.
FT  TRANSMEM      79      99      POTENTIAL.
FT  TRANSMEM     129     149      POTENTIAL.
FT  TRANSMEM     156     176      POTENTIAL.
FT  TRANSMEM     193     213      POTENTIAL.
FT  TRANSMEM     246     266      POTENTIAL.
FT  TRANSMEM     287     307      POTENTIAL.
FT  TRANSMEM     345     365      POTENTIAL.
FT  TRANSMEM     401     421      POTENTIAL.
FT  TRANSMEM     427     447      POTENTIAL.
FT  TRANSMEM     455     475      POTENTIAL.
FT  TRANSMEM     483     503      POTENTIAL.
FT  TRANSMEM     523     543      POTENTIAL.
SQ  SEQUENCE      543 AA;  58874 MW;  61BE3F7E380BC32C CRC64;

```

```

Query Match          9.9%;  Score 293.5;  DB 1;  Length 543;
Best Local Similarity 25.1%;  Pred. No. 2.4e-13;
Matches 139;  Conservative 96;  Mismatches 198;  Indels 121;  Gaps 27;

```

```

Qy      4 HVEGLIAIIVF--YLLILL-VGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTA 60
      |  | |:| | |: |:| | | | | | | | | | | | | | | | | | | | | |
Db      6 HGLSFIDIMVFAIYVAIIIGVGLWV---SRDKKGTQKSTEDYFLAGKSLPWWAVGASLIA 62

Qy     61 TWV-----GGGYINGTAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSKGY 111
      :      | | | | | | | | | | | | | | | | | | | | | | | |
Db     63 ANISAEQFIGMSGSGYSIGLAIASY-----EWMSA-----ITLIIVGKYFLPIFIEKGI 111

Qy    112 VTMLDPFQQIYGKRMGGLLFIPALMGEMFWAAA-IFSAL-----GATISVIIDVDMHI 163
      |: : |: : |: : |: : | | : | | | | | | | | | | | | | | | | |
Db    112 YTIPEFVEKRFNKKLKTILAV-----FWISLYIFVNLTSVLYLGGLALETILGIPLMY 164

Qy    164 SVIISALIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAK 223
      |: : | | | |: : | | | |: : | | | |: : | | | | | | | | | |
Db    165 SILGLALFALVYSIYGGLSAVVWTDVIQVFFLVLG-----GFMTTYMAVSFIGGT----- 214

Qy    224 YQKPWLGTV-----DSSEVYSWLDSFLLMLGGIPW-----QAY 257

```

```

ID      SL52 HUMAN          STANDARD;          PRT;          672 AA.
AC      P31639;
DT      01-JUL-1993 (Rel. 26, Created)
DT      01-JUL-1993 (Rel. 26, Last sequence update)
DT      16-OCT-2001 (Rel. 40, Last annotation update)
DE      Sodium/glucose cotransporter 2 (Na+)/glucose cotransporter 2)
DE      (Low affinity sodium-glucose cotransporter).
GN      SLC5A2 OR SGLT2.
OS      Homo sapiens (Human).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX      NCBI_TaxID=9606;
RN      [1]
RP      SEQUENCE FROM N.A.
RC      TISSUE=Kidney;
RX      MEDLINE=93035768; PubMed=1415574;
RA      Wells R.G., Pajor A.M., Kanai Y., Turk E., Wright E.M., Hediger M.A.;
RT      "Cloning of a human kidney cDNA with similarity to the sodium-glucose
RT      cotransporter.";
RL      Am. J. Physiol. 263:F459-F465(1992).
CC      -!- FUNCTION: Sodium-dependent glucose transporter. Has a Na+ to
CC      glucose coupling ratio of 1:1.
CC      -!- FUNCTION: Efficient substrate transport in mammalian kidney is
CC      provided by the concerted action of a low affinity high capacity
CC      and a high affinity low capacity Na+)/glucose cotransporter
CC      arranged in series along kidney proximal tubules.
CC      -!- SUBCELLULAR LOCATION: Integral membrane protein.
CC      -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation

```

CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

DR EMBL; M95549; AAA36608.1; -.
 DR PIR; A56765; A56765.
 DR Genew; HGNC:11037; SLC5A2.
 DR MIM; 182381; -.
 DR GO; GO:0016021; C:integral to membrane; TAS.
 DR GO; GO:0005362; F:low-affinity glucose:sodium symporter activity; TAS.
 DR GO; GO:0005975; P:carbohydrate metabolism; TAS.
 DR GO; GO:0006810; P:transport; TAS.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
 KW Glycoprotein.
 FT DOMAIN 1 25 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 26 44 POTENTIAL.
 FT DOMAIN 45 61 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 62 82 POTENTIAL.
 FT DOMAIN 83 102 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 103 123 POTENTIAL.
 FT DOMAIN 124 168 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 169 188 POTENTIAL.
 FT DOMAIN 189 205 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 206 226 POTENTIAL.
 FT DOMAIN 227 270 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 271 291 POTENTIAL.
 FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 315 334 POTENTIAL.
 FT DOMAIN 335 423 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 424 443 POTENTIAL.
 FT DOMAIN 444 455 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 456 476 POTENTIAL.
 FT DOMAIN 477 526 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 527 547 POTENTIAL.
 FT DOMAIN 548 650 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 651 671 POTENTIAL.
 FT CARBOHYD 250 250 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 399 399 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT SITE 40 40 IMPLICATED IN SODIUM COUPLING
 FT (BY SIMILARITY).
 FT SITE 300 300 IMPLICATED IN SODIUM COUPLING
 FT (BY SIMILARITY).
 SQ SEQUENCE 672 AA; 72896 MW; 233C65F1601B0337 CRC64;

Query Match 9.8%; Score 292; DB 1; Length 672;
 Best Local Similarity 24.1%; Pred. No. 3.9e-13;
 Matches 147; Conservative 91; Mismatches 237; Indels 136; Gaps 22;

Qy 8 LIAIIVFYLLILLVGIWAAWRKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGGY 67


```

      :: | ::||: ||:|: || | |:      : || :      | :: |: :| |:
Db      26 ILVIAAYFLLVIGVGLWSMCRN-NGRTV----GGYFLAGRSMVWVPVGASLFASNIGSGH 80

Qy      68 INGTAEEAVYVPGYGLAWAQAPIGYSLS----LILGGLFFAKPMRSKGYVTMLDPFQQIYG 123
      | |      | | | | | |: :      ::| | ||      : | :||      |
Db      81 FVGLA-----GTGAASGLAVAGFEWNALFVLLLGWLFAPVYLTAGVITM----PQYLR 130

Qy      124 KRMGG-----LLFIPALMGEMFWAAAF--SALGATISVIIDVDMHISVIISA 169
      || ||      |:| :      ::|:| ||| |      : |||
Db      131 KRFGGRIRLYLSVLSFLYIFTKISVDMFSGAVFIQQALGWN-----YASVIAL 182

Qy      170 LIATLYTLVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKY----- 224
      | :||: ||| :: ||| || | | | : :|      |:: : ||
Db      183 GITMIYTVTGGLAALMYTDTVQTFVILGGACILMGYAFHEVG----GYSGLFDKYLGAAT 238

Qy      225 -----QKPWLGTVDSSSEVYSWLDSFLLL---MLGGIPW-----QAYF 258
      : | :| : |      ||: || : | :||
Db      239 SLTVSEDPVGNISSFCYRPRPDSYHLLRHPVTGDLFPWALLLGLTIVSGWYWCSDQVIV 298

Qy      259 QRVLSSSSATYAQVLSFLAAFGCLVMAIPAILIGAIGASTDWNQATAYGLPDKT-----TE 314
      || |: | |: : | : |      ::| |      :| :||      ||
Db      299 QRCLAGKSLTHIKAGCILCGYKLTMPFLMVMPGMISRLYPDEVACVVPEVCRRVCGTE 358

Qy      315 E--ADMILPIVLQYLCVPYISFFGLGAVSAAVMSSADSSILSASSMFARNIYQLSFRQNA 372
      ::| :| : | | : | : ||:|| | | |:|:| :|| | |
Db      359 VGCSNIAYPRLVVKLMPNGLRGLMLAVMLAALMSSLASIFNSSSTLFTMDIY-TRLRPRA 417

Qy      373 SDKEIVWMRI-TVFVFGASATAMALLTKTVYGLWYLSSDLVYIVIFPQLLCV----LFV 427
      |:|:| | |: ||: | : :| | : | : | | ||
Db      418 GDRELLLVGRLWVVFIVVSVAWLPVVQAAQGGQLFDYIQAVSSYLAPPVSAVFLALFV 477

Qy      428 KGTNTYGAVAGYVSGFLRITGGEPYLYLQPLIFYPGYPPDDNGIYNQKFPFKTLAMV-- 485
      | || | : ||: | : |      :| | : : |
Db      478 PRVNEQGAFWGLIGGLMGLARLIP-----EFSFGSGSCVQP 514

Qy      486 ---TSFLTNICISYLAKYLFE-SGTLPPKLDVFDVAV-----ARHSEENMDKTI 530
      :|| : | | || || | : : | :      |||:|
Db      515 SACPAFLCGVHYLYFAIVLFFCSGLLTLTVSLCTAPIPRKHLHRLVFSLRHSKE----- 568

Qy      531 LVKNENIKLDE 541
      : |: : ||
Db      569 --EREDLDADE 577

```

RESULT 11

SL54_MOUSE

ID SL54_MOUSE STANDARD; PRT; 656 AA.

AC Q9ET37;

DT 16-OCT-2001 (Rel. 40, Created)

DT 16-OCT-2001 (Rel. 40, Last sequence update)

DT 28-FEB-2003 (Rel. 41, Last annotation update)

DE Low affinity sodium-glucose cotransporter (Sodium/glucose
cotransporter 3) (Na+)/glucose cotransporter 3).

GN SLC5A4A.

OS Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=129/Sv;
 RX MEDLINE=20499361; PubMed=11042146;
 RA Pletcher M.T., Roe B.A., Chen F., Do T., Do A., Malaj E., Reeves R.H.;
 RT "Chromosome evolution: the junction of mammalian chromosomes in the
 RT formation of mouse chromosome 10.";
 RL Genome Res. 10:1463-1467(2000).
 CC -!- FUNCTION: Sodium-dependent glucose transporter (By similarity).
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AF251267; AAG01741.1; -.
 DR MGD; MGI:1927848; Slc5a4a.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; FALSE_NEG.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Sugar transport; Transmembrane; Sodium transport; Symport;
 KW Glycoprotein.
 FT DOMAIN 1 28 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 29 47 POTENTIAL.
 FT DOMAIN 48 64 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 65 85 POTENTIAL.
 FT DOMAIN 86 105 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 106 126 POTENTIAL.
 FT DOMAIN 127 171 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 172 191 POTENTIAL.
 FT DOMAIN 192 208 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 209 229 POTENTIAL.
 FT DOMAIN 230 270 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 271 291 POTENTIAL.
 FT DOMAIN 292 314 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 315 334 POTENTIAL.
 FT DOMAIN 335 423 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 424 443 POTENTIAL.
 FT DOMAIN 444 455 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 456 476 POTENTIAL.
 FT DOMAIN 477 526 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 527 547 POTENTIAL.
 FT DOMAIN 548 634 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 635 655 POTENTIAL.
 FT CARBOHYD 248 248 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 656 AA; 71837 MW; A6668E815204D39B CRC64;

Query Match

9.8%; Score 290; DB 1; Length 656;

Best Local Similarity 22.3%; Pred. No. 5.2e-13;
Matches 147; Conservative 102; Mismatches 252; Indels 158; Gaps 25;

Qy	11	IIVFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFMTATWVGGGYING	70
Db	32	::: ::: :: : : : :: : : ::	
Qy	71	IVIYFVVVMAGVGVWAMLKTNRSTVG-----GFFLAGRSMTWWPMGASLFASNIGSGHFVG	86
Db	87	: : : :: : : : :	
Qy	129	TAEAVYVPGYGLAWAQAPIGYSLSLILGGLFFAKPMRSK-GYVTMLDPFQQIYGKRMGG-	128
Db	140	L : : : :: : : : :	
Qy	177	LAGTGAASGIAVT-AFESHFSFALLLVLGWIFV--PIYIKAGVMTM----PEYLKKRFGGK	139
Db	192	: : : : : : : : : : : :	
Qy	233	RLQIYLSILFLFICVILTISADIF-SGAIF-----IKLALGLNLYLAAILILLAITAIFT	192
Db	248	: : : : : :	
Qy	268	LVGGLYSVAYTDVVQLFCIFVGLWISVPFALSHPAVADIGFTAVHAKYQKPWLGTVD---	233
Db	299	: : : : : : :	
Qy	308	ITGGLASVIYTDTVQAVIMLVGSFILMVFAF---VEVGGYESFTEKFMNAPSVVEGDN	248
Db	365	: : : : :	
Qy	379	---SSEVYS-WLDSFLLL---MLGGIPW-----QAYFQRVLSSSSAT	268
Db	424	: : : : : :	
Qy	434	LTINSRCYTPQPDSFHIFRPDPTGDIWPFGTAFGMPITALWYWCINQVIVQRCLCGKNLS	308
Db	484	: : : : : : : : : :	
Qy	527	YAQVLSFLAAFGLVMAIPAILIGAIGASTDWNQTAYGLP-----DPKTTEEADMI	319
Db	572	: : : : : : : :	
Qy	579	HVKAACILCGYLKLPLFFFMVPMGMISRILYTDMVACVVPSECVKHCGVDVGCTNYA---	365
Db	624	: : : : : : : : : :	
Qy	639	LPIVLQYLCPVYISFFGLGAVSAAMSSADSSILSASSMFARNIYQLSFRQNASDKIEW	379
Db	684	::: : : : : : : : :	
Qy	724	YPMLVLKLMPPGLRGLMLSVMLASLMSSLTSVFNSASTLFTIDLY-TKIRKKASERELLI	424
Db	772	: : : : : : : : : :	
Qy	819	VMRITVFVFGASATAMALLTKTVYG---LWYLSSDLVYI--VIFPQLLCVLFVKGTNTYG	434
Db	864	: : : : : : : : : :	
Qy	919	AGRLFVSVLIVTSILWVPIVEVSQGGQLVHYTEAISSYLGPPIAAVFLVAVFCKRANEQG	484
Db	964	: : : : : : : : : :	
Qy	1019	AVAGYVSGLFL-----RITGGEPYLYLQPLIFYPGYYPDNDG	471
Db	1064	: : : : : :	
Qy	1119	AFWGLMVGLVMGLIRMIAEFSYGTGSCLAPSSCPKIICGVHYLYFAIILFF-----	535
Db	1164	: : :	
Qy	1219	IYNQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDV----FDAVARHSEENMD	527
Db	1264	: : : :	
Qy	1319	-----VCILVILGVSYLTK-----PIPDVHLHRLCWALRNSKEERID	572
Db	1364	: : :	
Qy	1419	KTILVKKEN---IKLDELALVKPR-----QSMTLSSTFTNKAEFLDVDSSP	570
Db	1464	: :	
Qy	1519	LDAEDKEENGADDRTEEDQTEKPRGCCLKKTCDFCGLQRAEFKLTKEVEEALTDTTEKE	631

RESULT 12

SL53 MOUSE

ID SL53 MOUSE STANDARD; PRT; 718 AA.

AC Q9JKZ2;

DT 16-OCT-2001 (Rel. 40, Created)

DT 16-OCT-2001 (Rel. 40, Last sequence update)

DT 16-OCT-2001 (Rel. 40, Last annotation update)

DE Sodium/myo-inositol cotransporter (Na(+)/myo-inositol cotransporter).

GN SLC5A3.

OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20237552; PubMed=10773690;
 RA McVeigh K.E., Mallee J.J., Lucente A., Barnoski B.L., Wu S.,
 RA Berry G.T.;
 RT "Murine chromosome 16 telomeric region, homologous with human
 RT chromosome 21q22, contains the osmoregulatory Na(+)/myo-inositol
 RT cotransporter (SLC5A3) gene.";
 RL Cytogenet. Cell Genet. 88:153-158(2000).
 CC -!- FUNCTION: Prevents intracellular accumulation of high
 CC concentrations of myo-inositol (an osmolyte) that result in
 CC impairment of cellular function.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AF220915; AAF43668.1; -.
 DR MGD; MGI:1858226; Slc5a3.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Transmembrane; Sodium transport; Symport; Glycoprotein.
 FT DOMAIN 1 9 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 10 29 POTENTIAL.
 FT DOMAIN 30 38 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 39 57 POTENTIAL.
 FT DOMAIN 58 86 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 87 110 POTENTIAL.
 FT DOMAIN 111 123 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 124 144 POTENTIAL.
 FT DOMAIN 145 157 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 158 183 POTENTIAL.
 FT DOMAIN 184 186 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 187 205 POTENTIAL.
 FT DOMAIN 206 303 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 304 324 POTENTIAL.
 FT DOMAIN 325 353 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 354 376 POTENTIAL.
 FT DOMAIN 377 406 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 407 430 POTENTIAL.
 FT DOMAIN 431 443 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 444 462 POTENTIAL.
 FT DOMAIN 463 510 CYTOPLASMIC (POTENTIAL).

FT	TRANSMEM	511	532	POTENTIAL.
FT	DOMAIN	533	695	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	696	716	POTENTIAL.
FT	CARBOHYD	32	32	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	SITE	24	24	IMPLICATED IN SODIUM COUPLING
FT				(BY SIMILARITY).
FT	SITE	285	285	IMPLICATED IN SODIUM COUPLING
FT				(BY SIMILARITY).
SQ	SEQUENCE	718 AA;	79554 MW;	D035CFBECDDA803B CRC64;

Query Match 9.7%; Score 289; DB 1; Length 718;
 Best Local Similarity 21.7%; Pred. No. 6.8e-13;
 Matches 150; Conservative 113; Mismatches 209; Indels 218; Gaps 32;

Qy	9	IAII-VFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGG-	66
		: : : : : : : : :	
Db	10	IAVVALYFILVMCIGFFAMWKSNRSTVS-----GYFLAGRSM--TWVAIGA	53
Qy	67	--YINGTAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSKGYVTM	114
		: : : : : : : : : :	
Db	54	SLFVSNIGSEHFI---GLAGSGAASGFAVGAWEFNALLLLQLLGWVFIPIYIRS-GVYTM	109
Qy	115	LDPFQQIYGKRMGG-----LLFIPALMGEMFWAAAIIFSALGATISVIIDVDMH	162
		: : : : : : : :	
Db	110	----PEYLSKRFGGHRIQVYFAALSLLLYIFTKLSVDLYSGALF-----IQESLGWNLY	159
Qy	163	ISVIISALIATLYTLVGGLYSVAYTDVVQLFCIFVG----LWISV-----PFAL	207
		: : : : : : : : :	
Db	160	VSVILLIGMTALLTVTGGLVAVIYTDTLQALLMIIGALTLMVISMVKIGGFEEVKRRYML	219
Qy	208	SHPAVADI-----GFTAVHAKYQK-----PWLGTV---DSSEVYSWLDS	243
		: : : : : :	
Db	220	ASPDVASILLKYNLSNTNACMVHPKANALKMLRDPDDEDVPWPFGFILGQTPASVWYWCAD	279
Qy	244	FLLMLGGIPWQAYFQRLVSSSSATYAQ----VLSFLAAFGCLVMAIPAIL-----	290
		: : : : : : : : : :	
Db	280	-----QVIVQRLAAKNIAHAKGSTLMAGFLKLLPMFIIVVPGMISRIVFADEI	328
Qy	291	-----IGAIGASTDWNQTAYGLPDKTTEEADMILPIVLQYLCPVYISFFGLGAVSA	342
		: : : : : : : :	
Db	329	ACINPEHCMQVCGSRAGCSNIAY-----PRLVMTLVPVGLRGLMMAVMIA	373
Qy	343	AVMSSADSSILSASSMFARNIYQLSFRQNASDKIEIVWMRITV-FVFGASATAMALLTKT	401
		: : : : : : : : : : : :	
Db	374	ALMSDLDLSIFNSASTIFTLDVYKL-IRKSASSRELMIVGRIFVAFMVVISIAWVPIIVEM	432
Qy	402	VYGLWYLSSDLVYIVIFPQL----LCVLFVKGTNT----YGAVAGYVSG---LFLRITGG	450
		: : : :	
Db	433	QGGQMYLYIQEVADYLTTPVAALFLLAIFWKRCNEQGAFFYGGMAGFVLGAVRLILAFTYR	492
Qy	451	EP-----YLYLQPLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICI	494
		: : : : : : : : : : : : :	
Db	493	APECDQPDNRPGFIKDIHYMYVATALEW-----ITGLIT-VIV	529
Qy	495	SYLAKYLFESGTLPPKLDVFDVAVVARHSEENMDKTIIV-----KNENIKLDELALVK-P	547
		: : : : : : :	
Db	530	SLL-----TPPPTKDQI-----RTTTFWSKKTIVTKESCSQKDEPYKMQEKSILQCS	576

QY 548 RQSMTLSSTFTNKEAFLDVDSSPEGSGETED 577
 | : | | | : : : | : | |
 Db 577 ENSEVISHTIPNGKS----EDSIKGLQPED 602

RESULT 13

OPUE_BACSU

ID OPUE_BACSU STANDARD; PRT; 492 AA.
 AC O06493;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Osmoregulated proline transporter (Sodium/proline symporter).
 GN OPUE OR BSU06660.
 OS *Bacillus subtilis*.
 OC Bacteria; Firmicutes; Bacillales; Bacillaceae; *Bacillus*.
 OX NCBI_TaxID=1423;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=168 / JH642;
 RA von Blohn C., Kempf B., Kappes R.M., Bremer E.;
 RT "Osmostress response in *Bacillus subtilis*: characterization of a
 RT proline uptake system (OpuE) regulated by high osmolarity and the
 RT alternative transcription factor sigma B.";
 RL Mol. Microbiol. 25:175-187(1997).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=168;
 RX MEDLINE=97124186; PubMed=8969499;
 RA Borriess R., Porwollik S., Schroeter R.;
 RT "The 52 degrees-55 degrees segment of the *Bacillus subtilis*
 RT chromosome: a region devoted to purine uptake and metabolism, and
 RT containing the genes *cotA*, *gabP* and *guaA* and the *pur* gene cluster
 RT within a 34960 bp nucleotide sequence.";
 RL Microbiology 142:3027-3031(1996).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=168;
 RX MEDLINE=98044033; PubMed=9384377;
 RA Kunst F., Ogasawara N., Moszer I., Albertini A.M., Alloni G.,
 RA Azevedo V., Bertero M.G., Bessieres P., Bolotin A., Borchert S.,
 RA Borriess R., Boursier L., Brans A., Braun M., Brignell S.C., Bron S.,
 RA Brouillet S., Bruschi C.V., Caldwell B., Capuano V., Carter N.M.,
 RA Choi S.K., Codani J.J., Connerton I.F., Cummings N.J., Daniel R.A.,
 RA Denizot F., Devine K.M., Dusterhoft A., Ehrlich S.D., Emmerson P.T.,
 RA Entian K.D., Errington J., Fabret C., Ferrari E., Foulger D.,
 RA Fritz C., Fujita M., Fujita Y., Fuma S., Galizzi A., Galleron N.,
 RA Ghim S.Y., Glaser P., Goffeau A., Golightly E.J., Grandi G.,
 RA Guiseppi G., Guy B.J., Haga K., Haiech J., Harwood C.R., Henaut A.,
 RA Hilbert H., Holsappel S., Hosono S., Hullo M.F., Itaya M., Jones L.,
 RA Joris B., Karamata D., Kasahara Y., Klaerr-Blanchard M., Klein C.,
 RA Kobayashi Y., Koetter P., Koningstein G., Krogh S., Kumano M.,
 RA Kurita K., Lapidus A., Lardinois S., Lauber J., Lazarevic V.,
 RA Lee S.M., Levine A., Liu H., Masuda S., Mauel C., Medigue C.,
 RA Medina N., Mellado R.P., Mizuno M., Moestl D., Nakai S., Noback M.,
 RA Noone D., O'Reilly M., Ogawa K., Ogiwara A., Oudega B., Park S.H.,

RA Parro V., Pohl T.M., Portetelle D., Porwollik S., Prescott A.M.,
 RA Presecan E., Pujic P., Purnelle B., Rapoport G., Rey M., Reynolds S.,
 RA Rieger M., Rivolta C., Rocha E., Roche B., Rose M., Sadaie Y.,
 RA Sato T., Scanlan E., Schleich S., Schroeter R., Scoffone F.,
 RA Sekiguchi J., Sekowska A., Seror S.J., Serror P., Shin B.S., Soldo B.,
 RA Sorokin A., Tacconi E., Takagi T., Takahashi H., Takemaru K.,
 RA Takeuchi M., Tamakoshi A., Tanaka T., Terpstra P., Tognoni A.,
 RA Tosato V., Uchiyama S., Vandenbol M., Vannier F., Vassarotti A.,
 RA Viari A., Wambutt R., Wedler E., Wedler H., Weitzenegger T.,
 RA Winters P., Wipat A., Yamamoto H., Yamane K., Yasumoto K., Yata K.,
 RA Yoshida K., Yoshikawa H.F., Zumstein E., Yoshikawa H., Danchin A.;
 RT "The complete genome sequence of the Gram-positive bacterium *Bacillus*
 RT *subtilis*.";
 RL Nature 390:249-256(1997).
 CC -!- FUNCTION: CATALYZES THE SODIUM-DEPENDENT UPTAKE OF EXTRACELLULAR
 CC PROLINE.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U92466; AAB66512.1; -.
 DR EMBL; AF011545; AAB72182.1; -.
 DR EMBL; Z99107; CAB12486.1; -.
 DR PIR; H69670; H69670.
 DR SubtiList; BG12641; opuE.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Transmembrane; Sodium transport; Symport;
 KW Complete proteome.
 FT TRANSMEM 3 23 POTENTIAL.
 FT TRANSMEM 62 82 POTENTIAL.
 FT TRANSMEM 125 145 POTENTIAL.
 FT TRANSMEM 161 181 POTENTIAL.
 FT TRANSMEM 191 211 POTENTIAL.
 FT TRANSMEM 224 244 POTENTIAL.
 FT TRANSMEM 271 291 POTENTIAL.
 FT TRANSMEM 314 334 POTENTIAL.
 FT TRANSMEM 365 385 POTENTIAL.
 FT TRANSMEM 394 414 POTENTIAL.
 FT TRANSMEM 424 444 POTENTIAL.
 FT TRANSMEM 449 469 POTENTIAL.
 SQ SEQUENCE 492 AA; 53282 MW; 23459873F1E799E6 CRC64;

Query Match 9.6%; Score 285; DB 1; Length 492;
 Best Local Similarity 22.1%; Pred. No. 8.5e-13;
 Matches 118; Conservative 97; Mismatches 214; Indels 106; Gaps 18;

RT "Cloning of the cDNA for a Na⁺/myo-inositol cotransporter, a
 RT hypertonicity stress protein.";
 RL J. Biol. Chem. 267:6297-6301(1992).
 CC -!- FUNCTION: Prevents intracellular accumulation of high
 CC concentrations of myo-inositol (an osmolyte) that result in
 CC impairment of cellular function.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- TISSUE SPECIFICITY: Brain and kidney.
 CC -!- INDUCTION: Medium hypertonicity.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M85068; -; NOT_ANNOTATED_CDS.
 DR PIR; A42163; A42163.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Transmembrane; Sodium transport; Symport; Glycoprotein.
 FT DOMAIN 1 9 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 10 29 POTENTIAL.
 FT DOMAIN 30 38 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 39 57 POTENTIAL.
 FT DOMAIN 58 86 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 87 110 POTENTIAL.
 FT DOMAIN 111 123 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 124 144 POTENTIAL.
 FT DOMAIN 145 157 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 158 183 POTENTIAL.
 FT DOMAIN 184 186 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 187 205 POTENTIAL.
 FT DOMAIN 206 303 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 304 324 POTENTIAL.
 FT DOMAIN 325 353 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 354 376 POTENTIAL.
 FT DOMAIN 377 406 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 407 430 POTENTIAL.
 FT DOMAIN 431 443 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 444 462 POTENTIAL.
 FT DOMAIN 463 510 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 511 532 POTENTIAL.
 FT DOMAIN 533 695 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 696 716 POTENTIAL.
 FT CARBOHYD 32 32 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT SITE 24 24 IMPLICATED IN SODIUM COUPLING
 FT (BY SIMILARITY).
 FT SITE 285 285 IMPLICATED IN SODIUM COUPLING
 FT (BY SIMILARITY).

SQ SEQUENCE 718 AA; 79545 MW; 4C1B5CC4485CD268 CRC64;

Query Match 9.4%; Score 278.5; DB 1; Length 718;
Best Local Similarity 23.1%; Pred. No. 3.7e-12;
Matches 154; Conservative 115; Mismatches 222; Indels 177; Gaps 34;

```
Qy      9 I A I I - V F Y L L I L L V G I W A A W R T K N S G S A E E R S E A I I V G G R D I G L L V G G F T M T A T W V G G G - 66
      |||: ::::|::: |: | |:: | : | : | | | |
Db     10 I A I V A L Y F I L V M C I G F F A M W K S N R S T V S ----- G Y F L A G R S M -- T W V A I G A 53

Qy     67 -- Y I N G T A E A V Y V P G Y G L A W A Q A P I G Y S ----- L S L I L G G L F F A K P M R S K G Y V T M 114
      ::: : : | | | : | |:: | : | | : | : | | |
Db     54 S L F V S N I G S E H F I --- G L A G S G A A S G F A V G A W E F N A L L L Q L L G W V F I P I Y I R S - G V Y T M 109

Qy    115 L D P F Q Q I Y G K R M G G ----- L L F I P A L M G E M F W A A A I F S A L G A T I S V I I D V D M H 162
      : | | | | : | : | : : | : | | : : :
Db    110 ---- P E Y L S K R F G G H R I Q V Y F A A L S L I L Y I F T K L S V D L Y S G A L F ----- I Q E S L G W N L Y 159

Qy    163 I S V I I S A L I A T L Y T L V G G L Y S V A Y T D V V Q L F C I F V G ---- L W I S V ----- P F A L 207
      : | | : : | | : | | | : | | | : | : | : | : | : |
Db    160 V S V I L L I G M T A L L T V T G G L V A V I Y T D T L Q A L L M I V G A L T L M I I S M M E I G G F E E V K R R Y M L 219

Qy    208 S H P A V A D I G F T A V H A K Y Q K P W L G T V D S S E V Y S W L D S F L L L ----- M L G G I P - 253
      : | | | | | | : | | : | : : | : | : | |
Db    220 A S P N V T S I L L T ----- Y N --- L S N T N S C N V H P K K D A L K M L R N P T D E D V P W P G F V L G Q T P A 271

Qy    254 ---- W --- Q A Y F Q R V L S S S S A T Y A Q ---- V L S F L A A F G C L V M A I P A I L ----- 290
      | | | | | : : : : | : : | : : : :
Db    272 S V W Y W C A D Q V I V Q R V L A A K N I A H A K G S T L M A G F L K L L P M F I I V P G M I S R I L F A D D I A C I 331

Qy    291 ----- I G A I G A S T D W N Q T A Y G L P D P K T T E E A D M I L P I V L Q Y L C P V Y I S F F G L G A V S A A V M 345
      : | : : | | | : : | | | : : | : | : |
Db    332 N P E H C M Q V C G S R A G C S N I A Y ----- P R L V M K L V P V G L R G L M M A V M I A A L M 376

Qy    346 S S A D S S I L S A S S M F A R N I Y Q L S F R Q N A S D K E I V W M R I T V - F V F G A S A T A M A L L T K T V Y G 404
      | | | | | : : : | : : | : : | : : | : : | : : |
Db    377 S D L D S I F N S A S T I F T L D V Y K L - I R R S A S S R E L M I V G R I F V A F M V V I S I A W V P I I V E M Q G G 435

Qy    405 L W Y L S S D L V Y I V I F P Q L ---- L C V L F V K G T N T ---- Y G A V A G Y V S G L F L R I T G G E P Y L Y L 456
      | | | : | : | : | | | | | : | : | : | : |
Db    436 Q M Y L Y I Q E V A D Y L T P P V A A L F L L A I F W K R C N E Q G A F Y G G M A G F V L G A - V R L T -- L A F A Y R 492

Qy    457 Q P L I F Y ---- P G Y Y P D D N G I Y N Q K F P F K T L A M V T S F L T N I C I S Y L A K Y L F E S G T L P P K L D 512
      | | : | : | : | | | : | : | : | | | :
Db    493 A P E C D Q P D N R P G F I K D I H Y M Y ---- V A T A L F W V T G L I T - V I V S L L ----- T P P P T K E 539

Qy    513 V F D A V V A R H S E E N M D K T I L V K N E N I K L D E L A L V K P R Q S M T L S S T F T N K E A F L D V D S S P E G 572
      | : | : : | | : : : : | | | : | |
Db    540 Q I ---- R T T T F W S K K S L V V K E S C S P K D E P Y K M Q E K S I L R C S E --- N S E A T N H I -- I P N G 589

Qy    573 S G T E D N L Q 580
      : | : : :
Db    590 K - S E D S I K 596
```

RESULT 15
SL53_BOVIN

ID SL53_BOVIN STANDARD; PRT; 718 AA.
 AC P53793;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-JUL-1998 (Rel. 36, Last annotation update)
 DE Sodium/myo-inositol cotransporter (Na(+)/myo-inositol cotransporter).
 GN SLC5A3 OR SMIT.
 OS Bos taurus (Bovine).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Bovinae; Bos.
 OX NCBI_TaxID=9913;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Mallee J.J., Parrella T., Kwon H.M., Berry G.T.;
 RL Submitted (APR-1996) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: Prevents intracellular accumulation of high
 CC concentrations of myo-inositol (an osmolyte) that result in
 CC impairment of cellular function.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein.
 CC -!- SIMILARITY: BELONGS TO THE SODIUM:SOLUTE SYMPORTER FAMILY (SSF).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U41338; AAA93188.1; -.
 DR InterPro; IPR001734; Na/solut_symport.
 DR Pfam; PF00474; SSF; 1.
 DR TIGRFAMs; TIGR00813; sss; 1.
 DR PROSITE; PS00456; NA_SOLUT_SYMP_1; 1.
 DR PROSITE; PS00457; NA_SOLUT_SYMP_2; 1.
 DR PROSITE; PS50283; NA_SOLUT_SYMP_3; 1.
 KW Transport; Transmembrane; Sodium transport; Symport; Glycoprotein.
 FT DOMAIN 1 9 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 10 29 POTENTIAL.
 FT DOMAIN 30 38 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 39 57 POTENTIAL.
 FT DOMAIN 58 86 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 87 110 POTENTIAL.
 FT DOMAIN 111 123 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 124 144 POTENTIAL.
 FT DOMAIN 145 157 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 158 183 POTENTIAL.
 FT DOMAIN 184 186 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 187 205 POTENTIAL.
 FT DOMAIN 206 303 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 304 324 POTENTIAL.
 FT DOMAIN 325 353 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 354 376 POTENTIAL.
 FT DOMAIN 377 406 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 407 430 POTENTIAL.
 FT DOMAIN 431 443 EXTRACELLULAR (POTENTIAL).

FT	TRANSMEM	444	462	POTENTIAL.
FT	DOMAIN	463	510	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	511	532	POTENTIAL.
FT	DOMAIN	533	695	CYTOPLASMIC (POTENTIAL).
FT	TRANSMEM	696	716	POTENTIAL.
FT	CARBOHYD	32	32	N-LINKED (GLCNAC. . .) (POTENTIAL).
FT	SITE	24	24	IMPLICATED IN SODIUM COUPLING
FT				(BY SIMILARITY).
FT	SITE	285	285	IMPLICATED IN SODIUM COUPLING
FT				(BY SIMILARITY).
SQ	SEQUENCE	718 AA;	79673 MW;	206BE25FA385111D CRC64;

Query Match 9.3%; Score 275; DB 1; Length 718;
 Best Local Similarity 22.2%; Pred. No. 6.6e-12;
 Matches 148; Conservative 122; Mismatches 225; Indels 172; Gaps 32;

Qy	9	IAII-VFYLLILLVGIWAAWRTKNSGSAEERSEAIIVGGRDIGLLVGGFTMTATWVGGG-	66
		: :::: ::: : :: :	
Db	10	IAIVALYFILVMCIGFFAMWKSNRSTVS-----GYFLAGRSM--TWVAIGA	53
Qy	67	--YINGTAEAVYVPGYGLAWAQAPIGYS-----LSLILGGLFFAKPMRSKGYVTM	114
		::: :: : :: : : :	
Db	54	SLFVSNIGSEHFI---GLAGSGAASGFAVGAWEFNALLLQLLGWVFIPIYIRS-GVYTM	109
Qy	115	LDPFQQIYGKRMGG-----LLFIPALMGEMFWAAAIIFSALGATISVIIDVDMH	162
		: : : : : : :::	
Db	110	----PEYLSKRFGGHRIQVYFAALSLILYIFTKLSVDLYSGALF-----IQESMGWNLY	159
Qy	163	ISVIISALIATLYTLVGGLYSVAYTDVVQLFCIFVG---LWISV-----PFAL	207
		: : : : : : : : : :	
Db	160	VSVILLIGMTALLTVTGGVLAVIYTDTLQALLMIVGALTLMVISMMEIGGFEEVKRRYML	219
Qy	208	SHPAVADIGFTAVHAKYQKPWLGTVDSSSEVYSWLDSFLLL-----MLGGIP-	253
		: : : : : :	
Db	220	ASPNVTSILLT-----YN---LSNTNSCNVHPKKDALKMLRNPTDEDVPWPGFILGQTPA	271
Qy	254	----W---QAYFQRVLSSSSATYAQ----VLSFLAAFGCLVMAIPAIL-----	290
		:: : : : : : : : ::	
Db	272	SVWYWCADQVIVQRVLAAKNIAHAKGSTLMAGFLKLLPMFIIVVPGMISRILFADDIACI	331
Qy	291	-----IGAIGASTDWNQTAYGLPDKTTEEADMILPIVLQYLCVPYISFFGLGAVSAAVM	345
		: : : : : : : : :	
Db	332	NPEHCMQVCGSRAGCSNIAY-----PRLVMKLVVPVGLRGLMMMAVMIAALM	376
Qy	346	SSADSSILSASSMFARNIYQLSFRQNASDKEIVWVMRITV-FVFGASATAMALLTKTVYG	404
		:: :::: :: ::: : : : :	
Db	377	SDLDSIFNSASTIFTLDVYKL-IRKSASSRELMIVGRIFVAFMVVISIAWVPIIVEMQGG	435
Qy	405	LWYLSSDLVYIVIFPQL----LCVLFVKGTNTYGAVAGYVSGFLF---RITGGEPYLYLQ	457
		: : : : : :	
Db	436	QMYLYIQEVADYLTPVAALFLLAIFWKRCNEQGAFYGGMAGFILVVVRLT--LAFAYRA	493
Qy	458	PLIFYPGYYPDDNGIYNQKFPFKTLAMVTSFLTNICISYLAKYLFESGTLPPKLDVFDVAV	517
		: :: : : : : : : : :	
Db	494	P----ECDQPDNRPVFIKDIHYMYVATALEWITGL-ITVIVSLL----TPPPTKEQI---	541
Qy	518	VARHSEENMDKTILV-----KNENIKLDELALVK-PRQSMTSLSTFTNKEAFLDVDSSP	570

Db | : |::| |:| |: | ::: | :: | :: : |
542 --RTTTFWSKKSLVVKESCSPKDEPYKMQEKSILRCSENSEVINHVIPNGKS----EDSI 595
Qy 571 EGSGETED 577
 :| ||
Db 596 KGLQPED 602

Search completed: September 28, 2004, 17:08:30
Job time : 27 secs